

EXHIBIT A. RADIATED SPURIOUS EMISSION DATA

Note : Transmit frequency is ignore ,mark →

30M-1G

BT-Horizontal-DH5-TX

Test result

Project Number: Certification

Test Time: 2022-03-01_10.36.25

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 23

Load: full load

Hum.: 51%

Remark: DR-RF01-E21120035-03#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	30.128	37.35	-29.82	40.0	-2.65	Peak	360.00	144	Horizontal	Pass
1*	30.128	32.05	-29.82	40.0	-7.95	QP	360.00	144	Horizontal	Pass
2	102.004	28.83	-26.58	43.5	-14.67	Peak	311.20	200	Horizontal	Pass
3	256.681	29.80	-24.40	46.0	-16.20	Peak	31.70	100	Horizontal	Pass
4	299.593	30.07	-23.78	46.0	-15.93	Peak	101.20	100	Horizontal	Pass
5	366.263	29.88	-21.95	46.0	-16.12	Peak	80.40	200	Horizontal	Pass
6	499.363	30.01	-18.61	46.0	-15.99	Peak	104.30	200	Horizontal	Pass

BT-Vertical-DH5-TX

Test result

Project Number: Certification

Test Time: 2022-03-01_10.31.37

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23

Load: full load

Hum.: 51%

Remark: DR-RF01-E21120035-03#01

REmission Test case_FCC_Part 15C_FCC 15.247(24G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	30.132	38.07	-29.82	40.0	-1.93	Peak	125.20	104	Vertical	Pass
1*	30.132	34.43	-29.82	40.0	-5.57	QP	125.20	104	Vertical	Pass
2	49.153	28.66	-25.05	40.0	-11.34	Peak	106.90	100	Vertical	Pass
3	191.465	30.55	-26.78	43.5	-12.95	Peak	147.80	200	Vertical	Pass
4	324.564	32.86	-22.96	46.0	-13.14	Peak	263.70	100	Vertical	Pass
5	366.263	33.59	-21.95	46.0	-12.41	Peak	180.30	100	Vertical	Pass
6	499.363	33.54	-18.61	46.0	-12.46	Peak	171.40	100	Vertical	Pass

1-18G

BT-Low channel-Horizontal-DH5-TX

Test result

Project Number: Certification

Test Time: 2022-03-01_11.23.27

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A


Work Additon: TX

Templ.(oC): 23

Load: full load

Hum: 51%

Remark: DR-RF01-E21120035-03#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2376.828	48.05	-7.53	74.0	-25.95	Peak	33.10	100	Horizontal	Pass
1**	2376.828	35.82	-7.53	54.0	-18.18	AV	33.10	100	Horizontal	Pass
2	2473.816	51.66	-2.17	74.0	-22.34	Peak	19.30	100	Horizontal	Pass
2**	2473.816	40.94	-2.17	54.0	-13.06	AV	19.30	100	Horizontal	Pass
3	4470.816	51.26	-0.84	74.0	-22.74	Peak	322.80	100	Horizontal	Pass
3**	4470.816	39.98	-0.84	54.0	-14.02	AV	322.80	100	Horizontal	Pass
4	4804.774	50.62	-0.56	74.0	-23.38	Peak	289.00	100	Horizontal	Pass
4**	4804.774	41.08	-0.56	54.0	-12.92	AV	289.00	100	Horizontal	Pass
5	5801.650	54.43	2.40	74.0	-19.57	Peak	333.30	100	Horizontal	Pass
5**	5801.650	43.29	2.40	54.0	-10.71	AV	333.30	100	Horizontal	Pass
6	6365.579	55.86	3.52	74.0	-18.14	Peak	10.20	100	Horizontal	Pass
6**	6365.579	45.37	3.52	54.0	-8.63	AV	10.20	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2022-02-28_10.24.05

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 23

Load: full load

Hum.: 51%

Remark: DR-RF01-E21120035-03#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7602.099	33.93	1.61	74.0	-40.07	Peak	55.20	100	Horizontal	Pass
1**	7602.099	21.67	1.61	54.0	-32.33	AV	55.20	100	Horizontal	Pass
2	13117.221	46.69	13.83	74.0	-27.31	Peak	17.60	100	Horizontal	Pass
2**	13117.221	35.75	13.83	54.0	-18.25	AV	17.60	100	Horizontal	Pass
3	14200.450	50.69	19.49	74.0	-23.31	Peak	310.50	100	Horizontal	Pass
3**	14200.450	40.73	19.49	54.0	-13.27	AV	310.50	100	Horizontal	Pass
4	14744.814	51.66	18.65	74.0	-22.34	Peak	285.90	100	Horizontal	Pass
4**	14744.814	40.28	18.65	54.0	-13.72	AV	285.90	100	Horizontal	Pass
5	17447.388	53.61	20.82	74.0	-20.39	Peak	329.80	100	Horizontal	Pass
5**	17447.388	43.57	20.82	54.0	-10.43	AV	329.80	100	Horizontal	Pass
6	17835.041	56.38	22.46	74.0	-17.62	Peak	295.90	100	Horizontal	Pass
6**	17835.041	46.08	22.46	54.0	-7.92	AV	295.90	100	Horizontal	Pass

BT-Low channel-Vertical-DH5-TX

Test result

Project Number: Certification

Test Time: 2022-03-01_11.06.33

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A


Work Additon: TX

Templ.(oC): 23

Load: full load

Hum: 51%

Remark: DR-RF01-E21120035-03#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2399.325	48.30	-4.07	74.0	-25.70	Peak	70.80	100	Vertical	Pass
1**	2399.325	39.20	-4.07	54.0	-14.80	AV	70.80	100	Vertical	Pass
2	2484.564	51.25	-1.93	74.0	-22.75	Peak	98.80	100	Vertical	Pass
2**	2484.564	41.03	-1.93	54.0	-12.97	AV	98.80	100	Vertical	Pass
3	3682.415	48.99	-2.01	74.0	-25.01	Peak	108.60	100	Vertical	Pass
3**	3682.415	38.26	-2.01	54.0	-15.74	AV	108.60	100	Vertical	Pass
4	4804.274	52.41	-0.56	74.0	-21.59	Peak	352.30	100	Vertical	Pass
4**	4804.274	44.64	-0.56	54.0	-9.36	AV	352.30	100	Vertical	Pass
5	6148.106	55.24	2.36	74.0	-18.76	Peak	154.70	100	Vertical	Pass
5**	6148.106	44.44	2.36	54.0	-9.56	AV	154.70	100	Vertical	Pass
6	6828.021	57.24	5.09	74.0	-16.76	Peak	47.90	100	Vertical	Pass
6**	6828.021	47.16	5.09	54.0	-6.84	AV	47.90	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2022-02-28_16.34.50

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 23

Hum.: 51%


Test Engineer: XCJ

Test Standard: FCC

Work Addition: TX

Load: full load

Remark: DR-RF01-E21120035-03#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7948.513	34.44	3.35	74.0	-39.56	Peak	359.70	100	Vertical	Pass
1**	7948.513	24.15	3.35	54.0	-29.85	AV	359.70	100	Vertical	Pass
2	10475.131	41.16	9.74	74.0	-32.84	Peak	214.40	100	Vertical	Pass
2**	10475.131	30.43	9.74	54.0	-23.57	AV	214.40	100	Vertical	Pass
3	13488.378	47.00	14.85	74.0	-27.00	Peak	67.80	100	Vertical	Pass
3**	13488.378	35.18	14.85	54.0	-18.82	AV	67.80	100	Vertical	Pass
4	14725.569	50.77	18.42	74.0	-23.23	Peak	32.40	100	Vertical	Pass
4**	14725.569	40.25	18.42	54.0	-13.75	AV	32.40	100	Vertical	Pass
5	17472.132	54.00	21.29	74.0	-20.00	Peak	354.20	100	Vertical	Pass
5**	17472.132	43.59	21.29	54.0	-10.41	AV	354.20	100	Vertical	Pass
6	17821.295	55.57	22.19	74.0	-18.43	Peak	0.00	100	Vertical	Pass
6**	17821.295	46.26	22.19	54.0	-7.74	AV	0.00	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2022-02-28_11.12.39

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23

Load: full load

Hum.: 51%

Remark: DR-RF01-E21120035-03#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1412.448	41.56	-12.69	74.0	-32.44	Peak	113.30	100	Horizontal	Pass
1**	1412.448	31.26	-12.69	54.0	-22.74	AV	113.30	100	Horizontal	Pass
2	2401.825	48.89	-4.02	74.0	-25.11	Peak	37.30	100	Horizontal	Pass
2**	2401.825	39.19	-4.02	54.0	-14.81	AV	37.30	100	Horizontal	Pass
3	2487.064	52.74	-1.89	74.0	-21.26	Peak	194.00	100	Horizontal	Pass
3**	2487.064	42.34	-1.89	54.0	-11.66	AV	194.00	100	Horizontal	Pass
4	4881.265	52.77	0.06	74.0	-21.23	Peak	92.10	100	Horizontal	Pass
4**	4881.265	46.81	0.06	54.0	-7.19	AV	92.10	100	Horizontal	Pass
5	6366.579	56.16	3.53	74.0	-17.84	Peak	187.00	100	Horizontal	Pass
5**	6366.579	45.64	3.53	54.0	-8.36	AV	187.00	100	Horizontal	Pass
6	6747.532	57.17	4.83	74.0	-16.83	Peak	216.00	100	Horizontal	Pass
6**	6747.532	47.26	4.83	54.0	-6.74	AV	216.00	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2022-02-28_11.14.36

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX

Temp.(oC): 23

Load: full load

Hum.: 51%

Remark: DR-RF01-E21120035-03#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7992.502	35.13	3.78	74.0	-38.87	Peak	360.00	100	Horizontal	Pass
1**	7992.502	23.98	3.78	54.0	-30.02	AV	360.00	100	Horizontal	Pass
2	10849.038	42.62	11.12	74.0	-31.38	Peak	266.40	100	Horizontal	Pass
2**	10849.038	31.81	11.12	54.0	-22.19	AV	266.40	100	Horizontal	Pass
3	12446.388	45.10	12.49	74.0	-28.90	Peak	57.90	100	Horizontal	Pass
3**	12446.388	34.78	12.49	54.0	-19.22	AV	57.90	100	Horizontal	Pass
4	14167.458	50.95	19.11	74.0	-23.05	Peak	333.70	100	Horizontal	Pass
4**	14167.458	40.33	19.11	54.0	-13.67	AV	333.70	100	Horizontal	Pass
5	17428.143	53.46	20.45	74.0	-20.54	Peak	0.60	100	Horizontal	Pass
5**	17428.143	43.16	20.45	54.0	-10.84	AV	0.60	100	Horizontal	Pass
6	17824.044	55.54	22.25	74.0	-18.46	Peak	48.20	100	Horizontal	Pass
6**	17824.044	45.89	22.25	54.0	-8.11	AV	48.20	100	Horizontal	Pass

BT-Middle channel-Vertical-DH5-TX

Test result

Project Number: Certification

Test Time: 2022-03-01_13.17.59

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: TX


Templ.(oC): 23

Load: full load

Hum: 51%

Remark: DR-RF01-E21120035-03#01

Remission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2434.321	51.00	-3.18	74.0	-23.00	Peak	220.40	100	Vertical	Pass
1**	2434.321	40.22	-3.18	54.0	-13.78	AV	220.40	100	Vertical	Pass
2	2486.564	51.18	-1.90	74.0	-22.82	Peak	160.80	100	Vertical	Pass
2**	2486.564	41.53	-1.90	54.0	-12.47	AV	160.80	100	Vertical	Pass
3	3633.921	49.00	-1.57	74.0	-25.00	Peak	123.00	100	Vertical	Pass
3**	3633.921	38.14	-1.57	54.0	-15.86	AV	123.00	100	Vertical	Pass
4	4474.316	50.33	-0.77	74.0	-23.67	Peak	118.10	100	Vertical	Pass
4**	4474.316	39.69	-0.77	54.0	-14.31	AV	118.10	100	Vertical	Pass
5	5073.741	52.06	0.97	74.0	-21.94	Peak	137.90	100	Vertical	Pass
5**	5073.741	41.62	0.97	54.0	-12.38	AV	137.90	100	Vertical	Pass
6	5968.629	54.98	2.13	74.0	-19.02	Peak	0.00	100	Vertical	Pass
6**	5968.629	43.36	2.13	54.0	-10.64	AV	0.00	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2022-02-28_16.36.44

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 23

Load: full load

Hum.: 51%

Remark: DR-RF01-E21120035-03#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9361.660	38.59	7.56	74.0	-35.41	Peak	176.70	100	Vertical	Pass
1**	9361.660	28.00	7.56	54.0	-26.00	AV	176.70	100	Vertical	Pass
2	12460.135	45.50	12.54	74.0	-28.50	Peak	0.90	100	Vertical	Pass
2**	12460.135	34.73	12.54	54.0	-19.27	AV	0.90	100	Vertical	Pass
3	14186.703	50.04	19.72	74.0	-23.96	Peak	233.30	100	Vertical	Pass
3**	14186.703	40.63	19.72	54.0	-13.37	AV	233.30	100	Vertical	Pass
4	14736.566	50.65	18.55	74.0	-23.35	Peak	186.00	100	Vertical	Pass
4**	14736.566	40.03	18.55	54.0	-13.97	AV	186.00	100	Vertical	Pass
5	17510.622	53.65	20.95	74.0	-20.35	Peak	44.20	100	Vertical	Pass
5**	17510.622	43.04	20.95	54.0	-10.96	AV	44.20	100	Vertical	Pass
6	17832.292	56.53	22.41	74.0	-17.47	Peak	271.20	100	Vertical	Pass
6**	17832.292	45.95	22.41	54.0	-8.05	AV	271.20	100	Vertical	Pass

BT-High channel-Horizontal-DH5-TX

Test result

Project Number: Certification

Test Time: 2022-03-01_13.35.18

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: TX


Templ.(oC): 23

Load: full load

Hum: 51%

Remark: DR-RF01-E21120035-03#01

Remission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz_RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2402.075	49.39	-4.01	74.0	-24.61	Peak	93.90	100	Horizontal	Pass
1**	2402.075	38.90	-4.01	54.0	-15.10	AV	93.90	100	Horizontal	Pass
2	2487.564	50.80	-1.89	74.0	-23.20	Peak	269.50	100	Horizontal	Pass
2**	2487.564	41.99	-1.89	54.0	-12.01	AV	269.50	100	Horizontal	Pass
3	3728.409	48.85	-1.97	74.0	-25.15	Peak	1.00	100	Horizontal	Pass
3**	3728.409	38.14	-1.97	54.0	-15.86	AV	1.00	100	Horizontal	Pass
4	4964.254	51.24	0.21	74.0	-22.76	Peak	359.90	100	Horizontal	Pass
4**	4964.254	40.84	0.21	54.0	-13.16	AV	359.90	100	Horizontal	Pass
5	5507.687	53.46	1.54	74.0	-20.54	Peak	17.40	100	Horizontal	Pass
5**	5507.687	42.56	1.54	54.0	-11.44	AV	17.40	100	Horizontal	Pass
6	6379.078	56.09	3.59	74.0	-17.91	Peak	98.90	100	Horizontal	Pass
6**	6379.078	45.23	3.59	54.0	-8.77	AV	98.90	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2022-02-28_10.36.04

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 23

Hum.: 51%

Test Engineer: XCJ


Test Standard: FCC

Work Addition: TX

Load: full load

Remark: DR-RF01-E21120035-03#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9455.136	38.64	7.68	74.0	-35.36	Peak	337.20	100	Horizontal	Pass
1**	9455.136	27.84	7.68	54.0	-26.16	AV	337.20	100	Horizontal	Pass
2	14186.703	50.91	19.72	74.0	-23.09	Peak	221.40	100	Horizontal	Pass
2**	14186.703	41.13	19.72	54.0	-12.87	AV	221.40	100	Horizontal	Pass
3	14502.874	51.23	17.69	74.0	-22.77	Peak	357.60	100	Horizontal	Pass
3**	14502.874	41.15	17.69	54.0	-12.85	AV	357.60	100	Horizontal	Pass
4	17477.631	53.66	21.40	74.0	-20.34	Peak	4.00	100	Horizontal	Pass
4**	17477.631	43.80	21.40	54.0	-10.20	AV	4.00	100	Horizontal	Pass
5	17802.049	56.18	21.82	74.0	-17.82	Peak	67.70	100	Horizontal	Pass
5**	17802.049	45.26	21.82	54.0	-8.74	AV	67.70	100	Horizontal	Pass
6	17994.501	59.92	27.58	74.0	-14.08	Peak	279.10	100	Horizontal	Pass
6**	17994.501	49.17	27.58	54.0	-4.83	AV	279.10	100	Horizontal	Pass

BT-High channel-Vertical-DH5-TX

Test result

Project Number: Certification

Test Time: 2022-03-01_13.32.49

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: TX


Templ.(oC): 23

Load: full load

Hum: 51%

Remark: DR-RF01-E21120035-03#01

Remission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz_RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2401.325	49.15	-4.03	74.0	-24.85	Peak	108.70	100	Vertical	Pass
1**	2401.325	39.36	-4.03	54.0	-14.64	AV	108.70	100	Vertical	Pass
2	2486.564	50.93	-1.90	74.0	-23.07	Peak	302.90	100	Vertical	Pass
2**	2486.564	41.60	-1.90	54.0	-12.40	AV	302.90	100	Vertical	Pass
3	3722.910	49.64	-1.99	74.0	-24.36	Peak	360.00	100	Vertical	Pass
3**	3722.910	38.92	-1.99	54.0	-15.08	AV	360.00	100	Vertical	Pass
4	4962.255	51.40	0.22	74.0	-22.60	Peak	320.70	100	Vertical	Pass
4**	4962.255	41.33	0.22	54.0	-12.67	AV	320.70	100	Vertical	Pass
5	6089.114	54.52	2.79	74.0	-19.48	Peak	101.90	100	Vertical	Pass
5**	6089.114	44.03	2.79	54.0	-9.97	AV	101.90	100	Vertical	Pass
6	6799.525	57.65	5.16	74.0	-16.35	Peak	41.60	100	Vertical	Pass
6**	6799.525	46.38	5.16	54.0	-7.62	AV	41.60	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2022-02-28_16.38.15

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX

Temp.(oC): 23

Load: full load

Hum.: 51%

Remark: DR-RF01-E21120035-03#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8583.604	34.90	4.22	74.0	-39.10	Peak	273.10	100	Vertical	Pass
1**	8583.604	24.26	4.22	54.0	-29.74	AV	273.10	100	Vertical	Pass
2	11662.834	43.66	11.16	74.0	-30.34	Peak	123.60	100	Vertical	Pass
2**	11662.834	32.45	11.16	54.0	-21.55	AV	123.60	100	Vertical	Pass
3	14203.199	51.11	19.42	74.0	-22.89	Peak	41.40	100	Vertical	Pass
3**	14203.199	40.67	19.42	54.0	-13.33	AV	41.40	100	Vertical	Pass
4	15775.806	46.99	11.68	74.0	-27.01	Peak	51.80	100	Vertical	Pass
4**	15775.806	36.67	11.68	54.0	-17.33	AV	51.80	100	Vertical	Pass
5	17499.625	54.27	21.21	74.0	-19.73	Peak	293.20	100	Vertical	Pass
5**	17499.625	43.52	21.21	54.0	-10.48	AV	293.20	100	Vertical	Pass
6	17813.047	55.66	22.03	74.0	-18.34	Peak	138.50	100	Vertical	Pass
6**	17813.047	45.23	22.03	54.0	-8.77	AV	138.50	100	Vertical	Pass

BT-Bandedge -Low channel- Horizontal-DH5 –TX

Test result

Project Number: 1744444

Test Time: 2022-02-28_10.29.21

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23

Load: full load

Hum.: 51%

Remark: DR-RF01-E21120035-03#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.44	-9.96	74.0	-23.56	Peak	342.55	100	H	Pass
1**	2390.000	41.78	-9.96	54.0	-12.22	AV	342.55	100	H	Pass

BT-Bandedge -Low channel- Vertical-DH5 -TX

Test result

Project Number: Certification

Test Time: 2022-03-01_11.13.32

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A


Work Additon: TX

Templ.(oC): 23

Load: full load

Hum: 51%

Remark: DR-RF01-E21120035-03#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.21	-9.96	74.0	-22.79	Peak	21.28	100	V	Pass
1**	2390.000	41.57	-9.96	54.0	-12.43	AV	21.28	100	V	Pass

BT-Bandedge -High channel- Horizontal-DH5-TX

Test result

Project Number: Certification

Test Time: 2022-02-28_10.33.56

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23

Load: full load

Hum.: 51%

Remark: DR-RF01-E21120035-03#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	52.07	-9.51	74.0	-21.93	Peak	310.21	100	H	Pass
1**	2483.500	42.76	-9.51	54.0	-11.24	AV	310.21	100	H	Pass

BT-Bandedge -High channel- Vertical-DH5-TX

Test result

Project Number: Certification

Test Time: 2022-03-01_13.22.24

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A


Work Additon: TX

Templ.(oC): 23

Load: full load

Hum: 51%

Remark: DR-RF01-E21120035-03#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	50.80	-9.51	74.0	-23.20	Peak	45.81	100	V	Pass
1**	2483.500	42.87	-9.51	54.0	-11.13	AV	45.81	100	V	Pass

30M-1G

BT-Hopping-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2022-03-01_10.42.18

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 23

Load: full load

Hum.: 51%

Remark: DR-RF01-E21120035-03#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	30.131	36.99	-29.82	40.0	-3.01	Peak	0.00	134	Horizontal	Pass
1*	30.131	31.83	-29.82	40.0	-8.17	QP	0.00	134	Horizontal	Pass
2	101.520	29.61	-26.59	43.5	-13.89	Peak	305.30	300	Horizontal	Pass
3	249.408	30.25	-24.62	46.0	-15.75	Peak	19.40	100	Horizontal	Pass
4	299.593	29.08	-23.78	46.0	-16.92	Peak	92.30	100	Horizontal	Pass
5	366.263	32.79	-21.95	46.0	-13.21	Peak	291.20	300	Horizontal	Pass
6	499.363	29.76	-18.61	46.0	-16.24	Peak	106.50	200	Horizontal	Pass

BT-Hopping -Vertical-TX

Test result

Project Number: Certification

Test Time: 2022-03-01_10.26.37

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23

Load: full load

Hum.: 51%

Remark: DR-RF01-E21120035-03#01

REmission Test case_FCC_Part 15C_FCC 15.247(24G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	30.128	38.07	-29.82	40.0	-1.93	Peak	187.20	100	Vertical	Pass
1*	30.128	33.90	-29.82	40.0	-6.10	QP	187.20	100	Vertical	Pass
2	66.608	29.49	-28.18	40.0	-10.51	Peak	61.20	100	Vertical	Pass
3	274.621	33.76	-24.41	46.0	-12.24	Peak	166.40	100	Vertical	Pass
4	366.263	33.57	-21.95	46.0	-12.43	Peak	202.50	100	Vertical	Pass
5	499.363	34.12	-18.61	46.0	-11.88	Peak	191.10	100	Vertical	Pass
6	959.513	31.06	-9.31	46.0	-14.94	Peak	0.00	200	Vertical	Pass

1-18G

BT-Hopping -Horizontal-DH5-TX

Test result

Project Number: Certification

Test Time: 2022-03-01_10.05.47

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 23

Load: full load

Hum.: 51%

Remark: DR-RF01-E21120035-03#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2398.825	49.32	-4.07	74.0	-24.68	Peak	75.60	100	Horizontal	Pass
1**	2398.825	39.15	-4.07	54.0	-14.85	AV	75.60	100	Horizontal	Pass
2	2456.318	51.13	-2.65	74.0	-22.87	Peak	317.00	100	Horizontal	Pass
2**	2456.318	41.23	-2.65	54.0	-12.77	AV	317.00	100	Horizontal	Pass
3	2487.064	51.13	-1.89	74.0	-22.87	Peak	91.20	100	Horizontal	Pass
3**	2487.064	42.18	-1.89	54.0	-11.82	AV	91.20	100	Horizontal	Pass
4	4913.261	53.65	0.11	74.0	-20.35	Peak	12.80	100	Horizontal	Pass
4**	4913.261	47.75	0.11	54.0	-6.25	AV	12.80	100	Horizontal	Pass
5	4935.758	54.24	0.21	74.0	-19.76	Peak	7.60	100	Horizontal	Pass
5**	4935.758	50.84	0.21	54.0	-3.16	AV	7.60	100	Horizontal	Pass
6	6816.523	57.34	5.12	74.0	-16.66	Peak	7.60	100	Horizontal	Pass
6**	6816.523	47.18	5.12	54.0	-6.82	AV	7.60	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2022-02-28_16.41.14

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 23

Hum.: 51%


Test Engineer: XCJ

Test Standard: FCC

Work Addition: TX

Load: full load

Remark: DR-RF01-E21120035-03#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9133.467	37.76	7.04	74.0	-36.24	Peak	47.70	100	Horizontal	Pass
1**	9133.467	27.07	7.04	54.0	-26.93	AV	47.70	100	Horizontal	Pass
2	13235.441	46.68	14.16	74.0	-27.32	Peak	312.30	100	Horizontal	Pass
2**	13235.441	36.41	14.16	54.0	-17.59	AV	312.30	100	Horizontal	Pass
3	14189.453	50.90	19.73	74.0	-23.10	Peak	144.10	100	Horizontal	Pass
3**	14189.453	40.74	19.73	54.0	-13.26	AV	144.10	100	Horizontal	Pass
4	14744.814	52.35	18.65	74.0	-21.65	Peak	335.40	100	Horizontal	Pass
4**	14744.814	40.46	18.65	54.0	-13.54	AV	335.40	100	Horizontal	Pass
5	17477.631	54.16	21.40	74.0	-19.84	Peak	261.30	100	Horizontal	Pass
5**	17477.631	44.00	21.40	54.0	-10.00	AV	261.30	100	Horizontal	Pass
6	17810.297	54.98	21.98	74.0	-19.02	Peak	148.50	100	Horizontal	Pass
6**	17810.297	45.52	21.98	54.0	-8.48	AV	148.50	100	Horizontal	Pass

BT-Hopping -Vertical-DH5-TX

Test result

Project Number: Certification

Test Time: 2022-03-01_10.12.52

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 23

Load: full load

Hum.: 51%

Remark: DR-RF01-E21120035-03#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2395.076	48.49	-4.11	74.0	-25.51	Peak	160.50	100	Vertical	Pass
1**	2395.076	37.33	-4.11	54.0	-16.67	AV	160.50	100	Vertical	Pass
2	2456.568	50.86	-2.64	74.0	-23.14	Peak	343.20	100	Vertical	Pass
2**	2456.568	41.50	-2.64	54.0	-12.50	AV	343.20	100	Vertical	Pass
3	2486.064	51.14	-1.91	74.0	-22.86	Peak	300.00	100	Vertical	Pass
3**	2486.064	42.11	-1.91	54.0	-11.89	AV	300.00	100	Vertical	Pass
4	4926.759	52.51	0.18	74.0	-21.49	Peak	39.40	100	Vertical	Pass
4**	4926.759	41.16	0.18	54.0	-12.84	AV	39.40	100	Vertical	Pass
5	6548.556	57.02	4.18	74.0	-16.98	Peak	174.10	100	Vertical	Pass
5**	6548.556	46.77	4.18	54.0	-7.23	AV	174.10	100	Vertical	Pass
6	6843.020	57.53	5.06	74.0	-16.47	Peak	323.30	100	Vertical	Pass
6**	6843.020	47.70	5.06	54.0	-6.30	AV	323.30	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2022-02-28_16.32.10

No. N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 23

Hum.: 51%

Test Engineer: XCJ


Test Standard: FCC

Work Addition: TX

Load: full load

Remark: DR-RF01-E21120035-03#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7987.003	34.59	3.73	74.0	-39.41	Peak	357.80	100	Vertical	Pass
1**	7987.003	23.90	3.73	54.0	-30.10	AV	357.80	100	Vertical	Pass
2	10890.277	42.85	11.12	74.0	-31.15	Peak	164.40	100	Vertical	Pass
2**	10890.277	31.55	11.12	54.0	-22.45	AV	164.40	100	Vertical	Pass
3	11596.851	43.43	11.27	74.0	-30.57	Peak	359.50	100	Vertical	Pass
3**	11596.851	32.34	11.27	54.0	-21.66	AV	359.50	100	Vertical	Pass
4	14189.453	50.37	19.73	74.0	-23.63	Peak	23.30	100	Vertical	Pass
4**	14189.453	40.93	19.73	54.0	-13.07	AV	23.30	100	Vertical	Pass
5	17496.876	53.85	21.27	74.0	-20.15	Peak	23.30	100	Vertical	Pass
5**	17496.876	43.67	21.27	54.0	-10.33	AV	23.30	100	Vertical	Pass
6	17843.289	56.47	22.49	74.0	-17.53	Peak	222.80	100	Vertical	Pass
6**	17843.289	46.16	22.49	54.0	-7.84	AV	222.80	100	Vertical	Pass

BT-Bandedge-Hopping- Horizontal-DH5 –TX

Test result

Project Number: Certification

Test Time: 2022-03-01_09:55.13

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23

Load: full load

Hum.: 51%

Remark: DR-RF01-E21120035-03#01

Remission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.34	-9.96	74.0	-22.66	Peak	104.30	100	H	Pass
1**	2390.000	41.79	-9.96	54.0	-12.21	AV	104.30	100	H	Pass
2	2483.500	52.20	-9.51	74.0	-21.80	Peak	172.65	100	H	Pass
2**	2483.500	42.48	-9.51	54.0	-11.52	AV	172.65	100	H	Pass

BT-Bandedge-Hopping-Vertical-DH5 -TX

Test result

Project Number: Certification

Test Time: 2022-03-01_10.20.26

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: TX


Templ.(oC): 23

Load: full load

Hum: 51%

Remark: DR-RF01-E21120035-03#01

R emission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.91	-9.96	74.0	-23.09	Peak	291.72	100	V	Pass
1**	2390.000	41.57	-9.96	54.0	-12.43	AV	291.72	100	V	Pass
2	2483.500	51.33	-9.51	74.0	-22.67	Peak	181.56	100	V	Pass
2**	2483.500	42.13	-9.51	54.0	-11.87	AV	181.56	100	V	Pass

30M-1G

BT 3M-Horizontal-DH5-TX

Test result

Project Number: Certification

Test Time: 2022-03-01_13.57.17

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23

Load: full load

Hum.: 51%

Remark: DR-RF01-E21120035-03#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	35.819	29.35	-27.78	40.0	-10.65	Peak	126.90	100	Horizontal	Pass
2	98.368	30.00	-26.77	43.5	-13.50	Peak	121.50	300	Horizontal	Pass
3	120.004	37.08	-28.31	43.5	-6.42	Peak	90.40	102	Horizontal	Pass
3*	120.004	32.89	-28.31	43.5	-10.61	QP	90.40	102	Horizontal	Pass
4	299.593	29.13	-23.78	46.0	-16.87	Peak	103.80	100	Horizontal	Pass
5	366.263	31.97	-21.95	46.0	-14.03	Peak	264.00	300	Horizontal	Pass
6	499.363	28.96	-18.61	46.0	-17.04	Peak	125.50	200	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2022-03-01_13.48.53

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23

Load: full load

Hum.: 51%

Remark: DR-RF01-E21120035-03#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	60.002	35.32	-26.24	40.0	-4.68	Peak	358.80	117	Vertical	Pass
1*	60.002	27.37	-26.24	40.0	-12.63	QP	358.80	117	Vertical	Pass
2	119.945	31.15	-28.31	43.5	-12.35	Peak	195.70	100	Vertical	Pass
3	207.951	30.07	-26.79	43.5	-13.43	Peak	165.40	200	Vertical	Pass
4	299.593	32.89	-23.78	46.0	-13.11	Peak	186.00	100	Vertical	Pass
5	366.263	32.66	-21.95	46.0	-13.34	Peak	0.00	200	Vertical	Pass
6	499.363	32.39	-18.61	46.0	-13.61	Peak	188.10	200	Vertical	Pass

1-18G

BT 3M -Low channel-Horizontal-DH5-TX

Test result

Project Number: Certification

Test Time: 2022-03-01_15.07.49

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A


Work Additon: TX

Templ.(oC): 23

Load: full load

Hum: 51%

Remark: DR-RF01-E21120035-03#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2400.825	48.43	-4.04	74.0	-25.57	Peak	252.30	100	Horizontal	Pass
1**	2400.825	39.41	-4.04	54.0	-14.59	AV	252.30	100	Horizontal	Pass
2	2486.314	50.66	-1.91	74.0	-23.34	Peak	143.60	100	Horizontal	Pass
2**	2486.314	41.49	-1.91	54.0	-12.51	AV	143.60	100	Horizontal	Pass
3	2997.750	48.10	-3.05	74.0	-25.90	Peak	0.00	100	Horizontal	Pass
3**	2997.750	37.83	-3.05	54.0	-16.17	AV	0.00	100	Horizontal	Pass
4	4102.362	49.35	-0.89	74.0	-24.65	Peak	125.60	100	Horizontal	Pass
4**	4102.362	38.55	-0.89	54.0	-15.45	AV	125.60	100	Horizontal	Pass
5	5834.146	54.68	2.31	74.0	-19.32	Peak	241.70	100	Horizontal	Pass
5**	5834.146	44.17	2.31	54.0	-9.83	AV	241.70	100	Horizontal	Pass
6	6878.015	57.10	5.08	74.0	-16.90	Peak	0.10	100	Horizontal	Pass
6**	6878.015	46.32	5.08	54.0	-7.68	AV	0.10	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2022-03-01_09:30:55

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23

Load: full load

Hum.: 51%

Remark: DR-RF01-E21120035-03#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9391.902	38.52	7.66	74.0	-35.48	Peak	307.10	100	Horizontal	Pass
1**	9391.902	28.64	7.66	54.0	-25.36	AV	307.10	100	Horizontal	Pass
2	11343.914	43.54	11.99	74.0	-30.46	Peak	74.90	100	Horizontal	Pass
2**	11343.914	32.75	11.99	54.0	-21.25	AV	74.90	100	Horizontal	Pass
3	14227.943	50.77	18.86	74.0	-23.23	Peak	254.20	100	Horizontal	Pass
3**	14227.943	39.84	18.86	54.0	-14.16	AV	254.20	100	Horizontal	Pass
4	14775.056	51.66	18.70	74.0	-22.34	Peak	274.30	100	Horizontal	Pass
4**	14775.056	40.69	18.70	54.0	-13.31	AV	274.30	100	Horizontal	Pass
5	17463.884	53.86	21.14	74.0	-20.14	Peak	153.40	100	Horizontal	Pass
5**	17463.884	43.55	21.14	54.0	-10.45	AV	153.40	100	Horizontal	Pass
6	18000.000	59.09	27.92	74.0	-14.91	Peak	123.60	100	Horizontal	Pass
6**	18000.000	49.55	27.92	54.0	-4.45	AV	123.60	100	Horizontal	Pass

BT 3M -Low channel-Vertical-DH5-TX

Test result

Project Number: Certification

Test Time: 2022-03-01_13.43.40

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A


Work Additon: TX

Templ.(oC): 23

Load: full load

Hum: 51%

Remark: DR-RF01-E21120035-03#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2400.825	48.45	-4.04	74.0	-25.55	Peak	164.50	100	Vertical	Pass
1**	2400.825	38.91	-4.04	54.0	-15.09	AV	164.50	100	Vertical	Pass
2	2486.564	50.92	-1.90	74.0	-23.08	Peak	295.10	100	Vertical	Pass
2**	2486.564	41.99	-1.90	54.0	-12.01	AV	295.10	100	Vertical	Pass
3	4044.869	49.67	-0.88	74.0	-24.33	Peak	0.00	100	Vertical	Pass
3**	4044.869	40.15	-0.88	54.0	-13.85	AV	0.00	100	Vertical	Pass
4	4903.762	51.57	0.09	74.0	-22.43	Peak	73.50	100	Vertical	Pass
4**	4903.762	41.51	0.09	54.0	-12.49	AV	73.50	100	Vertical	Pass
5	6030.621	54.97	2.86	74.0	-19.03	Peak	30.30	100	Vertical	Pass
5**	6030.621	44.14	2.86	54.0	-9.86	AV	30.30	100	Vertical	Pass
6	6769.029	57.36	5.05	74.0	-16.64	Peak	0.10	100	Vertical	Pass
6**	6769.029	46.76	5.05	54.0	-7.24	AV	0.10	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2022-02-28_17.50.19

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23

Load: full load

Hum.: 51%

Remark: DR-RF01-E21120035-03#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	10510.872	41.89	10.10	74.0	-32.11	Peak	183.90	100	Vertical	Pass
1**	10510.872	30.88	10.10	54.0	-23.12	AV	183.90	100	Vertical	Pass
2	13812.797	47.92	15.09	74.0	-26.08	Peak	249.80	100	Vertical	Pass
2**	13812.797	37.55	15.09	54.0	-16.45	AV	249.80	100	Vertical	Pass
3	14183.954	50.52	19.63	74.0	-23.48	Peak	240.50	100	Vertical	Pass
3**	14183.954	40.69	19.63	54.0	-13.31	AV	240.50	100	Vertical	Pass
4	14753.062	51.63	18.75	74.0	-22.37	Peak	35.40	100	Vertical	Pass
4**	14753.062	40.57	18.75	54.0	-13.43	AV	35.40	100	Vertical	Pass
5	17505.124	54.26	21.08	74.0	-19.74	Peak	307.50	100	Vertical	Pass
5**	17505.124	43.72	21.08	54.0	-10.28	AV	307.50	100	Vertical	Pass
6	17813.047	55.45	22.03	74.0	-18.55	Peak	179.10	100	Vertical	Pass
6**	17813.047	45.72	22.03	54.0	-8.28	AV	179.10	100	Vertical	Pass

BT 3M -Middle channel-Horizontal-DH5-TX

Test result

Project Number: Certification

Test Time: 2022-03-01_15.03.39

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: TX


Templ.(oC): 23

Load: full load

Hum: 51%

Remark: DR-RF01-E21120035-03#01

Remission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz_RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2402.325	48.80	-4.00	74.0	-25.20	Peak	358.90	100	Horizontal	Pass
1**	2402.325	38.74	-4.00	54.0	-15.26	AV	358.90	100	Horizontal	Pass
2	2475.566	50.48	-2.12	74.0	-23.52	Peak	192.50	100	Horizontal	Pass
2**	2475.566	40.81	-2.12	54.0	-13.19	AV	192.50	100	Horizontal	Pass
3	2828.271	48.15	-4.18	74.0	-25.85	Peak	31.00	100	Horizontal	Pass
3**	2828.271	37.02	-4.18	54.0	-16.98	AV	31.00	100	Horizontal	Pass
4	4596.300	50.89	-0.62	74.0	-23.11	Peak	91.50	100	Horizontal	Pass
4**	4596.300	39.91	-0.62	54.0	-14.09	AV	91.50	100	Horizontal	Pass
5	6043.620	54.59	2.86	74.0	-19.41	Peak	360.00	100	Horizontal	Pass
5**	6043.620	44.80	2.86	54.0	-9.20	AV	360.00	100	Horizontal	Pass
6	6928.509	57.25	5.10	74.0	-16.75	Peak	291.60	100	Horizontal	Pass
6**	6928.509	47.46	5.10	54.0	-6.54	AV	291.60	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2022-03-01_09.29.16

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 23

Hum.: 51%

Test Engineer: XCJ


Test Standard: FCC

Work Addition: TX

Load: full load

Remark: DR-RF01-E21120035-03#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8910.772	37.49	5.98	74.0	-36.51	Peak	128.10	100	Horizontal	Pass
1**	8910.772	26.16	5.98	54.0	-27.84	AV	128.10	100	Horizontal	Pass
2	10543.864	41.90	10.28	74.0	-32.10	Peak	74.90	100	Horizontal	Pass
2**	10543.864	30.97	10.28	54.0	-23.03	AV	74.90	100	Horizontal	Pass
3	14183.954	50.89	19.63	74.0	-23.11	Peak	118.80	100	Horizontal	Pass
3**	14183.954	40.91	19.63	54.0	-13.09	AV	118.80	100	Horizontal	Pass
4	14794.301	50.77	18.40	74.0	-23.23	Peak	329.40	100	Horizontal	Pass
4**	14794.301	39.85	18.40	54.0	-14.15	AV	329.40	100	Horizontal	Pass
5	15143.464	49.19	14.82	74.0	-24.81	Peak	271.40	100	Horizontal	Pass
5**	15143.464	38.55	14.82	54.0	-15.45	AV	271.40	100	Horizontal	Pass
6	17991.752	58.90	27.41	74.0	-15.10	Peak	0.00	100	Horizontal	Pass
6**	17991.752	49.33	27.41	54.0	-4.67	AV	0.00	100	Horizontal	Pass

BT 3M -Middle channel-Vertical-DH5-TX

Test result

Project Number: Certification

Test Time: 2022-03-01_14.04.15

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: TX


Templ.(oC): 23

Load: full load

Hum: 51%

Remark: DR-RF01-E21120035-03#01

R emission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2397.575	48.44	-4.09	74.0	-25.56	Peak	151.90	100	Vertical	Pass
1**	2397.575	38.15	-4.09	54.0	-15.85	AV	151.90	100	Vertical	Pass
2	2474.816	50.55	-2.14	74.0	-23.45	Peak	197.70	100	Vertical	Pass
2**	2474.816	41.66	-2.14	54.0	-12.34	AV	197.70	100	Vertical	Pass
3	2863.767	49.03	-3.81	74.0	-24.97	Peak	2.10	100	Vertical	Pass
3**	2863.767	38.43	-3.81	54.0	-15.57	AV	2.10	100	Vertical	Pass
4	4522.810	50.67	-0.22	74.0	-23.33	Peak	359.40	100	Vertical	Pass
4**	4522.810	39.74	-0.22	54.0	-14.26	AV	359.40	100	Vertical	Pass
5	6000.125	54.68	2.60	74.0	-19.32	Peak	232.10	100	Vertical	Pass
5**	6000.125	43.62	2.60	54.0	-10.38	AV	232.10	100	Vertical	Pass
6	6979.503	57.69	5.42	74.0	-16.31	Peak	309.90	100	Vertical	Pass
6**	6979.503	47.14	5.42	54.0	-6.86	AV	309.90	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2022-02-28_17.52.21

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23

Load: full load

Hum.: 51%

Remark: DR-RF01-E21120035-03#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8039.240	34.17	4.48	74.0	-39.83	Peak	312.70	100	Vertical	Pass
1**	8039.240	24.28	4.48	54.0	-29.72	AV	312.70	100	Vertical	Pass
2	10521.870	41.53	10.21	74.0	-32.47	Peak	360.00	100	Vertical	Pass
2**	10521.870	31.09	10.21	54.0	-22.91	AV	360.00	100	Vertical	Pass
3	14214.196	50.69	19.17	74.0	-23.31	Peak	164.20	100	Vertical	Pass
3**	14214.196	40.47	19.17	54.0	-13.53	AV	164.20	100	Vertical	Pass
4	15786.803	46.71	11.75	74.0	-27.29	Peak	71.90	100	Vertical	Pass
4**	15786.803	35.98	11.75	54.0	-18.02	AV	71.90	100	Vertical	Pass
5	17499.625	54.42	21.21	74.0	-19.58	Peak	206.60	100	Vertical	Pass
5**	17499.625	43.94	21.21	54.0	-10.06	AV	206.60	100	Vertical	Pass
6	17824.044	55.95	22.25	74.0	-18.05	Peak	121.10	100	Vertical	Pass
6**	17824.044	45.72	22.25	54.0	-8.28	AV	121.10	100	Vertical	Pass

BT 3M -High channel-Horizontal-DH5-TX

Test result

Project Number: Certification

Test Time: 2022-03-01_15.01.07

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: TX


Templ.(oC): 23

Load: full load

Hum: 51%

Remark: DR-RF01-E21120035-03#01

R emission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1880.640	42.15	-11.93	74.0	-31.85	Peak	92.00	100	Horizontal	Pass
1**	1880.640	31.52	-11.93	54.0	-22.48	AV	92.00	100	Horizontal	Pass
2	2400.325	48.57	-4.05	74.0	-25.43	Peak	32.40	100	Horizontal	Pass
2**	2400.325	38.95	-4.05	54.0	-15.05	AV	32.40	100	Horizontal	Pass
3	2486.564	50.42	-1.90	74.0	-23.58	Peak	227.10	100	Horizontal	Pass
3**	2486.564	41.31	-1.90	54.0	-12.69	AV	227.10	100	Horizontal	Pass
4	4050.369	49.58	-0.81	74.0	-24.42	Peak	184.20	100	Horizontal	Pass
4**	4050.369	38.96	-0.81	54.0	-15.04	AV	184.20	100	Horizontal	Pass
5	6311.086	55.45	3.41	74.0	-18.55	Peak	33.10	100	Horizontal	Pass
5**	6311.086	44.42	3.41	54.0	-9.58	AV	33.10	100	Horizontal	Pass
6	6797.525	57.39	5.17	74.0	-16.61	Peak	171.10	100	Horizontal	Pass
6**	6797.525	46.52	5.17	54.0	-7.48	AV	171.10	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2022-03-01_09.27.37

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 23

Hum.: 51%

Test Engineer: XCJ

Test Standard: FCC

Work Addition: TX

Load: full load

Remark: DR-RF01-E21120035-03#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7956.761	35.46	3.43	74.0	-38.54	Peak	47.20	100	Horizontal	Pass
1**	7956.761	23.83	3.43	54.0	-30.17	AV	47.20	100	Horizontal	Pass
2	9985.754	40.67	9.35	74.0	-33.33	Peak	2.60	100	Horizontal	Pass
2**	9985.754	29.69	9.35	54.0	-24.31	AV	2.60	100	Horizontal	Pass
3	14181.205	50.38	19.55	74.0	-23.62	Peak	23.10	100	Horizontal	Pass
3**	14181.205	40.80	19.55	54.0	-13.20	AV	23.10	100	Horizontal	Pass
4	14772.307	50.39	18.74	74.0	-23.61	Peak	96.70	100	Horizontal	Pass
4**	14772.307	40.20	18.74	54.0	-13.80	AV	96.70	100	Horizontal	Pass
5	17458.385	53.62	21.03	74.0	-20.38	Peak	18.20	100	Horizontal	Pass
5**	17458.385	43.40	21.03	54.0	-10.60	AV	18.20	100	Horizontal	Pass
6	17818.545	55.88	22.14	74.0	-18.12	Peak	266.80	100	Horizontal	Pass
6**	17818.545	45.87	22.14	54.0	-8.13	AV	266.80	100	Horizontal	Pass

BT 3M -High channel-Vertical-DH5-TX

Test result

Project Number: Certification

Test Time: 2022-03-01_14.12.16

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: TX


Templ.(oC): 23

Load: full load

Hum: 51%

Remark: DR-RF01-E21120035-03#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2401.575	48.56	-4.02	74.0	-25.44	Peak	182.80	100	Vertical	Pass
1**	2401.575	38.80	-4.02	54.0	-15.20	AV	182.80	100	Vertical	Pass
2	2486.814	50.95	-1.90	74.0	-23.05	Peak	115.80	100	Vertical	Pass
2**	2486.814	41.62	-1.90	54.0	-12.38	AV	115.80	100	Vertical	Pass
3	2978.503	48.41	-3.22	74.0	-25.59	Peak	167.20	100	Vertical	Pass
3**	2978.503	39.03	-3.22	54.0	-14.97	AV	167.20	100	Vertical	Pass
4	4283.840	49.67	-1.44	74.0	-24.33	Peak	298.40	100	Vertical	Pass
4**	4283.840	39.30	-1.44	54.0	-14.70	AV	298.40	100	Vertical	Pass
5	6389.576	55.88	3.64	74.0	-18.12	Peak	80.70	100	Vertical	Pass
5**	6389.576	45.71	3.64	54.0	-8.29	AV	80.70	100	Vertical	Pass
6	6798.025	57.78	5.17	74.0	-16.22	Peak	61.30	100	Vertical	Pass
6**	6798.025	46.60	5.17	54.0	-7.40	AV	61.30	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2022-02-28_17.54.31

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 23

Hum.: 51%

Test Engineer: XCJ


Test Standard: FCC

Work Addition: TX

Load: full load

Remark: DR-RF01-E21120035-03#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9875.781	40.79	9.30	74.0	-33.21	Peak	355.30	100	Vertical	Pass
1**	9875.781	29.57	9.30	54.0	-24.43	AV	355.30	100	Vertical	Pass
2	12454.636	45.26	12.52	74.0	-28.74	Peak	98.70	100	Vertical	Pass
2**	12454.636	34.56	12.52	54.0	-19.44	AV	98.70	100	Vertical	Pass
3	14186.703	51.04	19.72	74.0	-22.96	Peak	25.30	100	Vertical	Pass
3**	14186.703	40.98	19.72	54.0	-13.02	AV	25.30	100	Vertical	Pass
4	15137.966	49.33	14.86	74.0	-24.67	Peak	1.20	100	Vertical	Pass
4**	15137.966	38.72	14.86	54.0	-15.28	AV	1.20	100	Vertical	Pass
5	17494.126	53.89	21.33	74.0	-20.11	Peak	268.80	100	Vertical	Pass
5**	17494.126	43.96	21.33	54.0	-10.04	AV	268.80	100	Vertical	Pass
6	17818.545	55.85	22.14	74.0	-18.15	Peak	109.50	100	Vertical	Pass
6**	17818.545	46.14	22.14	54.0	-7.86	AV	109.50	100	Vertical	Pass

BT 3M -Bandedge -Low channel- Horizontal-DH5 –TX

Test result

Project Number: Certification

Test Time: 2022-03-01_15.05.34

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A


Work Additon: TX

Templ.(oC): 23

Load: full load

Hum: 51%

Remark: DR-RF01-E21120035-03#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.20	-9.96	74.0	-23.80	Peak	233.84	100	H	Pass
1**	2390.000	41.28	-9.96	54.0	-12.72	AV	233.84	100	H	Pass

BT 3M -Bandedge -Low channel- Vertical-DH5 -TX

Test result

Project Number: Certification

Test Time: 2022-03-01_13.39.23

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A


Work Additon: TX

Templ.(oC): 23

Load: full load

Hum: 51%

Remark: DR-RF01-E21120035-03#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.61	-9.96	74.0	-23.39	Peak	177.59	100	Vertical	Pass
1**	2390.000	41.78	-9.96	54.0	-12.22	AV	177.59	100	Vertical	Pass

BT 3M -Bandedge -High channel- Horizontal-DH5-TX

Test result

Project Number: Certification

Test Time: 2022-03-01_14.59.04

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A


Work Additon: TX

Templ.(oC): 23

Load: full load

Hum: 51%

Remark: DR-RF01-E21120035-03#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	51.55	-9.51	74.0	-22.45	Peak	271.34	100	H	Pass
1**	2483.500	42.23	-9.51	54.0	-11.77	AV	271.34	100	H	Pass

BT 3M -Bandedge -High channel- Vertical-DH5-TX

Test result

Project Number: Certification

Test Time: 2022-03-01_14.08.07

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A


Work Additon: TX

Templ.(oC): 23

Load: full load

Hum: 51%

Remark: DR-RF01-E21120035-03#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	51.50	-9.51	74.0	-22.50	Peak	60.54	100	V	Pass
1**	2483.500	42.30	-9.51	54.0	-11.70	AV	60.54	100	V	Pass

30M-1G

BT 3M-Hopping-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2022-03-01_14.36.38

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 23

Load: full load

Hum.: 51%

Remark: DR-RF01-E21120035-03#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	35.819	30.69	-27.78	40.0	-9.31	Peak	97.90	100	Horizontal	Pass
2	59.820	29.68	-26.24	40.0	-10.32	Peak	244.60	100	Horizontal	Pass
3	120.004	36.18	-28.31	43.5	-7.32	Peak	263.20	104	Horizontal	Pass
3*	120.004	31.12	-28.31	43.5	-12.38	QP	263.20	104	Horizontal	Pass
4	366.263	31.87	-21.95	46.0	-14.13	Peak	281.20	200	Horizontal	Pass
5	499.363	27.94	-18.61	46.0	-18.06	Peak	134.50	200	Horizontal	Pass
6	959.513	34.96	-9.31	46.0	-11.04	Peak	138.90	100	Horizontal	Pass

BT 3M-Hopping -Vertical-TX

Test result

Project Number: Certification

Test Time: 2022-03-01_14.25.12

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23

Load: full load

Hum.: 51%

Remark: DR-RF01-E21120035-03#01

REmission Test case_FCC_Part 15C_FCC 15.247(24G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	36.001	36.04	-27.78	40.0	-3.96	Peak	0.50	141	Vertical	Pass
1*	36.001	28.29	-27.78	40.0	-11.71	QP	0.50	141	Vertical	Pass
2	119.945	32.50	-28.31	43.5	-11.00	Peak	187.50	100	Vertical	Pass
3	274.621	32.48	-24.41	46.0	-13.52	Peak	183.60	100	Vertical	Pass
4	299.593	32.16	-23.78	46.0	-13.84	Peak	166.60	100	Vertical	Pass
5	366.263	34.03	-21.95	46.0	-11.97	Peak	185.60	100	Vertical	Pass
6	499.363	32.64	-18.61	46.0	-13.36	Peak	198.70	100	Vertical	Pass

1-18G

BT 3M-Hopping -Horizontal-DH5-TX

Test result

Project Number: Certification

Test Time: 2022-03-01_14.49.39

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A


Work Additon: TX

Templ.(oC): 23

Load: full load

Hum: 51%

Remark: DR-RF01-E21120035-03#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2400.325	48.75	-4.05	74.0	-25.25	Peak	270.50	100	Horizontal	Pass
1**	2400.325	38.98	-4.05	54.0	-15.02	AV	270.50	100	Horizontal	Pass
2	2450.569	52.19	-2.83	74.0	-21.81	Peak	32.40	100	Horizontal	Pass
2**	2450.569	42.39	-2.83	54.0	-11.61	AV	32.40	100	Horizontal	Pass
3	2485.814	51.33	-1.91	74.0	-22.67	Peak	220.10	100	Horizontal	Pass
3**	2485.814	41.27	-1.91	54.0	-12.73	AV	220.10	100	Horizontal	Pass
4	3189.476	48.15	-4.59	74.0	-25.85	Peak	271.10	100	Horizontal	Pass
4**	3189.476	36.55	-4.59	54.0	-17.45	AV	271.10	100	Horizontal	Pass
5	5319.210	53.28	0.52	74.0	-20.72	Peak	327.70	100	Horizontal	Pass
5**	5319.210	40.92	0.52	54.0	-13.08	AV	327.70	100	Horizontal	Pass
6	6378.078	56.69	3.58	74.0	-17.31	Peak	47.90	100	Horizontal	Pass
6**	6378.078	45.79	3.58	54.0	-8.21	AV	47.90	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2022-03-01_09:32.28

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23

Load: full load

Hum.: 51%

Remark: DR-RF01-E21120035-03#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9166.458	38.24	7.33	74.0	-35.76	Peak	0.40	100	Horizontal	Pass
1**	9166.458	27.73	7.33	54.0	-26.27	AV	0.40	100	Horizontal	Pass
2	13163.959	46.68	14.00	74.0	-27.32	Peak	360.00	100	Horizontal	Pass
2**	13163.959	36.55	14.00	54.0	-17.45	AV	360.00	100	Horizontal	Pass
3	14172.957	50.48	19.28	74.0	-23.52	Peak	360.00	100	Horizontal	Pass
3**	14172.957	40.56	19.28	54.0	-13.44	AV	360.00	100	Horizontal	Pass
4	14775.056	50.61	18.70	74.0	-23.39	Peak	242.30	100	Horizontal	Pass
4**	14775.056	40.74	18.70	54.0	-13.26	AV	242.30	100	Horizontal	Pass
5	17472.132	54.67	21.29	74.0	-19.33	Peak	127.30	100	Horizontal	Pass
5**	17472.132	43.82	21.29	54.0	-10.18	AV	127.30	100	Horizontal	Pass
6	17989.003	59.36	27.24	74.0	-14.64	Peak	0.40	100	Horizontal	Pass
6**	17989.003	48.80	27.24	54.0	-5.20	AV	0.40	100	Horizontal	Pass

BT 3M-Hopping -Vertical-DH5-TX

Test result

Project Number: Certification

Test Time: 2022-03-01_14.55.46

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: TX


Templ.(oC): 23

Load: full load

Hum: 51%

Remark: DR-RF01-E21120035-03#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz_RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2400.575	48.62	-4.04	74.0	-25.38	Peak	257.50	100	Vertical	Pass
1**	2400.575	38.97	-4.04	54.0	-15.03	AV	257.50	100	Vertical	Pass
2	2487.064	50.95	-1.89	74.0	-23.05	Peak	141.20	100	Vertical	Pass
2**	2487.064	41.64	-1.89	54.0	-12.36	AV	141.20	100	Vertical	Pass
3	3690.414	49.58	-2.08	74.0	-24.42	Peak	271.70	100	Vertical	Pass
3**	3690.414	38.40	-2.08	54.0	-15.60	AV	271.70	100	Vertical	Pass
4	5665.167	53.77	1.53	74.0	-20.23	Peak	245.30	100	Vertical	Pass
4**	5665.167	42.98	1.53	54.0	-11.02	AV	245.30	100	Vertical	Pass
5	6495.563	55.97	3.88	74.0	-18.03	Peak	14.80	100	Vertical	Pass
5**	6495.563	45.28	3.88	54.0	-8.72	AV	14.80	100	Vertical	Pass
6	6685.039	56.89	4.49	74.0	-17.11	Peak	210.40	100	Vertical	Pass
6**	6685.039	46.23	4.49	54.0	-7.77	AV	210.40	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2022-03-01_09.33.54

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 23

Hum.: 51%

Test Engineer: XCJ


Test Standard: FCC

Work Addition: TX

Load: full load

Remark: DR-RF01-E21120035-03#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9226.943	38.58	6.51	74.0	-35.42	Peak	240.10	100	Vertical	Pass
1**	9226.943	27.16	6.51	54.0	-26.84	AV	240.10	100	Vertical	Pass
2	11225.694	43.78	11.57	74.0	-30.22	Peak	37.30	100	Vertical	Pass
2**	11225.694	32.94	11.57	54.0	-21.06	AV	37.30	100	Vertical	Pass
3	14200.450	50.54	19.49	74.0	-23.46	Peak	32.10	100	Vertical	Pass
3**	14200.450	41.18	19.49	54.0	-12.82	AV	32.10	100	Vertical	Pass
4	15162.709	49.55	14.69	74.0	-24.45	Peak	191.70	100	Vertical	Pass
4**	15162.709	38.37	14.69	54.0	-15.63	AV	191.70	100	Vertical	Pass
5	17463.884	53.89	21.14	74.0	-20.11	Peak	46.60	100	Vertical	Pass
5**	17463.884	43.94	21.14	54.0	-10.06	AV	46.60	100	Vertical	Pass
6	17848.788	57.35	22.49	74.0	-16.65	Peak	137.80	100	Vertical	Pass
6**	17848.788	46.09	22.49	54.0	-7.91	AV	137.80	100	Vertical	Pass

BT 3M-Bandedge-Hopping- Horizontal-DH5 –TX

Test result

Project Number: Certification

Test Time: 2022-03-01_14.41.42

EUT Name: N.A

Manufacture: N.A

Model Name: N.A

Templ.(oC): 23

Hum: 51%

Test Engineer: XCJ


Test Standard: FCC

Work Additon: TX

Load: full load

Remark: DR-RF01-E21120035-03#01

Remission Test case_FCC_Part 15C_FCC 15.247(Z.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.96	-9.96	74.0	-22.04	Peak	269.02	100	H	Pass
1**	2390.000	41.62	-9.96	54.0	-12.38	AV	269.02	100	H	Pass
2	2483.500	51.50	-9.51	74.0	-22.50	Peak	229.16	100	H	Pass
2**	2483.500	42.29	-9.51	54.0	-11.71	AV	229.16	100	H	Pass

BT 3M-Bandedge-Hopping-Vertical-DH5 -TX

Test result

Project Number: Certification

Test Time: 2022-03-01_14.16.50

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: TX


Templ.(oC): 23

Load: full load

Hum: 51%

Remark: DR-RF01-E21120035-03#01

Remission Test case_FCC_Part 15C_FCC 15.247(Z.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.20	-9.96	74.0	-22.80	Peak	310.50	100	V	Pass
1**	2390.000	41.52	-9.96	54.0	-12.48	AV	310.50	100	V	Pass
2	2483.500	51.86	-9.51	74.0	-22.14	Peak	229.40	100	V	Pass
2**	2483.500	42.30	-9.51	54.0	-11.70	AV	229.40	100	V	Pass