

LIST OF EXHIBITS

DESCRIPTION	EXHIBIT	REFERENCE
I. Identification Label Information & General Information	1 1A	2.1033-(c) 11
1. Production Plans		2.1033-(c)
2. Application References		2.1061
3. Data Submittal Procedure		
II. Certification of Data	2	2.1517-(g)
III. External Photographs	3	2.1033-(c) 12
IV. Circuit Descriptions	4	
V. Schematic Diagrams	5	2.1033-(c) 10
VI. Test Report		
1. Data Index	6	
2. RF Output Data	6A	2.1046
3. Modulation Characteristics		
A. Audio Response & Low Pass Filter Response	6B, 6C	2.1047-(a)
B. Modulation Limiting	6D	2.1047-(b)
4. Occupied Bandwidth	6E	2.1049
5. Conducted Spurious Emissions	6F	2.1051
6. Radiated Spurious Emissions	6G	2.1053
7. Frequency Stability		
A. Frequency Stability vs. Temperature	6H-1	2.1055
B. Frequency Stability vs. Supply Voltage	6H-2	2.1055
8. Transient Frequency Behavior	6I	90.214
VII. Test Set-up Procedures	7	2.1041
VIII. Instruction Manuals	8	2.1033-(c) 3
IX. Internal Photographs	9	2.1033-(c) 11, 12
X. Parts List and Tune-up Procedures	10	2.1033-(c) 9, 10
XI. RF Exposure Information	11	2.1091
XII. Operational Description	12	2.1033-(c) 4, 5
1. Technical Characteristics		
2. Application		
XIII. Cover Letter	13	

IDENTIFICATION LABEL

Pursuant to 47 CFR 2.1033(c)

LOCATION

A nameplate of the type presented below will be affixed to every transmitter. It will be placed on the bottom of the unit near the front. Shown below is a photo of the actual label affixed to the cast chassis of the transmitter.

TYPE

The label is a paper polyester film laminated with a pressure sensitive adhesive backing. The adhesive is a permanent type acrylic with a minimum peel strength of 40 oz/inch.




EXHIBIT 1A – GENERAL INFORMATION

1. Production Plans – Pursuant 2.1033 (c)

Quantity production is planned.

2. Application References:

TIA/EIA-603 Land Mobile FM or PM Communications Equipment Measurement and Performance Standards

Code of Federal Regulations Title 47, Part 2, Sec. 2.1033-2.1057, and Part 90 Sec. 90.210.

3. Data Submittal Procedure:

Data is supplied in accordance with Part 2, Sub-part J of the Commissions' rules.

The intended use of this transceiver includes applications covered in the Code of Federal Regulations Title 47, Part 90. Maximum transmitter power shall **not** be adjustable by the user.