




PCTEST ENGINEERING LABORATORY, INC.

18855 Adams Court, Morgan Hill, CA 95037 USA
Tel. 410.290.6652 / Fax 410.290.6654
http://www.pctest.com



MEASUREMENT REPORT FCC Part 22, 24, & 27 LTE

Applicant Name:

Apple Inc.
1 Infinite Loop
Cupertino, CA 95014
United States

Date of Testing:

6/7-8/2017

Test Site/Location:

PCTEST Lab., Morgan Hill, CA, USA

Test Report Serial No.:

1C1706160002-60-03-R4.BCG

FCC ID : **BCG-A1860**

APPLICANT: **APPLE INC.**

Application Type:

Certification

Model:

A1860, A1957

EUT Type:

Watch

FCC Classification:

PCS Licensed Transmitter Worn on Body (PCT)

FCC Rule Part(s):

§2; §22; §24; §27

Test Procedure(s):

ANSI/TIA-603-E-2016, KDB 971168 D01 v02r02, KDB 648474 D03
v01r04, KDB 414788 D01 Radiated Test Site v01

Test Device Serial No.:

identical prototype [S/N: FH7TL01WJ2GQ, FH7TT007J77R]

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in §2.947. Test results reported herein relate only to the item(s) tested.

This revised Test Report (S/N: 1C1706160002-60-03-R4.BCG) supersedes and replaces the previously issued test report (S/N: 1C1706160002-60-03-R3.BCG) on the same subject device for the same type of testing as indicated. Please discard or destroy the previously issued test report(s) and dispose of it accordingly.

I attest to the accuracy of data. All measurements reported herein were performed by me or were made under my supervision and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.

Randy Ortanez
President



FCC ID: BCG-A1860	PCTEST® FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/2017	EUT Type: Watch		Page 1 of 166

© 2017 PCTEST Engineering Laboratory, Inc.

V 6.6



06/06/2017

© 2017 PCTEST Engineering Laboratory, Inc. All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTESTLAB.COM.

T A B L E O F C O N T E N T S

FCC PART 22, 24, & 27 MEASUREMENT REPORT	3
1.0 INTRODUCTION	6
1.1 Scope	6
1.2 Testing Facility	6
2.0 PRODUCT INFORMATION.....	7
2.1 Equipment Description	7
2.2 Device Capabilities	7
2.3 Antenna Configuration	7
2.4 Test Support Equipment	8
2.5 Test Configuration.....	8
2.6 Software and Firmware.....	8
2.7 EMI Suppression Device(s)/Modifications.....	8
3.0 DESCRIPTION OF TESTS	9
3.1 Measurement Procedure.....	9
3.1 Block C Frequency Range	9
3.2 Block A Frequency Range	9
3.3 Cellular - Base Frequency Blocks	9
3.4 Cellular - Mobile Frequency Blocks.....	10
3.5 PCS - Base Frequency Blocks.....	10
3.6 PCS - Mobile Frequency Blocks	10
3.7 AWS - Base Frequency Blocks	10
3.8 AWS - Mobile Frequency Blocks.....	11
3.9 BRS/EBS Frequency Block.....	11
3.10 Radiated Power and Radiated Spurious Emissions	12
4.0 MEASUREMENT UNCERTAINTY	13
5.0 TEST EQUIPMENT CALIBRATION DATA	14
6.0 SAMPLE CALCULATIONS	15
7.0 TEST RESULTS.....	16
7.1 Summary.....	16
7.2 Occupied Bandwidth	17
7.3 Spurious and Harmonic Emissions at Antenna Terminal	44
7.4 Band Edge Emissions at Antenna Terminal.....	72
7.5 Peak-Average Ratio.....	121
7.6 ERP/EIRP	128
7.7 Radiated Spurious Emissions Measurements – Above 1GHz	138
7.8 Radiated Spurious Emissions Measurements – Below 1GHz.....	149
7.9 Frequency Stability / Temperature Variation	153
8.0 CONCLUSION.....	166

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/2017	EUT Type: Watch	Page 2 of 166



MEASUREMENT REPORT

FCC Part 22, 24, & 27

§2.1033 General Information


APPLICANT: Apple Inc.
APPLICANT ADDRESS: 1 Infinite Loop
 Cupertino, CA 95014, United States
TEST SITE: PCTEST ENGINEERING LABORATORY, INC.
TEST SITE ADDRESS: 18855 Adams Court, Morgan Hill, CA 95037 USA
FCC RULE PART(S): §2; §22; §24; §27
BASE MODEL: A1860, A1957
FCC ID: BCG-A1860
FCC CLASSIFICATION: PCS Licensed Transmitter Worn on Body (PCT)
FREQUENCY TOLERANCE: ±0.00025 % (2.5 ppm)
Test Device Serial No.: FH7TL01WJ2GQ, FH7TT007J77R Production Pre-Production Engineering
DATE(S) OF TEST: 6/7-8/18/2017
TEST REPORT S/N: 1C1706160002-60-03-R4.BCG

Test Facility / Accreditations

Measurements were performed at PCTEST Engineering Lab located in Morgan Hill, CA 95037, U.S.A.


- PCTEST is an ISO 17025-2005 accredited test facility under the American Association for Laboratory Accreditation (A2LA) with Certificate number 2041.02 for Specific Absorption Rate (SAR), Hearing Aid Compatibility (HAC) testing, where applicable, and Electromagnetic Compatibility (EMC) testing for FCC and Innovation, Science, and Economic Development Canada rules.
- PCTEST TCB is a Telecommunication Certification Body (TCB) accredited to ISO/IEC 17065-2012 by A2LA (Certificate number 2041.03) in all scopes of FCC Rules and ISED Standards (RSS).
- PCTEST facility is a registered (22831) test laboratory with the site description on file with ISED.

FCC ID: BCG-A1860	PCTEST Engineering Laboratory, Inc.		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/18/2017	EUT Type: Watch	Page 3 of 166	



MEASUREMENT REPORT

FCC Part 22, 24, & 27



Mode	FCC Rule Part	Tx Frequency (MHz)	ERP		Emission Designator	Modulation
			Max. Power (W)	Max. Power (dBm)		
LTE Band 12	27	699.7 - 715.3	0.00042	-3.79	1M08G7D	QPSK
LTE Band 12	27	699.7 - 715.3	0.00034	-4.67	1M07W7D	16QAM
LTE Band 12	27	700.5 - 714.5	0.00042	-3.77	2M71G7D	QPSK
LTE Band 12	27	700.5 - 714.5	0.00034	-4.67	2M71W7D	16QAM
LTE Band 12	27	701.5 - 713.5	0.00041	-3.84	4M51G7D	QPSK
LTE Band 12	27	701.5 - 713.5	0.00034	-4.67	4M50W7D	16QAM
LTE Band 12	27	704 - 711	0.00039	-4.04	9M01G7D	QPSK
LTE Band 12	27	704 - 711	0.00034	-4.67	9M02W7D	16QAM
LTE Band 17	27	706.5 - 713.5	0.00040	-3.98	4M51G7D	QPSK
LTE Band 17	27	706.5 - 713.5	0.00033	-4.80	4M50W7D	16QAM
LTE Band 17	27	709 - 711	0.00040	-4.00	9M01G7D	QPSK
LTE Band 17	27	709 - 711	0.00034	-4.73	9M02W7D	16QAM
LTE Band 13	27	779.5 - 784.5	0.00081	-0.94	4M52G7D	QPSK
LTE Band 13	27	779.5 - 784.5	0.00074	-1.33	4M52W7D	16QAM
LTE Band 13	27	782	0.00078	-1.06	8M98G7D	QPSK
LTE Band 13	27	782	0.00066	-1.78	9M00W7D	16QAM
LTE Band 5	22H	824.7 - 848.3	0.00100	-0.02	1M07G7D	QPSK
LTE Band 5	22H	824.7 - 848.3	0.00081	-0.93	1M07W7D	16QAM
LTE Band 5	22H	825.5 - 847.5	0.00098	-0.10	2M71G7D	QPSK
LTE Band 5	22H	825.5 - 847.5	0.00081	-0.90	2M72W7D	16QAM
LTE Band 5	22H	826.5 - 846.5	0.00096	-0.19	4M52G7D	QPSK
LTE Band 5	22H	826.5 - 846.5	0.00081	-0.90	4M52W7D	16QAM
LTE Band 5	22H	829 - 844	0.00097	-0.11	9M02G7D	QPSK
LTE Band 5	22H	829 - 844	0.00085	-0.73	9M03W7D	16QAM
LTE Band 26	22H	824.7 - 848.3	0.00094	-0.29	1M07G7D	QPSK
LTE Band 26	22H	824.7 - 848.3	0.00079	-1.05	1M07W7D	16QAM
LTE Band 26	22H	825.5 - 847.5	0.00098	-0.08	2M71G7D	QPSK
LTE Band 26	22H	825.5 - 847.5	0.00081	-0.90	2M72W7D	16QAM
LTE Band 26	22H	826.5 - 846.5	0.00093	-0.31	4M52G7D	QPSK
LTE Band 26	22H	826.5 - 846.5	0.00079	-1.02	4M52W7D	16QAM
LTE Band 26	22H	829 - 844	0.00093	-0.31	9M02G7D	QPSK
LTE Band 26	22H	829 - 844	0.00081	-0.90	9M03W7D	16QAM

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/18/2017	EUT Type: Watch			

Mode	FCC Rule Part	Tx Frequency (MHz)	EIRP		Emission Designator	Modulation
			Max. Power (W)	Max. Power (dBm)		
LTE Band 4	27	1710.7 - 1754.3	0.01219	10.86	1M08G7D	QPSK
LTE Band 4	27	1710.7 - 1754.3	0.00975	9.89	1M07W7D	16QAM
LTE Band 4	27	1711.5 - 1753.5	0.01202	10.80	2M71G7D	QPSK
LTE Band 4	27	1711.5 - 1753.5	0.00975	9.89	2M71W7D	16QAM
LTE Band 4	27	1712.5 - 1752.5	0.01183	10.73	4M52G7D	QPSK
LTE Band 4	27	1712.5 - 1752.5	0.00968	9.86	4M51W7D	16QAM
LTE Band 4	27	1715 - 1750	0.01227	10.89	9M01G7D	QPSK
LTE Band 4	27	1715 - 1750	0.00975	9.89	9M01W7D	16QAM
LTE Band 4	27	1717.5 - 1747.5	0.01227	10.89	13M5G7D	QPSK
LTE Band 4	27	1717.5 - 1747.5	0.00975	9.89	13M5W7D	16QAM
LTE Band 4	27	1720 - 1745	0.01227	10.89	18M0G7D	QPSK
LTE Band 4	27	1720 - 1745	0.01012	10.05	18M0W7D	16QAM
LTE Band 2	24E	1850.7 - 1909.3	0.01380	11.40	1M08G7D	QPSK
LTE Band 2	24E	1850.7 - 1909.3	0.01135	10.55	1M07W7D	16QAM
LTE Band 2	24E	1851.5 - 1908.5	0.01416	11.51	2M71G7D	QPSK
LTE Band 2	24E	1851.5 - 1908.5	0.01135	10.55	2M72W7D	16QAM
LTE Band 2	24E	1852.5 - 1907.5	0.01413	11.50	4M51G7D	QPSK
LTE Band 2	24E	1852.5 - 1907.5	0.01135	10.55	4M51W7D	16QAM
LTE Band 2	24E	1855 - 1905	0.01400	11.46	9M03G7D	QPSK
LTE Band 2	24E	1855 - 1905	0.01125	10.51	9M03W7D	16QAM
LTE Band 2	24E	1857.5 - 1902.5	0.01416	11.51	13M5G7D	QPSK
LTE Band 2	24E	1857.5 - 1902.5	0.01135	10.55	13M5W7D	16QAM
LTE Band 2	24E	1860 - 1900	0.01429	11.55	18M0G7D	QPSK
LTE Band 2	24E	1860 - 1900	0.01135	10.55	18M1W7D	16QAM
LTE Band 25	24E	1850.7 - 1914.3	0.01340	11.27	1M08G7D	QPSK
LTE Band 25	24E	1850.7 - 1914.3	0.01072	10.30	1M07W7D	16QAM
LTE Band 25	24E	1851.5 - 1913.5	0.01377	11.39	2M71G7D	QPSK
LTE Band 25	24E	1851.5 - 1913.5	0.01205	10.81	2M72W7D	16QAM
LTE Band 25	24E	1852.5 - 1912.5	0.01349	11.30	4M51G7D	QPSK
LTE Band 25	24E	1852.5 - 1912.5	0.01135	10.55	4M51W7D	16QAM
LTE Band 25	24E	1855 - 1910	0.01365	11.35	9M03G7D	QPSK
LTE Band 25	24E	1855 - 1910	0.01135	10.55	9M03W7D	16QAM
LTE Band 25	24E	1857.5 - 1907.5	0.01422	11.53	13M5G7D	QPSK
LTE Band 25	24E	1857.5 - 1907.5	0.01135	10.55	13M5W7D	16QAM
LTE Band 25	24E	1860 - 1905	0.01426	11.54	18M0G7D	QPSK
LTE Band 25	24E	1860 - 1905	0.01135	10.55	18M1W7D	16QAM
LTE Band 41	27	2498.5 - 2687.5	0.01762	12.46	4M50G7D	QPSK
LTE Band 41	27	2498.5 - 2687.5	0.01374	11.38	4M50W7D	16QAM
LTE Band 41	27	2501 - 2685	0.01774	12.49	8M99G7D	QPSK
LTE Band 41	27	2501 - 2685	0.01374	11.38	9M03W7D	16QAM
LTE Band 41	27	2503.5 - 2682.5	0.01807	12.57	13M5G7D	QPSK
LTE Band 41	27	2503.5 - 2682.5	0.01406	11.48	13M5W7D	16QAM
LTE Band 41	27	2506 - 2680	0.01807	12.57	18M0G7D	QPSK
LTE Band 41	27	2506 - 2680	0.01435	11.57	18M0W7D	16QAM

EUT Overview

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/2017	EUT Type: Watch	Page 5 of 166

1.0 INTRODUCTION

1.1 Scope

Measurement and determination of electromagnetic emissions (EME) of radio frequency devices including intentional and/or unintentional radiators for compliance with the technical rules and regulations of the Federal Communications Commission and the Innovation, Science, and Economic Development Canada.

1.2 Testing Facility

These measurement tests were conducted at the PCTEST Engineering Laboratory, Inc. facility located at 18855 Adams Court, Morgan Hill, CA 95037.

FCC ID: BCG-A1860	PCTEST ENGINEERING LABORATORY, INC.		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/18/2017	EUT Type: Watch		Page 6 of 166

© 2017 PCTEST Engineering Laboratory, Inc.

V 6.6
06/06/2017

© 2017 PCTEST Engineering Laboratory, Inc. All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTESTLAB.COM.

2.0 PRODUCT INFORMATION

2.1 Equipment Description

The Equipment Under Test (EUT) is the **Apple Watch FCC ID: BCG-A1860**. The test data contained in this report pertains only to the emissions due to the EUT's LTE function. According to the manufacturer, models A1860 and A1957 are electrically identical. Model A1860 was used for final testing.

2.2 Device Capabilities

This device contains the following capabilities:

850/1700/1900 WCDMA/HSPA, Multi-band LTE, 802.11b/g/n WLAN, Bluetooth (1x, EDR, LE), NFC

LTE Band 12 (699 - 716 MHz) overlaps the entire frequency range of LTE Band 17 (704 - 716 MHz). Therefore, test data provided in this report covers Band 17 as well as Band 12.

LTE Band 26 (814 – 849 MHz) overlaps the entire frequency range of LTE Band 5 (824 – 849 MHz). Therefore, test data provided in this report covers Band 5 and the portion of Band 26 subject to Part 22.

LTE Band 25 (1850 – 1915 MHz) overlaps the entire frequency range of LTE Band 2 (1850 – 1910 MHz). Therefore, test data provided in this report covers Band 2 as well as Band 25.

2.3 Antenna Configuration

The following antenna gains were used for the testing.

Frequency (MHz)	Antenna Gain (dBi)
699 - 716	-25.52
777 - 787	-22.43
814 - 824	-22.43
824 - 849	-21.75
1710 - 1755	-13.11
1850 - 1915	-12.45
2496 - 2690	-11.43

Table 2-1. Peak Antenna Gain

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/18/2017	EUT Type: Watch	Page 7 of 166

2.4 Test Support Equipment

1	Apple MacBook w/ AC/DC Adapter	Model: A1502 A1435	S/N: C02NQ01YG465 C04325505K1F288BG
2	Apple USB Cable w/ Charging Dock w/ Dock	Model: Kanzi FAPS61 X241	S/N: 20153D 6304000736 SJH3002AP2AS
3	USB Cable	Model: N/A Shielded USB Cable	S/N: N/A
4	w/ AC Adapter	Model: B353	S/N: N/A
5	Test Pathfinder Board	Model: X988	S/N: FGH7648700BDHMV323
6	Wireless Charging Pad (WCP)	Model: A1598	FCC ID: BCGA1598

Table 2-2. Test Equipment

2.5 Test Configuration

The EUT was tested per the guidance of ANSI/TIA-603-E-2016 and KDB 971168 D01 v02r02. See Section 7.0 of this test report for a description of the radiated and antenna port conducted emissions tests.

This device supports wireless charging capability and, thus, is subject to the test requirements of KDB 648474 D03 v01r04. Additional radiated spurious emission measurements were performed with the EUT lying flat on a certified wireless charging pad (WCP) while operating under normal conditions in a simulated call or data transmission configuration. The worst case radiated emissions data is shown in this report.

The worst case configuration was investigated for all combinations of the three materials, aluminum, ceramic, and stainless steel, and various types of wristbands, metal and non-metal wrist bands. The store display sample was investigated with the three types of EUTs. The EUT was also investigated with and without wireless charger.

The worst case configuration found was used for all testing. The worst case material was aluminum. The worst case accessory was metal wristband but no significant difference was found between various types of wrist bands.

The emissions below 1GHz and above 18GHz were tested with the highest transmitting power channel and the worst case configuration.

The EUT was manipulated through three orthogonal planes of X-orientation (flatbed), Y-orientation (landscape), and Z-orientation (portrait) during the testing. Only the worst case emissions were reported in this test report.

2.6 Software and Firmware

The test was conducted with firmware version 15R328 installed on the EUT.

For conducted spurious emissions, automated test software was used to measure emissions and capture the corresponding plots necessary to show compliance.

2.7 EMI Suppression Device(s)/Modifications

No EMI suppression device(s) were added and no modifications were made during testing.

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/2017	EUT Type: Watch	Page 8 of 166

3.0 DESCRIPTION OF TESTS

3.1 Measurement Procedure

The measurement procedures described in the document titled “Land Mobile FM or PM – Communications Equipment – Measurements and Performance Standards” (ANSI/TIA-603-E-2016) and “Procedures for Compliance Measurement of the Fundamental Emission Power of Licensed Wideband (> 1 MHz) Digital Transmission Systems” (KDB 971168 D01 v02r02) were used in the measurement of the EUT.

3.1 Block C Frequency Range

§27.5(b)(3)

Two paired channels of 11 megahertz each are available for assignment in Block C in the 746-757 MHz and 776-787 MHz bands. In the event that no licenses for two channels in this Block C are assigned based on the results of the first auction in which such licenses were offered because the auction results do not satisfy the applicable reserve price, the spectrum in the 746-757 MHz and 776-787 MHz bands will instead be made available for assignment at a subsequent auction as follows: (i) Two paired channels of 6 megahertz each available for assignment in Block C1 in the 746-752 MHz and 776-782 MHz bands. (ii) Two paired channels of 5 megahertz each available for assignment in Block C2 in the 752-757 MHz and 782-787 MHz bands.

3.2 Block A Frequency Range


§27.5(c)

698-746 MHz band. The following frequencies are available for licensing pursuant to this part in the 698-746 MHz band: (1) Three paired channel blocks of 12 megahertz each are available for assignment as follows:

Block A: 698-704 MHz and 728-734 MHz;
 Block B: 704-710 MHz and 734-740 MHz; and
 Block C: 710-716 MHz and 740-746 MHz.

3.3 Cellular - Base Frequency Blocks

§22.905




BLOCK 1: 869 – 880 MHz (A* Low + A)
 BLOCK 2: 880 – 890 MHz (B)

BLOCK 3: 890 – 891.5 MHz (A* High)
 BLOCK 4: 891.5 – 894 MHz (B*)

FCC ID: BCG-A1860	PCTEST® Engineering Laboratory, Inc.			FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/18/2017	EUT Type: Watch			

3.4 Cellular - Mobile Frequency Blocks

\$22.905




BLOCK 1: 824 – 835 MHz (A* Low + A)
 BLOCK 2: 835 – 845 MHz (B)

BLOCK 3: 845 – 846.5 MHz (A* High)
 BLOCK 4: 846.5 – 849 MHz (B*)


3.5 PCS - Base Frequency Blocks

\$24.229




3.6 PCS - Mobile Frequency Blocks

\$24.229



3.7 AWS - Base Frequency Blocks


§27.5(h)



FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/18/2017	EUT Type: Watch	Page 10 of 166

3.8 AWS - Mobile Frequency Blocks

§27.5(h.2)



BLOCK 1: 1710 – 1720 MHz (A)

BLOCK 2: 1720 – 1730 MHz (B)

BLOCK 3: 1730 – 1735 MHz (C)


BLOCK 4: 1735 – 1740 MHz (D)

BLOCK 5: 1740 – 1745 MHz (E)

BLOCK 6: 1745 – 1755 MHz (F)

3.9 BRS/EBS Frequency Block

§27.5



FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/18/2017	EUT Type: Watch		Page 11 of 166

3.10 Radiated Power and Radiated Spurious Emissions

[§2.1053](#) [§22.913\(a.2\)](#) [§22.917\(a\)](#) [§24.232\(c\)](#) [§24.238\(a\)](#) [§27.50\(b.10\)](#) [§27.50\(c.10\)](#) [§27.50\(d.4\)](#) [§27.53\(f\)](#) [§27.53\(g\)](#)
[§27.53\(h\)](#) [§27.53\(m\)](#)

The radiated test facilities consisted of an indoor 3 meter semi-anechoic chamber used for final measurements and exploratory measurements, when necessary. The measurement area is contained within the semi-anechoic chamber which is shielded from any ambient interference. The test site inside the chamber is a 6m x 5.2m elliptical, obstruction-free area in accordance with Figure 5.7 of Clause 5 in ANSI C63.4-2014. Absorbers are arranged on the floor between the turn table and the antenna mast in such a way so as to maximize the reduction of reflections for measurements above 1GHz. For measurements below 1GHz, the absorbers are removed. A raised turntable is used for radiated measurement. The turn table is a continuously rotatable, remote-controlled, metallic turntable and 2 meters (6.56 ft.) in diameter. The turn table is flush with the raised floor of the chamber in order to maintain its function as a ground plane. An 80cm high Styrodur Plastic Test Table is placed on top of the turntable.

The equipment under test was transmitting while connected to its integral antenna and is placed on a turntable 3 meters from the receive antenna. The receive antenna height is adjusted between 1 and 4 meter height, the turntable is rotated through 360 degrees, and the EUT is manipulated through all orthogonal planes representative of its typical use to achieve the highest reading on the receive spectrum analyzer. Radiated power levels are also investigated with the receive antenna horizontally and vertically polarized. The maximized power level is recorded using the spectrum analyzer "Channel Power" function with the integration band set to the emissions' occupied bandwidth, a RMS detector, RBW = 100kHz, VBW = 300kHz, and a 1 second sweep time over a minimum of 10 sweeps, per the guidelines of KDB 971168 D01 v02r02.

Per the guidance of ANSI/TIA-603-E-2016, a half-wave dipole is then substituted in place of the EUT. For emissions above 1GHz, a horn antenna is substituted in place of the EUT. The substitute antenna is driven by a signal generator with the level of the signal generator being adjusted to obtain the same receive spectrum analyzer level previously recorded from the spurious emission from the EUT. The power of the emission is calculated using the following formula:

$$P_d \text{ [dBm]} = P_g \text{ [dBm]} - \text{cable loss [dB]} + \text{antenna gain [dBd/dBi]}$$

Where, P_d is the dipole equivalent power, P_g is the generator output into the substitution antenna, and the antenna gain is the gain of the substitute antenna used relative to either a half-wave dipole (dBd) or an isotropic source (dBi). The substitute level is equal to $P_g \text{ [dBm]} - \text{cable loss [dB]}$.

The calculated P_d levels are then compared to the absolute spurious emission limit of -13dBm which is equivalent to the required minimum attenuation of $43 + 10\log_{10}(\text{Power [Watts]})$. For Band 41 the calculated P_d levels are compared to the absolute spurious emission limit of -25dBm which is equivalent to the required minimum attenuation of $55 + 10\log_{10}(\text{Power [Watts]})$.

FCC ID: BCG-A1860	PCTEST Engineering Laboratory, Inc.		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/18/2017	EUT Type: Watch		Page 12 of 166

4.0 MEASUREMENT UNCERTAINTY

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI C63.4-2014. All measurement uncertainty values are shown with a coverage factor of $k = 2$ to indicate a 95% level of confidence. The measurement uncertainty shown below meets or exceeds the U_{CISPR} measurement uncertainty values specified in CISPR 16-4-2 and, thus, can be compared directly to specified limits to determine compliance.

Contribution	Expanded Uncertainty (\pm dB)
Conducted Bench Top Measurements	1.13
Radiated Disturbance (<1GHz)	4.98
Radiated Disturbance (>1GHz)	5.07
Radiated Disturbance (>18GHz)	5.09

FCC ID: BCG-A1860	 FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/18/2017	EUT Type: Watch

5.0 TEST EQUIPMENT CALIBRATION DATA

Test Equipment Calibration is traceable to the National Institute of Standards and Technology (NIST). Measurements antennas used during testing were calibrated in accordance to the requirements of ANSI C63.5-2006.

Manufacturer	Model	Description	Cal Date	Cal Interval	Cal Due	Serial Number
-	AM LTX1	Licensed Transmitter Cable Set	3/17/2017	Annual	3/17/2018	AM LTX1
-	EMI 3117-ESW1	Radiated Cable Set	3/1/2017	Biennial	3/1/2018	N/A
-	EMI HL562E-ESW1	Radiated Cable Set	2/28/2017	Biennial	2/28/2018	N/A
ESPEC	SU-241	Temperature Chamber	3/10/2017	Annual	3/10/2018	92009574
Keysight Technologies	N9030A	3Hz-44Ghz PXA Signal Analyzer	3/13/2017	Annual	3/13/2018	MY49430244
Pasternack	NC100	Torque Wrench	8/21/2015	Biennial	8/21/2017	81968
Rohde & Schwarz	CMW500	Wideband Radio Communication Tester	1/10/2017	Annual	1/10/2018	161675
Rohde & Schwarz	CMW500	Wideband Radio Communication Tester	5/8/2017	Annual	5/8/2018	161616-DF
Rohde & Schwarz	ESW26	ESW26 EMI Test Receiver	1/20/2017	Annual	1/20/2018	101299
Rohde & Schwarz	HL562E	Bi-Log Antenna (30MHz - 6GHz)	1/19/2017	Annual	1/19/2018	100610
Rohde & Schwarz	OSP130	Open Switch and control unit	1/18/2017	Annual	1/18/2018	100970
Rohde & Schwarz	SFUNIT-RX	TS-SFUNIT SHIELDED FILTER UNIT	2/3/2017	Annual	2/3/2018	102131
Rohde & Schwarz	TS-PR8	Pre-amplifier (30MHz - 8GHz)	2/3/2017	Annual	2/3/2018	102325
Rohde & Schwarz	TC-TA18	CROSS POL. VIVALDI ANT (400MHz - 18GHz)	11/8/2016	Annual	11/8/2017	101056-AE

Table 5-1. Test Equipment

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/18/2017	EUT Type: Watch			

6.0 SAMPLE CALCULATIONS

Emission Designator

QPSK Modulation

Emission Designator = 8M62G7D

LTE BW = 8.62 MHz
 G = Phase Modulation
 7 = Quantized/Digital Info
 D = Data transmission, telemetry, telecommand

16QAM Modulation

Emission Designator = 8M45W7D

LTE BW = 8.45 MHz
 W = Amplitude/Angle Modulated
 7 = Quantized/Digital Info
 D = Data transmission, telemetry, telecommand

Spurious Radiated Emission – LTE Band

Example: Middle Channel LTE Mode 2nd Harmonic (1564 MHz)

The average spectrum analyzer reading at 3 meters with the EUT on the turntable was -81.0 dBm. The gain of the substituted antenna is 8.1 dBi. The signal generator connected to the substituted antenna terminals is adjusted to produce a reading of -81.0 dBm on the spectrum analyzer. The loss of the cable between the signal generator and the terminals of the substituted antenna is 2.0 dB at 1564 MHz. So 6.1 dB is added to the signal generator reading of -30.9 dBm yielding -24.80 dBm. The fundamental EIRP was 25.501 dBm so this harmonic was 25.501 dBm - (-24.80).

FCC ID: BCG-A1860	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/18/2017	EUT Type: Watch	Page 15 of 166

7.0 TEST RESULTS

7.1 Summary

Company Name: Apple Inc.
 FCC ID: BCG-A1860
 FCC Classification: PCS Licensed Transmitter Worn on Body (PCT)
 Mode(s): LTE

FCC Part Section(s)	Test Description	Test Limit	Test Condition	Result	Reference
2.1049	Occupied Bandwidth	N/A	CONDUCTED	PASS	Section 7.2
2.1051, 22.917(a), 24.238(a), 27.53(c), 27.53(g), 27.53(h)	Out of Band Emissions	> 43 + 10log ₁₀ (P[Watts]) at Band Edge and for all out-of-band emissions		PASS	Section 7.3, 7.4
27.53(m)	Out of Band Emissions	See 27.53(m)(4)		PASS	Section 7.3, 7.4
24.232(d)	Peak-Average Ratio	< 13 dB		PASS	Section 7.5
2.1046	Transmitter Conducted Output Power	N/A		PASS	See RF Exposure Report
22.913(a.2)	Effective Radiated Power (Band 5/26)	< 7 Watts max. ERP		PASS	Section 7.6
27.50(b.10), 27.50(c.10)	Effective Radiated Power (Band 12/17 13)	< 3 Watts max. ERP		PASS	Section 7.6
24.232(c) 27.50(h.2)	Equivalent Isotropic Radiated Power (Band 2/25, 41)	< 2 Watts max. EIRP		PASS	Section 7.6
27.50(d.4)	Equivalent Isotropic Radiated Power (Band 4)	< 1 Watts max. EIRP		PASS	Section 7.6
2.1055, 22.355, 24.235, 27.54	Frequency Stability	< 2.5 ppm (Part 22) and fundamental emissions stay within authorized frequency block (Part 24, 27)	RADIATED	PASS	Section 7.9
2.1053, 22.917(a), 24.238(a), 27.53(c), 27.53(g), 27.53(h)	Undesirable Emissions (Band 12/17, 5/26, 4, 2/25)	> 43 + 10log ₁₀ (P[Watts]) for all out-of-band emissions		PASS	Section 7.7
27.53(f)	Undesirable Emissions (Band 13)	< -70 dBW/MHz (for wideband signals) < -80 dBW (for discrete emissions less than 700Hz BW) For all emissions in the band 1559 – 1610 MHz		PASS	Section 7.7
27.53(m)	Undesirable Emissions (Band 41)	See 27.53(m)(4)		PASS	Section 7.7

Table 7-1. Summary of Test Results

Notes:

- 1) All modes of operation and data rates were investigated. The test results shown in the following sections represent the worst case emissions.
- 2) The analyzer plots (Sections 7.2, 7.3, 7.4, 7.5) were all taken with a correction table loaded into the analyzer. The correction table was used to account for the losses of the cables, directional couplers, and attenuators used as part of the system to maintain a link between the call box and the EUT at all frequencies of interest.
- 3) All antenna port conducted emissions testing was performed on a test bench with the antenna port of the EUT connected to the spectrum analyzer through calibrated cables, attenuators, and couplers.
- 4) For conducted spurious emissions, automated test software was used to measure emissions and capture the corresponding plots necessary to show compliance. The measurement software utilized is PCTEST "LTE Automation," Version 4.8.

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/2017	EUT Type: Watch	Page 16 of 166

7.2 Occupied Bandwidth

[\\$2.1049](#)

Test Overview

The occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission shall be measured. All modes of operation were investigated and the worst case configuration results are reported in this section.

Test Procedure Used

KDB 971168 D01 v02r02 – Section 4.2

Test Settings

1. The signal analyzer's automatic bandwidth measurement capability was used to perform the 99% occupied bandwidth and the 26dB bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
2. RBW = 1 – 5% of the expected OBW
3. VBW $\geq 3 \times$ RBW
4. Detector = Peak
5. Trace mode = max hold
6. Sweep = auto couple
7. The trace was allowed to stabilize
8. If necessary, steps 2 – 7 were repeated after changing the RBW such that it would be within 1 – 5% of the 99% occupied bandwidth observed in Step 7

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-1. Test Instrument & Measurement Setup

Test Notes


None.

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/18/2017	EUT Type: Watch	Page 17 of 166


© 2017 PCTEST Engineering Laboratory, Inc.

V 6.6

06/06/2017




Plot 7-1. Occupied Bandwidth Plot (Band 12 – 1.4MHz QPSK – RB Size 6)




Plot 7-2. Occupied Bandwidth Plot (Band 12 – 1.4MHz 16-QAM – RB Size 6)

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/2017	EUT Type: Watch	Page 18 of 166



Plot 7-3. Occupied Bandwidth Plot (Band 12 – 3.0MHz QPSK – RB Size 15)




Plot 7-4. Occupied Bandwidth Plot (Band 12 – 3.0MHz 16-QAM – RB Size 15)

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/18/2017	EUT Type: Watch	Page 19 of 166




Plot 7-5. Occupied Bandwidth Plot (Band 12/17 – 5.0MHz QPSK – RB Size 25)




Plot 7-6. Occupied Bandwidth Plot (Band 12/17 – 5.0MHz 16-QAM – RB Size 25)

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/18/2017	EUT Type: Watch	Page 20 of 166



Plot 7-7. Occupied Bandwidth Plot (Band 12/17 – 10.0MHz QPSK – RB Size 50)



Plot 7-8. Occupied Bandwidth Plot (Band 12/17 – 10.0MHz 16-QAM – RB Size 50)

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/18/2017	EUT Type: Watch	Page 21 of 166



Plot 7-9. Occupied Bandwidth Plot (Band 13 – 5.0MHz QPSK – RB Size 25)




Plot 7-10. Occupied Bandwidth Plot (Band 13 – 5.0MHz 16-QAM – RB Size 25)

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/18/2017	EUT Type: Watch	Page 22 of 166



Plot 7-11. Occupied Bandwidth Plot (Band 13 – 10.0MHz QPSK – RB Size 50)



Plot 7-12. Occupied Bandwidth Plot (Band 13 – 10.0MHz 16-QAM – RB Size 50)

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/18/2017	EUT Type: Watch	Page 23 of 166



Plot 7-13. Occupied Bandwidth Plot (Band 5/26 – 1.4MHz QPSK – RB Size 6)




Plot 7-14. Occupied Bandwidth Plot (Band 5/26 – 1.4MHz 16-QAM – RB Size 6)

FCC ID: BCG-A1860	PCTEST Engineering Laboratory, Inc.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/2017	EUT Type: Watch	Page 24 of 166



Plot 7-15. Occupied Bandwidth Plot (Band 5/26 – 3.0MHz QPSK – RB Size 15)




Plot 7-16. Occupied Bandwidth Plot (Band 5/26 – 3.0MHz 16-QAM – RB Size 15)

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/18/2017	EUT Type: Watch	Page 25 of 166



Plot 7-17. Occupied Bandwidth Plot (Band 5/26 – 5.0MHz QPSK – RB Size 25)



Plot 7-18. Occupied Bandwidth Plot (Band 5/26 – 5.0MHz 16-QAM – RB Size 25)

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/2017	EUT Type: Watch	Page 26 of 166




Plot 7-19. Occupied Bandwidth Plot (Band 5/26 – 10.0MHz QPSK – RB Size 50)




Plot 7-20. Occupied Bandwidth Plot (Band 5/26 – 10.0MHz 16-QAM – RB Size 50)

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/2017	EUT Type: Watch	Page 27 of 166




Plot 7-21. Occupied Bandwidth Plot (Band 4 – 1.4MHz QPSK – RB Size 6)




Plot 7-22. Occupied Bandwidth Plot (Band 4 – 1.4MHz 16-QAM – RB Size 6)

FCC ID: BCG-A1860	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/18/2017	EUT Type: Watch		




Plot 7-23. Occupied Bandwidth Plot (Band 4 – 3.0MHz QPSK – RB Size 15)




Plot 7-24. Occupied Bandwidth Plot (Band 4 – 3.0MHz 16-QAM – RB Size 15)

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/18/2017	EUT Type: Watch	Page 29 of 166



Plot 7-25. Occupied Bandwidth Plot (Band 4 – 5.0MHz QPSK – RB Size 25)




Plot 7-26. Occupied Bandwidth Plot (Band 4 – 5.0MHz 16-QAM – RB Size 25)

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/2017	EUT Type: Watch	Page 30 of 166



Plot 7-27. Occupied Bandwidth Plot (Band 4 – 10.0MHz QPSK – RB Size 50)




Plot 7-28. Occupied Bandwidth Plot (Band 4 – 10.0MHz 16-QAM – RB Size 50)

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/18/2017	EUT Type: Watch	Page 31 of 166




Plot 7-29. Occupied Bandwidth Plot (Band 4 – 15.0MHz QPSK – RB Size 75)




Plot 7-30. Occupied Bandwidth Plot (Band 4 – 15.0MHz 16-QAM – RB Size 75)

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/18/2017	EUT Type: Watch	Page 32 of 166




Plot 7-31. Occupied Bandwidth Plot (Band 4 – 20.0MHz QPSK – RB Size 100)




Plot 7-32. Occupied Bandwidth Plot (Band 4 – 20.0MHz 16-QAM – RB Size 100)

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/18/2017	EUT Type: Watch	Page 33 of 166



Plot 7-33. Occupied Bandwidth Plot (Band 2/25 – 1.4MHz QPSK – RB Size 6)




Plot 7-34. Occupied Bandwidth Plot (Band 2/25 – 1.4MHz 16-QAM – RB Size 6)

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/18/2017	EUT Type: Watch	Page 34 of 166



Plot 7-35. Occupied Bandwidth Plot (Band 2/25 – 3.0MHz QPSK – RB Size 15)



Plot 7-36. Occupied Bandwidth Plot (Band 2/25 – 3.0MHz 16-QAM – RB Size 15)

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/18/2017	EUT Type: Watch	Page 35 of 166



Plot 7-37. Occupied Bandwidth Plot (Band 2/25 – 5.0MHz QPSK – RB Size 25)




Plot 7-38. Occupied Bandwidth Plot (Band 2/25 – 5.0MHz 16-QAM – RB Size 25)

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/18/2017	EUT Type: Watch	Page 36 of 166



Plot 7-39. Occupied Bandwidth Plot (Band 2/25 – 10.0MHz QPSK – RB Size 50)




Plot 7-40. Occupied Bandwidth Plot (Band 2/25 – 10.0MHz 16-QAM – RB Size 50)

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/18/2017	EUT Type: Watch	Page 37 of 166



Plot 7-41. Occupied Bandwidth Plot (Band 2/25 – 15.0MHz QPSK – RB Size 75)




Plot 7-42. Occupied Bandwidth Plot (Band 2/25 – 15.0MHz 16-QAM – RB Size 75)

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/18/2017	EUT Type: Watch	Page 38 of 166



Plot 7-43. Occupied Bandwidth Plot (Band 2/25 – 20.0MHz QPSK – RB Size 100)




Plot 7-44. Occupied Bandwidth Plot (Band 2/25 – 20.0MHz 16-QAM – RB Size 100)

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/18/2017	EUT Type: Watch	Page 39 of 166



Plot 7-45. Occupied Bandwidth Plot (Band 41 – 5.0MHz QPSK – RB Size 25)



Plot 7-46. Occupied Bandwidth Plot (Band 41 – 5.0MHz 16-QAM – RB Size 25)

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/18/2017	EUT Type: Watch	Page 40 of 166



Plot 7-47. Occupied Bandwidth Plot (Band 41 – 10.0MHz QPSK – RB Size 50)



Plot 7-48. Occupied Bandwidth Plot (Band 41 – 10.0MHz 16-QAM – RB Size 50)

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/18/2017	EUT Type: Watch	Page 41 of 166



Plot 7-49. Occupied Bandwidth Plot (Band 41 – 15.0MHz QPSK – RB Size 75)



Plot 7-50. Occupied Bandwidth Plot (Band 41 – 15.0MHz 16-QAM – RB Size 75)

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/18/2017	EUT Type: Watch	Page 42 of 166



Plot 7-51. Occupied Bandwidth Plot (Band 41 – 20.0MHz QPSK – RB Size 100)



Plot 7-52. Occupied Bandwidth Plot (Band 41 – 20.0MHz 16-QAM – RB Size 100)

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/18/2017	EUT Type: Watch	Page 43 of 166

7.3 Spurious and Harmonic Emissions at Antenna Terminal

§2.1051, §22.917(a), §24.238(a), §27.53(c.2), §27.53(g), §27.53(h), §27.53(m)

Test Overview

The level of the carrier and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10th harmonic. All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

For Band 41, the minimum permissible attenuation level of any spurious emission is 55 + $\log_{10}(P_{[Watts]})$.

The minimum permissible attenuation level of any spurious emission is 43 + $\log_{10}(P_{[Watts]})$, where P is the transmitter power in Watts.

Test Procedure Used

KDB 971168 D01 v02r02 – Section 6.0

Test Settings

1. Start frequency was set to 30MHz and stop frequency was set to at least 10 * the fundamental frequency (separated into at least two plots per channel)
2. Detector = RMS
3. Trace mode = trace average for continuous emissions, max hold for pulse emissions
4. Sweep time = auto couple
5. The trace was allowed to stabilize
6. Please see test notes below for RBW and VBW settings

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.





Figure 7-2. Test Instrument & Measurement Setup


Test Notes

Compliance with the applicable limits is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kHz or greater for frequencies less than 1 GHz and 1 MHz or greater for frequencies greater than 1 GHz. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/18/2017	EUT Type: Watch	Page 44 of 166




Plot 7-53. Conducted Spurious Plot (Band 12/17 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – Low Channel)




Plot 7-54. Conducted Spurious Plot (Band 12/17 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – Low Channel)

FCC ID: BCG-A1860	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/2017	EUT Type: Watch		Page 45 of 166




Plot 7-55. Conducted Spurious Plot (Band 12/17 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – Low Channel)




Plot 7-56. Conducted Spurious Plot (Band 12/17 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – Mid Channel)

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/2017	EUT Type: Watch	Page 46 of 166




Plot 7-57. Conducted Spurious Plot (Band 12/17 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – Mid Channel)




Plot 7-58. Conducted Spurious Plot (Band 12/17 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – Mid Channel)

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/2017	EUT Type: Watch	Page 47 of 166




Plot 7-59. Conducted Spurious Plot (Band 12/17 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – High Channel)




Plot 7-60. Conducted Spurious Plot (Band 12/17 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – High Channel)

FCC ID: BCG-A1860	 PCTEST Engineering Laboratory, Inc.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/2017	EUT Type: Watch	Page 48 of 166



Plot 7-61. Conducted Spurious Plot (Band 12/17 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – High Channel)




Plot 7-62. Conducted Spurious Plot (Band 13 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – Low Channel)

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/2017	EUT Type: Watch	Page 49 of 166




Plot 7-63. Conducted Spurious Plot (Band 13 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – Low Channel)




Plot 7-64. Conducted Spurious Plot (Band 13 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – Low Channel)

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/2017	EUT Type: Watch	Page 50 of 166




Plot 7-65. Conducted Spurious Plot (Band 13 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – Mid Channel)




Plot 7-66. Conducted Spurious Plot (Band 13 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – Mid Channel)

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/2017	EUT Type: Watch	Page 51 of 166




Plot 7-67. Conducted Spurious Plot (Band 13 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – Mid Channel)




Plot 7-68. Conducted Spurious Plot (Band 13 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – High Channel)

FCC ID: BCG-A1860	 PCTEST Engineering Laboratory, Inc.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/2017	EUT Type: Watch	Page 52 of 166



Plot 7-69. Conducted Spurious Plot (Band 13 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – High Channel)




Plot 7-70. Conducted Spurious Plot (Band 13 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – High Channel)

FCC ID: BCG-A1860	 PCTEST Engineering Laboratory, Inc.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/2017	EUT Type: Watch	Page 53 of 166




Plot 7-71. Conducted Spurious Plot (Band 5/26 – 3.0MHz QPSK – RB Size 1, RB Offset 0 – Low Channel)




Plot 7-72. Conducted Spurious Plot (Band 5/26 – 3.0MHz QPSK – RB Size 1, RB Offset 0 – Low Channel)

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/2017	EUT Type: Watch	Page 54 of 166




Plot 7-73. Conducted Spurious Plot (Band 5/26 – 3.0MHz QPSK – RB Size 1, RB Offset 0 – Low Channel)




Plot 7-74. Conducted Spurious Plot (Band 5/26 – 3.0MHz QPSK – RB Size 1, RB Offset 0 – Mid Channel)

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/2017	EUT Type: Watch	Page 55 of 166




Plot 7-75. Conducted Spurious Plot (Band 5/26 – 3.0MHz QPSK – RB Size 1, RB Offset 0 – Mid Channel)




Plot 7-76. Conducted Spurious Plot (Band 5/26 – 3.0MHz QPSK – RB Size 1, RB Offset 0 – Mid Channel)

FCC ID: BCG-A1860	 PCTEST Engineering Laboratory, Inc.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/2017	EUT Type: Watch	Page 56 of 166




Plot 7-77. Conducted Spurious Plot (Band 5/26 – 3.0MHz QPSK – RB Size 1, RB Offset 0 – High Channel)




Plot 7-78. Conducted Spurious Plot (Band 5/26 – 3.0MHz QPSK – RB Size 1, RB Offset 0 – High Channel)

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/2017	EUT Type: Watch	Page 57 of 166




Plot 7-79. Conducted Spurious Plot (Band 5/26 – 3.0MHz QPSK – RB Size 1, RB Offset 0 – High Channel)




Plot 7-80. Conducted Spurious Plot (Band 4 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – Low Channel)

FCC ID: BCG-A1860	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/2017	EUT Type: Watch		



Plot 7-81. Conducted Spurious Plot (Band 4 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – Low Channel)




Plot 7-82. Conducted Spurious Plot (Band 4 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – Low Channel)

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/2017	EUT Type: Watch	Page 59 of 166



Plot 7-83. Conducted Spurious Plot (Band 4 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – Mid Channel)



Plot 7-84. Conducted Spurious Plot (Band 4 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – Mid Channel)

FCC ID: BCG-A1860	 PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1706160002-60-03-R4.BCG	Test Dates: 6/7-8/2017	EUT Type: Watch	Page 60 of 166