



## PART 27 MEASUREMENT REPORT

**Applicant Name:**

Apple Inc.  
One Apple Park Way  
Cupertino, CA 95014  
United States

**Date of Testing:**

06/08/2021- 08/04/2021

**Test Site/Location:**

PCTEST Lab. Morgan Hill, CA, USA

**Test Report Serial No.:**

1C2106070043-03-R1.BCG

**FCC ID:**

**BCG-A2475**

**APPLICANT:**

**Apple Inc.**

**Application Type:**

Certification

**Model:**

A2475

**EUT Type:**

Watch

**FCC Classification:**

PCS Licensed Transmitter Worn on Body (PCT)

**FCC Rule Part:**

27

**Test Procedure(s):**

ANSI C63.26-2015, TIA-603-E-2016, KDB 971168 D01 v03r01

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in §2.947. Test results reported herein relate only to the item(s) tested.

This revised Test Report (S/N: 1C2106070043-03-R1.BCG) supersedes and replaces the previously issued test report (S/N: 1C2106070043-03.BCG) on the same subject device for the same type of testing as indicated. Please discard or destroy the previously issued test report(s) and dispose of it accordingly.

I attest to the accuracy of data. All measurements reported herein were performed by me or were made under my supervision and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.



Randy Ortanez  
President




|                                                   |                                                                                                                    |                                               |                                        |
|---------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|----------------------------------------|
| <b>FCC ID:</b> BCG-A2475                          | <br>Proud to be part of element | <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b> | <b>Approved by:</b><br>Quality Manager |
| <b>Test Report S/N:</b><br>1C2106070043-03-R1.BCG | <b>Test Dates:</b><br>06-08-2021 – 08-04-2021                                                                      | <b>EUT Type:</b><br>Watch                     | Page 1 of 120                          |

## TABLE OF CONTENTS


|     |                                                           |     |
|-----|-----------------------------------------------------------|-----|
| 1.0 | INTRODUCTION .....                                        | 4   |
| 1.1 | Scope .....                                               | 4   |
| 1.2 | PCTEST Test Location.....                                 | 4   |
| 1.3 | Test Facility / Accreditations.....                       | 4   |
| 2.0 | PRODUCT INFORMATION.....                                  | 5   |
| 2.1 | Equipment Description .....                               | 5   |
| 2.2 | Device Capabilities.....                                  | 5   |
| 2.3 | Antenna Description .....                                 | 6   |
| 2.4 | Test Support Equipment.....                               | 6   |
| 2.5 | Test Configuration .....                                  | 7   |
| 2.6 | Software and Firmware .....                               | 7   |
| 2.7 | EMI Suppression Device(s)/Modifications .....             | 7   |
| 3.0 | DESCRIPTION OF TESTS .....                                | 8   |
| 3.1 | Evaluation Procedure .....                                | 8   |
| 3.2 | Radiated Spurious Emissions .....                         | 8   |
| 4.0 | MEASUREMENT UNCERTAINTY .....                             | 9   |
| 5.0 | TEST EQUIPMENT CALIBRATION DATA .....                     | 10  |
| 6.0 | SAMPLE CALCULATIONS .....                                 | 11  |
| 7.0 | TEST RESULTS.....                                         | 12  |
| 7.1 | Summary.....                                              | 12  |
| 7.2 | Occupied Bandwidth .....                                  | 14  |
| 7.3 | Spurious and Harmonic Emissions at Antenna Terminal ..... | 28  |
| 7.4 | Band Edge Emissions at Antenna Terminal .....             | 47  |
| 7.5 | Peak-Average Ratio .....                                  | 85  |
| 7.6 | Radiated Power (ERP/EIRP).....                            | 99  |
| 7.7 | Radiated Spurious Emissions .....                         | 104 |
| 7.8 | Frequency Stability / Temperature Variation .....         | 115 |
| 8.0 | CONCLUSION.....                                           | 120 |

|                                            |                                                                                                                            |                                       |                                 |
|--------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          |  PCTEST®<br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021                                                                                     | EUT Type:<br>Watch                    | Page 2 of 120                   |



# MEASUREMENT REPORT

## FCC Part 27



| Mode        | Bandwidth | Modulation | Tx Frequency Range [MHz] | OBW [MHz] | PAR at 0.1% [dB] | ERP             |                  | EIRP            |                  | Emission Designator |
|-------------|-----------|------------|--------------------------|-----------|------------------|-----------------|------------------|-----------------|------------------|---------------------|
|             |           |            |                          |           |                  | Max. Power [mW] | Max. Power [dBm] | Max. Power [mW] | Max. Power [dBm] |                     |
| LTE Band 12 | 1.4 MHz   | QPSK       | 699.7 - 715.3            | 1.1125    | 5.43             | 0.082           | -10.85           | 0.135           | -8.70            | 1M11G7W             |
|             |           | 16QAM      | 699.7 - 715.3            | 1.1052    | 6.23             | 0.071           | -11.46           | 0.117           | -9.31            | 1M11D7W             |
|             | 3 MHz     | QPSK       | 700.5 - 714.5            | 2.7397    | 4.91             | 0.082           | -10.85           | 0.135           | -8.70            | 2M74G7W             |
|             |           | 16QAM      | 700.5 - 714.5            | 2.7315    | 6.16             | 0.071           | -11.48           | 0.117           | -9.33            | 2M73D7W             |
|             | 5 MHz     | QPSK       | 701.5 - 713.5            | 4.5885    | 5.43             | 0.082           | -10.85           | 0.135           | -8.70            | 4M59G7W             |
|             |           | 16QAM      | 701.5 - 713.5            | 4.5749    | 6.21             | 0.069           | -11.62           | 0.113           | -9.47            | 4M57D7W             |
|             | 10 MHz    | QPSK       | 704.0 - 711.0            | 9.1378    | 5.40             | 0.082           | -10.85           | 0.135           | -8.70            | 9M14G7W             |
|             |           | 16QAM      | 704.0 - 711.0            | 5.4704    | 6.30             | 0.070           | -11.52           | 0.116           | -9.37            | 5M47D7W             |
| LTE Band 17 | 5 MHz     | QPSK       | 706.5 - 713.5            | 4.5885    | 5.15             | 0.082           | -10.85           | 0.135           | -8.70            | 4M59G7W             |
|             |           | 16QAM      | 706.5 - 713.5            | 4.5749    | 5.89             | 0.075           | -11.23           | 0.124           | -9.08            | 4M57D7W             |
|             | 10 MHz    | QPSK       | 709.0 - 711.0            | 9.1378    | 5.23             | 0.082           | -10.85           | 0.135           | -8.70            | 9M14G7W             |
|             |           | 16QAM      | 709.0 - 711.0            | 5.4704    | 5.96             | 0.070           | -11.57           | 0.114           | -9.42            | 5M47D7W             |
| LTE Band 13 | 5 MHz     | QPSK       | 779.5 - 784.5            | 4.5519    | 4.62             | 0.164           | -7.85            | 0.269           | -5.70            | 4M55G7W             |
|             |           | 16QAM      | 779.5 - 784.5            | 4.5616    | 6.14             | 0.148           | -8.29            | 0.243           | -6.14            | 4M56D7W             |
|             | 10 MHz    | QPSK       | 782.0                    | 9.1163    | 5.40             | 0.164           | -7.85            | 0.269           | -5.70            | 9M12G7W             |
|             |           | 16QAM      | 782.0                    | 5.5004    | 5.91             | 0.152           | -8.19            | 0.249           | -6.04            | 5M50D7W             |

Overview Table (<1GHz Bands)

| Mode        | Bandwidth | Modulation      | Tx Frequency Range [MHz] | OBW [MHz] | PAR at 0.1% [dB] | EIRP            |                  | Emission Designator |
|-------------|-----------|-----------------|--------------------------|-----------|------------------|-----------------|------------------|---------------------|
|             |           |                 |                          |           |                  | Max. Power [mW] | Max. Power [dBm] |                     |
| WCDMA1700   | 5 MHz     | Spread Spectrum | 1712.4 - 1752.6          | 4.0829    | 3.20             | 13.804          | 11.40            | 4M08F9W             |
| LTE Band 4  | 1.4 MHz   | QPSK            | 1710.7 - 1754.3          | 1.1115    | 5.76             | 15.488          | 11.90            | 1M11G7W             |
|             |           | 16QAM           | 1710.7 - 1754.3          | 1.1082    | 6.49             | 14.859          | 11.72            | 1M10D7W             |
|             | 3 MHz     | QPSK            | 1711.5 - 1753.5          | 2.7426    | 5.77             | 15.488          | 11.90            | 2M75G7W             |
|             |           | 16QAM           | 1711.5 - 1753.5          | 2.7292    | 6.56             | 14.894          | 11.73            | 2M74D7W             |
|             | 5 MHz     | QPSK            | 1712.5 - 1752.5          | 4.5768    | 5.79             | 15.488          | 11.90            | 4M56G7W             |
|             |           | 16QAM           | 1712.5 - 1752.5          | 4.5675    | 6.52             | 14.655          | 11.66            | 4M55D7W             |
|             | 10MHz     | QPSK            | 1715.0 - 1750.0          | 9.1698    | 5.61             | 15.488          | 11.90            | 9M11G7W             |
|             |           | 16QAM           | 1715.0 - 1750.0          | 5.4129    | 6.40             | 14.757          | 11.69            | 5M61D7W             |
|             | 15 MHz    | QPSK            | 1717.5 - 1747.5          | 13.7310   | 5.91             | 15.488          | 11.90            | 13M7G7W             |
|             |           | 16QAM           | 1717.5 - 1747.5          | 6.1480    | 6.47             | 14.322          | 11.56            | 6M21D7W             |
|             | 20 MHz    | QPSK            | 1720.0 - 1745.0          | 18.3910   | 5.47             | 15.488          | 11.90            | 18M3G7W             |
|             |           | 16QAM           | 1720.0 - 1745.0          | 7.4333    | 6.42             | 14.454          | 11.60            | 7M92D7W             |
| LTE Band 66 | 1.4 MHz   | QPSK            | 1710.7 - 1779.3          | 1.1115    | 6.26             | 15.205          | 11.82            | 1M11G7W             |
|             |           | 16QAM           | 1710.7 - 1779.3          | 1.1082    | 6.34             | 14.191          | 11.52            | 1M11D7W             |
|             | 3 MHz     | QPSK            | 1711.5 - 1778.5          | 2.7426    | 5.72             | 15.205          | 11.82            | 2M74G7W             |
|             |           | 16QAM           | 1711.5 - 1778.5          | 2.7292    | 6.39             | 14.191          | 11.52            | 2M72D7W             |
|             | 5 MHz     | QPSK            | 1712.5 - 1777.5          | 4.5768    | 5.69             | 15.488          | 11.90            | 4M58G7W             |
|             |           | 16QAM           | 1712.5 - 1777.5          | 4.5675    | 6.29             | 13.677          | 11.36            | 4M57D7W             |
|             | 10 MHz    | QPSK            | 1715.0 - 1775.0          | 9.1698    | 5.61             | 15.346          | 11.86            | 9M15G7W             |
|             |           | 16QAM           | 1715.0 - 1775.0          | 5.4129    | 6.29             | 14.125          | 11.50            | 5M45D7W             |
|             | 15 MHz    | QPSK            | 1717.5 - 1772.5          | 13.7310   | 5.97             | 15.488          | 11.90            | 13M7G7W             |
|             |           | 16QAM           | 1717.5 - 1772.5          | 6.1480    | 6.26             | 14.289          | 11.55            | 6M10D7W             |
|             | 20 MHz    | QPSK            | 1720.0 - 1770.0          | 18.3910   | 5.65             | 15.488          | 11.90            | 18M4G7W             |
|             |           | 16QAM           | 1720.0 - 1770.0          | 7.4333    | 6.27             | 14.859          | 11.72            | 7M43D7W             |

Overview Table (>1GHz Bands)

|                                            |                                                                                     |                                       |  |                                 |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: BCG-A2475                          |  | MEASUREMENT REPORT<br>(CERTIFICATION) |  | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021                                              | EUT Type:<br>Watch                    |  | Page 3 of 120                   |

## 1.0 INTRODUCTION

### 1.1 Scope

Measurement and determination of electromagnetic emissions (EMC) of radio frequency devices including intentional and/or unintentional radiators for compliance with the technical rules and regulations of the Federal Communications Commission and the Innovation, Science and Economic Development Canada.

### 1.2 PCTEST Test Location

These measurement tests were conducted at the PCTEST facility located at 18855 Adams Court, Morgan Hill, CA 95037. The measurement facility is compliant with the test site requirements specified in ANSI C63.4-2014 and KDB 414788 D01 v01r01.

### 1.3 Test Facility / Accreditations

Measurements were performed at PCTEST located in Morgan Hill, CA 95037, U.S.A.

- PCTEST is an ISO 17025-2017 accredited test facility under the American Association for Laboratory Accreditation (A2LA) with Certificate number 2041.02 for Specific Absorption Rate (SAR), Hearing Aid Compatibility (HAC) testing, where applicable, and Electromagnetic Compatibility (EMC) testing for FCC and Innovation, Science, and Economic Development Canada rules.
- PCTEST TCB is a Telecommunication Certification Body (TCB) accredited to ISO/IEC 17065-2012 by A2LA (Certificate number 2041.03) in all scopes of FCC Rules and ISSED Standards (RSS).
- PCTEST facility is a registered (22831) test laboratory with the site description on file with ISSED.

|                                            |                                                                                     |                                       |                                 |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021                                              | EUT Type:<br>Watch                    | Page 4 of 120                   |

## 2.0 PRODUCT INFORMATION

### 2.1 Equipment Description

The Equipment Under Test (EUT) is the **Apple Watch FCC ID: BCG-A2475**. The test data contained in this report pertains only to the emissions due to the EUT's licensed transmitters that operate under the provisions of Part 27.

**Test Device Serial No.:** VY7XT20NH4, XG52X3G9PJ, T0JV6FY7L4

### 2.2 Device Capabilities

This device contains the following capabilities:

850/1700/1900 WCDMA/HSPA, Multi-band LTE, 802.11b/g/n WLAN, 802.11a/n UNII, Bluetooth (1x, EDR, HDR4, HDR8, LE1M, LE2M), NFC, UWB, 60.5GHz Transmitter

This device supports simultaneous transmission operations, which allows for multiple transmitters to transmit simultaneously on the same antenna. The table below shows all configurations possible.

| Simultaneous Tx Config | Antenna FCM  |                      |                     |            |            |
|------------------------|--------------|----------------------|---------------------|------------|------------|
|                        | WLAN         | Bluetooth            | LTE/WCDMA           | UNII       | UWB        |
|                        | 802.11 b/g/n | BDR, EDR, HDR4/8, LE | Mid band/ High band | 802.11 a/n | Ch.5, Ch.9 |
| Config 1               | ✓            | ✗                    | ✗                   | ✗          | ✓          |
| Config 2               | ✗            | ✓                    | ✗                   | ✗          | ✓          |
| Config 3               | ✗            | ✗                    | ✓                   | ✗          | ✓          |
| Config 4               | ✗            | ✓                    | ✓                   | ✗          | ✗          |
| Config 5               | ✓            | ✗                    | ✓                   | ✗          | ✗          |
| Config 6               | ✗            | ✗                    | ✓                   | ✓          | ✗          |
| Config 7               | ✗            | ✓                    | ✗                   | ✓          | ✗          |
| Config 8               | ✓            | ✗                    | ✓                   | ✗          | ✓          |
| Config 9               | ✗            | ✓                    | ✓                   | ✗          | ✓          |
| Config 10              | ✗            | ✓                    | ✓                   | ✓          | ✗          |

**Table 2-1. Simultaneous Transmission Configurations**

✓ = Support ; ✗ = NOT Support

All the above simultaneous transmission configurations have been tested and the worst case configuration was found to be config 10 and reported in UNII 802.11n (OFDM), BT and FCC part 27b test reports.

|                                            |                                                                                     |                                       |                                 |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021                                              | EUT Type:<br>Watch                    | Page 5 of 120                   |

## 2.3 Antenna Description

Following antenna gains provided by manufacturer were used for testing.

| Band           | Antenna Gain (dBi) |
|----------------|--------------------|
| LTE Band 12/17 | -34.2              |
| LTE Band 13    | -31.2              |
| LTE Band 4/66  | -12.6              |
| WCDMA1700      | -12.6              |

**Table 2-2. Highest Antenna Gain**

## 2.4 Test Support Equipment

|   |                        |        |                 |      |                   |
|---|------------------------|--------|-----------------|------|-------------------|
| 1 | Apple Macbook          | Model: | A1398           | S/N: | C2QKP008F6F3      |
|   | w/AC/DC Adapter        | Model: | A1435           | S/N: | N/A               |
| 2 | Apple USB-C cable      | Model: | N/A             | S/N: | N/A               |
|   | w/ Charging Dock       | Model: | A2687           | S/N: | FV411420544MW6M4H |
|   | w/Dock                 | Model: | X241            | S/N: | N/A               |
| 3 | Apple Magnetic Charger | Model: | A2515           | S/N: | DLC035200UJMFR0AJ |
|   | Apple Magnetic Charger | Model: | A2515           | S/N: | DLC035202KRMFR0A2 |
| 4 | Pathfinder Falcon      | Model: | 920-098626-01   | S/N: | DLC034200APQ6PM1E |
|   | SiP Socket             | Model: | P2 X2010BPF 137 | S/N: | DLC037700AYQ6PM1R |
| 5 | DC Power Supply        | Model: | KPS3010D        | S/N: | N/A               |
| 6 | Store Bracelet Assy1   | Model: | N/A             | S/N: | DLC1197001R19G21N |

**Table 2-3. Test Support Equipment**

|                                            |                                                                                                                                   |                                       |                                 |
|--------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <br><small>Proud to be part of element</small> | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021                                                                                            | EUT Type:<br>Watch                    | Page 6 of 120                   |

## 2.5 Test Configuration

The EUT was tested per the guidance of ANSI C63.26 2015, TIA-603-E-2016 and KDB 971168 D01 v03r01. See Section 7.0 of this test report for a description of the radiated and antenna port conducted emissions tests.

The worst case configuration was investigated for all combinations of the three materials, aluminum, stainless steel, and Titanium and various types of wristbands, metal and non-metal wristbands. The EUT was also investigated with and without wireless charger. The worst case configuration found was used for all testing.

For emissions from 1GHz – 18GHz, low, mid, and high channels were tested with highest power and worst case configuration. The emissions below 1GHz and above 18GHz were tested with the highest transmitting power and the worst case channel.

The EUT was manipulated through three orthogonal planes of X-orientation (flatbed), Y-orientation (landscape), and Z-orientation (portrait) during the testing. Only the worst case emissions were reported in this test report.

This device only supports 27RBs or less for 16-QAM uplink.

## 2.6 Software and Firmware

The test was conducted with firmware version watchOS 8.0 installed on the EUT.

## 2.7 EMI Suppression Device(s)/Modifications

No EMI suppression device(s) were added and no modifications were made during testing.

|                                            |                                                                                                                            |                                       |                                 |
|--------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          |  PCTEST®<br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021                                                                                     | EUT Type:<br>Watch                    | Page 7 of 120                   |

## 3.0 DESCRIPTION OF TESTS

### 3.1 Evaluation Procedure

The measurement procedures described in the document titled "Land Mobile FM or PM – Communications Equipment – Measurements and Performance Standards" (ANSI C63.26-2015/TIA-603-E-2016) and "Procedures for Compliance Measurement of the Fundamental Emission Power of Licensed Wideband (> 1 MHz) Digital Transmission Systems" (KDB 971168 D01 v03r01) were used in the measurement of the EUT.

### 3.2 Radiated Spurious Emissions

The radiated test facilities consisted of an indoor 3 meter semi-anechoic chamber used for final measurements and exploratory measurements, when necessary. The measurement area is contained within the semi-anechoic chamber which is shielded from any ambient interference. The test site inside the chamber is a 6m x 5.2m elliptical, obstruction-free area in accordance with Figure 5.7 of Clause 5 in ANSI C63.4-2014. Absorbers are arranged on the floor between the turn table and the antenna mast in such a way so as to maximize the reduction of reflections for measurements above 1GHz. For measurements below 1GHz, the absorbers are removed. A raised turntable is used for radiated measurement. The turn table is a continuously rotatable, remote-controlled, metallic turntable and 2 meters (6.56 ft.) in diameter. The turn table is flush with the raised floor of the chamber in order to maintain its function as a ground plane. An 80cm tall test table made of Styrodur is placed on top of the turn table. A Styrodur pedestal is placed on top of the test table to bring the total table height to 1.5m.

The equipment under test was transmitting while connected to its integral antenna and is placed on a turntable 3 meters from the receive antenna. The receive antenna height is adjusted between 1 and 4 meter height, the turntable is rotated through 360 degrees, and the EUT is manipulated through all orthogonal planes representative of its typical use to achieve the highest reading on the receive spectrum analyzer.

For radiated spurious emissions measurements and calculations, conversion method is used per the formulas in KDB 971168 Section 5.8.4. Field Strength (EIRP) is calculated using the following formulas:

$$E_{[\text{dB}\mu\text{V/m}]} = \text{Measured amplitude level}_{[\text{dBm}]} + 107 + \text{Cable Loss}_{[\text{dB}]} + \text{Antenna Factor}_{[\text{dB/m}]} \\ \text{And}$$

$$\text{EIRP}_{[\text{dBm}]} = E_{[\text{dB}\mu\text{V/m}]} + 20\log D - 104.8; \text{ where } D \text{ is the measurement distance in meters.}$$

All radiated measurements are performed in a chamber that meets the site requirements per ANSI C63.4-2014.

Per KDB 414788 D01 v01r01, radiated emission test sites other than open-field test sites (e.g., shielded anechoic chambers), may be employed for emission measurements below 30MHz if characterized so that the measurements correspond to those obtained at an open-field test site. To determine test site equivalency, a reference sample transmitting at 149kHz was measured on an open field test site (asphalt with no ground plane) and then measured in the 3m semi-anechoic chamber. A calibrated 60cm loop antenna was used while the reference device was rotated through the X, Y and Z axis in order to capture the worst case level. A maximum deviation of 2.77dB at 149kHz was measured when comparing the 3 meter semi-anechoic chamber to the open field site.

Radiated spurious emission levels are investigated with the receive antenna horizontally and vertically polarized per ANSI C63.26-2015 and TIA-603-E-2016.

|                                            |                                                                                     |                                       |                                 |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021                                              | EUT Type:<br>Watch                    | Page 8 of 120                   |

## 4.0 MEASUREMENT UNCERTAINTY

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI C63.23-2012. All measurement uncertainty values are shown with a coverage factor of  $k = 2$  to indicate a 95% level of confidence. The measurement uncertainty shown below meets or exceeds the  $U_{\text{CISPR}}$  measurement uncertainty values specified in CISPR 16-4-2 and, thus, can be compared directly to specified limits to determine compliance.

| Contribution                      | Expanded Uncertainty ( $\pm$ dB) |
|-----------------------------------|----------------------------------|
| Conducted Bench Top Measurements  | 1.65                             |
| Radiated Disturbance (<30MHz)     | 4.06                             |
| Radiated Disturbance (30MHz-1GHz) | 4.30                             |
| Radiated Disturbance (1-18GHz)    | 4.78                             |
| Radiated Disturbance (>18GHz)     | 4.79                             |

|                                                   |                                                                                                                                   |                                               |                                        |
|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|----------------------------------------|
| <b>FCC ID:</b> BCG-A2475                          | <br><small>Proud to be part of element</small> | <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b> | <b>Approved by:</b><br>Quality Manager |
| <b>Test Report S/N:</b><br>1C2106070043-03-R1.BCG | <b>Test Dates:</b><br>06-08-2021 – 08-04-2021                                                                                     | <b>EUT Type:</b><br>Watch                     | Page 9 of 120                          |

## 5.0 TEST EQUIPMENT CALIBRATION DATA

Test Equipment Calibration is traceable to the National Institute of Standards and Technology (NIST). Measurements antennas used during testing were calibrated in accordance to the requirements of ANSI C63.5-2017.

| Manufacturer         | Model       | Description                                    | Cal Date   | Cal Interval | Cal Due    | Serial Number |
|----------------------|-------------|------------------------------------------------|------------|--------------|------------|---------------|
| Agilent Technologies | N9030A      | 3Hz-44GHz PXA Signal Analyzer                  | 3/31/2021  | Annual       | 3/31/2022  | MY49430244    |
| ATM                  | 180-442A-KF | 20dB Nominal Gain Horn Antenna                 | 8/11/2020  | Annual       | 8/11/2021  | T058701-01    |
| ESPEC                | SU-241      | Tabletop Temperature Chamber                   | 9/28/2020  | Annual       | 9/28/2021  | 92009574      |
| ETS-Lindgren         | 3142E       | BiConiLog Antenna (30MHz - 6GHz)               | 9/15/2020  | Annual       | 9/15/2021  | 208204        |
| ETS-Lindgren         | 3117        | Double Ridged Guide Antenna (1-18 GHz)         | 5/3/2021   | Annual       | 5/3/2022   | 205956        |
| Keysight Technology  | N9040B      | UXA Signal Analyzer                            | 12/19/2020 | Annual       | 12/19/2021 | MY57212015    |
| Rohde & Schwarz      | TS-PR18     | Pre-Amplifier (1GHz - 18GHz)                   | 12/3/2020  | Annual       | 12/3/2021  | 101648        |
| Rohde & Schwarz      | FSV40       | Signal Analyzer (10Hz-40GHz)                   | 3/16/2021  | Annual       | 3/16/2022  | 101619        |
| Rohde & Schwarz      | ESW26       | EMI Test Receiver                              | 6/11/2021  | Annual       | 6/11/2022  | 101299        |
| Rohde & Schwarz      | TS-PR8      | Pre-Amplifier (30MHz - 8GHz)                   | 12/3/2020  | Annual       | 12/3/2021  | 102327        |
| Rohde & Schwarz      | ESW44       | EMI Test Receiver                              | 8/6/2020   | Annual       | 8/6/2021   | 101668        |
| Rohde & Schwarz      | CMW500      | Wideband Radio Communication Tester            | 10/13/2020 | Annual       | 10/13/2021 | 161616        |
| Rohde & Schwarz      | CMW500      | Wideband Radio Communication Tester            | 9/24/2020  | Annual       | 9/24/2021  | 151888        |
| Rohde & Schwarz      | TS-PR1840   | Pre-Amplifier (18GHz - 40GHz)                  | 4/29/2021  | Annual       | 4/29/2022  | 100051        |
| Rohde & Schwarz      | TC-TA18     | Cross Polarized Vivaldi Antenna (400MHz-18GHz) | 10/2/2020  | Annual       | 10/2/2021  | 101063        |
| Rohde & Schwarz      | HFH2-Z2     | Loop Antenna                                   | 4/5/2021   | Annual       | 4/5/2022   | 100519        |

**Table 5-1. Test Equipment**

### Notes:

- For equipment listed above that has a calibration date or calibration due date that falls within the test date range, care was taken to ensure that this equipment was used after the calibration date and before the calibration due date.
- Equipment with a calibration date of "N/A" shown in this list was not used to make direct calibrated measurements.

|                                            |                                                                                                                                                 |                                       |                                 |
|--------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          |  <b>PCTEST</b><br><small>Proud to be part of element</small> | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021                                                                                                          | EUT Type:<br>Watch                    | Page 10 of 120                  |

## 6.0 SAMPLE CALCULATIONS

### Emission Designator

#### WCDMA Emission Designator

**Emission Designator = 4M16F9W**

WCDMA BW = 4.16 MHz

F = Frequency Modulation

9 = Composite Digital Info

W = Combination (Audio/Data)

#### QPSK Modulation

**Emission Designator = 8M62G7W**

BW = 8.62 MHz

G = Phase Modulation

7 = Quantized/Digital Info

W = Combination of Any

#### QAM Modulation

**Emission Designator = 8M45D7W**

LTE BW = 8.45 MHz

W = Amplitude/Angle Modulated

7 = Quantized/Digital Info

W = Combination of Any

### Spurious Radiated Emission

#### **Example: Middle Channel LTE Mode 2<sup>nd</sup> Harmonic (1564 MHz)**

The average spectrum analyzer reading at 3 meters with the EUT on the turntable was -81.0 dBm. The gain of the substituted antenna is 8.1 dBi. The signal generator connected to the substituted antenna terminals is adjusted to produce a reading of -81.0 dBm on the spectrum analyzer. The loss of the cable between the signal generator and the terminals of the substituted antenna is 2.0 dB at 1564 MHz. So 6.1 dB is added to the signal generator reading of -30.9 dBm yielding -24.80 dBm. The fundamental EIRP was 25.501 dBm so this harmonic was 25.501 dBm - (-24.80).

|                                                   |                                                                                                                                   |                                               |                                        |
|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|----------------------------------------|
| <b>FCC ID:</b> BCG-A2475                          | <br><small>Proud to be part of element</small> | <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b> | <b>Approved by:</b><br>Quality Manager |
| <b>Test Report S/N:</b><br>1C2106070043-03-R1.BCG | <b>Test Dates:</b><br>06-08-2021 – 08-04-2021                                                                                     | <b>EUT Type:</b><br>Watch                     | Page 11 of 120                         |

## 7.0 TEST RESULTS

### 7.1 Summary

Company Name: Apple Inc.  
 FCC ID: BCG-A2475  
 FCC Classification: PCS Licensed Transmitter Worn on Body (PCT)  
 Mode(s): WCDMA/LTE

| Test Condition | Test Description                                                                | FCC Part Section(s) | Test Limit                                                                                                                                     | Test Result | Reference              |
|----------------|---------------------------------------------------------------------------------|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------------------------|
| CONDUCTED      | Occupied Bandwidth                                                              | 2.1049              | N/A                                                                                                                                            | N/A         | Section 7.2            |
|                | Conducted Band Edge / Spurious Emissions                                        | 2.1051, 27.53       | -13 dBm at Band Edge and for all out-of-band emissions                                                                                         | PASS        | Sections 7.3, 7.4      |
|                | Peak-Average Ratio                                                              | 27.50(d)(5)         | < 13 dB                                                                                                                                        | PASS        | Section 7.5            |
|                | Transmitter Conducted Output Power                                              | 2.1046              | N/A                                                                                                                                            | N/A         | See RF Exposure Report |
|                | Frequency Stability                                                             | 2.1055, 27.54       | Fundamental emissions stay within authorized frequency block over the temperature and voltage range as tested                                  | PASS        | Section 7.8            |
|                | Effective Radiated Power / Equivalent Isotropic Radiated Power (LTE Band 12/17) | 27.50(b)(10)        | < 3 Watts max. ERP                                                                                                                             | PASS        | Section 7.6            |
|                | Effective Radiated Power / Equivalent Isotropic Radiated Power (LTE Band 13)    | 27.50(c)(10)        | < 3 Watts max. ERP                                                                                                                             | PASS        | Section 7.6            |
|                | Equivalent Isotropic Radiated Power (WCDMA)                                     | 27.50(d)(4)         | < 1 Watts max. EIRP                                                                                                                            | PASS        | Section 7.6            |
|                | Equivalent Isotropic Radiated Power (LTE Band 4/66)                             |                     |                                                                                                                                                | PASS        | Section 7.6            |
| RADIATED       | Radiated Spurious Emissions (LTE Band 13)                                       | 2.1053, 27.53(f)    | < -70 dBW/MHz (for wideband signals)<br>< -80 dBW (for discrete emissions less than 700Hz BW)<br>For all emissions in the band 1559 - 1610 MHz | PASS        | Section 7.7            |
|                | Radiated Spurious Emissions                                                     | 2.1053, 27.53       | -13 dBm for all out-of-band emissions                                                                                                          | PASS        | Section 7.7            |

Table 7-1. Summary of Test Results

|                                            |                                                                                     |                                       |                                 |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021                                              | EUT Type:<br>Watch                    | Page 12 of 120                  |

#### Notes:

1. All modes of operation and data rates were investigated. The test results shown in the following sections represent the worst case emissions.
2. The analyzer plots were all taken with a correction table loaded into the analyzer. The correction table was used to account for the losses of the cables, directional couplers, and attenuators used as part of the system to maintain a link between the call box and the EUT at all frequencies of interest.
3. All antenna port conducted emissions testing was performed on a test bench with the antenna port of the EUT connected to the spectrum analyzer through calibrated cables, attenuators, and couplers.
4. All conducted emissions measurements are performed with automated test software to capture the corresponding plots necessary to show compliance. The measurement software utilized is PCTEST EMC Software Tool 1.0.

|                                                   |                                                                                                                    |                                               |                                        |
|---------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|----------------------------------------|
| <b>FCC ID:</b> BCG-A2475                          | <br>Proud to be part of element | <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b> | <b>Approved by:</b><br>Quality Manager |
| <b>Test Report S/N:</b><br>1C2106070043-03-R1.BCG | <b>Test Dates:</b><br>06-08-2021 – 08-04-2021                                                                      | <b>EUT Type:</b><br>Watch                     | Page 13 of 120                         |

## 7.2 Occupied Bandwidth

### §2.1049

#### Test Overview

The occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission shall be measured. All modes of operation were investigated and the worst case configuration results are reported in this section. All ports were tested and only the worst case data were reported.

#### Test Procedure Used


KDB 971168 D01 v03r01 – Section 4.2

#### Test Settings

1. The signal analyzer's automatic bandwidth measurement capability was used to perform the 99% occupied bandwidth and the 26dB bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
2. RBW = 1 – 5% of the expected OBW
3. VBW  $\geq 3 \times$  RBW
4. Detector = Peak
5. Trace mode = max hold
6. Sweep = auto couple
7. The trace was allowed to stabilize
8. If necessary, steps 2 – 7 were repeated after changing the RBW such that it would be within 1 – 5% of the 99% occupied bandwidth observed in Step 7

#### Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




**Figure 7-1. Test Instrument & Measurement Setup**

#### Test Notes


None.

|                                                   |                                               |                                               |                |                                        |
|---------------------------------------------------|-----------------------------------------------|-----------------------------------------------|----------------|----------------------------------------|
| FCC ID: BCG-A2475                                 | <b>PCTEST</b><br>Proud to be part of element  | <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b> |                | <b>Approved by:</b><br>Quality Manager |
| <b>Test Report S/N:</b><br>1C2106070043-03-R1.BCG | <b>Test Dates:</b><br>06-08-2021 – 08-04-2021 | <b>EUT Type:</b><br>Watch                     | Page 14 of 120 |                                        |

## LTE Band 66/4




Plot 7-1. Occupied Bandwidth Plot (LTE Band 66/4 - 1.4MHz QPSK - Full RB)




Plot 7-2. Occupied Bandwidth Plot (LTE Band 66/4 - 1.4MHz 16-QAM - Full RB)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 15 of 120                  |



Plot 7-3. Occupied Bandwidth Plot (LTE Band 66/4 - 3MHz QPSK - Full RB)




Plot 7-4. Occupied Bandwidth Plot (LTE Band 66/4 - 3MHz 16-QAM - Full RB)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 16 of 120                  |




Plot 7-5. Occupied Bandwidth Plot (LTE Band 66/4 - 5MHz QPSK - Full RB)




Plot 7-6. Occupied Bandwidth Plot (LTE Band 66/4 - 5MHz 16-QAM - Full RB)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 17 of 120                  |




Plot 7-7. Occupied Bandwidth Plot (LTE Band 66/4 - 10MHz QPSK - Full RB)



Plot 7-8. Occupied Bandwidth Plot (LTE Band 66/4 - 10MHz 16-QAM - Full RB)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 18 of 120                  |




Plot 7-9. Occupied Bandwidth Plot (LTE Band 66/4 - 15MHz QPSK - Full RB)



Plot 7-10. Occupied Bandwidth Plot (LTE Band 66/4 - 15MHz 16-QAM - Full RB)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 19 of 120                  |




Plot 7-11. Occupied Bandwidth Plot (LTE Band 66/4 - 20MHz QPSK - Full RB)




Plot 7-12. Occupied Bandwidth Plot (LTE Band 66/4 - 20MHz 16-QAM - Full RB)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 20 of 120                  |

## LTE Band 12/17




Plot 7-13. Occupied Bandwidth Plot (LTE Band 12 – 1.4MHz QPSK - Full RB)




Plot 7-14. Occupied Bandwidth Plot (LTE Band 12 – 1.4MHz 16-QAM - Full RB)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 21 of 120                  |




Plot 7-15. Occupied Bandwidth Plot (LTE Band 12 - 3MHz QPSK - Full RB)



Plot 7-16. Occupied Bandwidth Plot (LTE Band 12 - 3MHz 16-QAM - Full RB)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 22 of 120                  |




Plot 7-17. Occupied Bandwidth Plot (LTE Band 12/17 - 5MHz QPSK - Full RB)




Plot 7-18. Occupied Bandwidth Plot (LTE Band 12/17 - 5MHz 16-QAM - Full RB)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 23 of 120                  |




Plot 7-19. Occupied Bandwidth Plot (LTE Band 12/17 - 10MHz QPSK - Full RB)




Plot 7-20. Occupied Bandwidth Plot (LTE Band 12/17 - 10MHz 16-QAM - Full RB)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 24 of 120                  |

## LTE Band 13




Plot 7-21. Occupied Bandwidth Plot (LTE Band 13 - 5MHz QPSK - Full RB)



Plot 7-22. Occupied Bandwidth Plot (LTE Band 13 - 5MHz 16-QAM - Full RB)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 25 of 120                  |



Plot 7-23. Occupied Bandwidth Plot (LTE Band 13 - 10MHz QPSK - Full RB)



Plot 7-24. Occupied Bandwidth Plot (LTE Band 13 - 10MHz 16-QAM - Full RB)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 26 of 120                  |

## WCDMA AWS



Plot 7-25. Occupied Bandwidth Plot (WCDMA, Ch. 1413)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 27 of 120                  |

## 7.3 Spurious and Harmonic Emissions at Antenna Terminal

**\$2.1051, \$27.53**

### Test Overview

The level of the carrier and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10<sup>th</sup> harmonic. All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section. All ports were tested and only the worst case data were reported.

**The minimum permissible attenuation level of any spurious emission is  $43 + 10 \log_{10}(P_{\text{Watts}})$ , where  $P$  is the transmitter power in Watts.**

### Test Procedure Used


KDB 971168 D01 v03r01 – Section 6.0

### Test Settings

1. Start frequency was set to 30MHz and stop frequency was set to 18GHz (separated into at least two plots per channel)
2. RBW  $\geq$  100kHz
3. VBW  $\geq$  3 x RBW
4. Detector = RMS
5. Trace mode = max hold
6. Sweep time = auto couple
7. The trace was allowed to stabilize

### Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



**Figure 7-2. Test Instrument & Measurement Setup**


|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 28 of 120                  |

## Test Notes


1. Per Part 27, compliance with the applicable limits is based on the use of measurement instrumentation employing a resolution bandwidth 100 kHz or greater for measurements below 1GHz. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.

|                                            |                                                                                                                            |                                       |                                 |
|--------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          |  PCTEST®<br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021                                                                                     | EUT Type:<br>Watch                    | Page 29 of 120                  |

## LTE Band 66/4




Plot 7-26. CSE (LTE Band 66/4 - 20MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-27. CSE (LTE Band 66/4 - 20MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 30 of 120                  |




Plot 7-28. CSE (LTE Band 66/4 - 20MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-29. CSE (LTE Band 66/4 - 20MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 31 of 120                  |




Plot 7-30. CSE (LTE Band 66/4 - 20MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)




Plot 7-31. CSE (LTE Band 66/4 - 20MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 32 of 120                  |




Plot 7-32. CSE (LTE Band 66/4 - 20MHz QPSK - RB Size 1, RB Offset 0 - High Channel)



Plot 7-33. CSE (LTE Band 66/4 - 20MHz QPSK - RB Size 1, RB Offset 0 - High Channel)


|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 33 of 120                  |




Plot 7-34. CSE (LTE Band 66/4 - 20MHz QPSK - RB Size 1, RB Offset 0 - High Channel)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 34 of 120                  |

## LTE Band 12/17




Plot 7-35. CSE (LTE Band 12/17 - 10MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-36. CSE (LTE Band 12/17 - 10MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 35 of 120                  |




Plot 7-37. CSE (LTE Band 12/17 - 10MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-38. CSE (LTE Band 12/17 - 10MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 36 of 120                  |




Plot 7-39. CSE Plot (LTE Band 12/17 - 10MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)




Plot 7-40. CSE (LTE Band 12/17 - 10MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 37 of 120                  |




Plot 7-41. CSE (LTE Band 12/17 - 10MHz QPSK - RB Size 1, RB Offset 0 - High Channel)



Plot 7-42. CSE (LTE Band 12/17 - 10MHz QPSK - RB Size 1, RB Offset 0 - High Channel)


|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 38 of 120                  |




Plot 7-43. CSE (LTE Band 12/17 - 10MHz QPSK - RB Size 1, RB Offset 0 - High Channel)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 39 of 120                  |

## LTE Band 13




Plot 7-44. CSE (LTE Band 13 - 10MHz QPSK - RB Size 1, RB Offset 0)



Plot 7-45. CSE (LTE Band 13 - 10MHz QPSK - RB Size 1, RB Offset 0)


|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 40 of 120                  |




Plot 7-46. CSE (LTE Band 13 - 10MHz QPSK - RB Size 1, RB Offset 0)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 41 of 120                  |

## WCDMA AWS




Plot 7-47. CSE WCDMA Ch. 1312- Low Channel)



Plot 7-48. CSE (WCDMA Ch. 1312- Low Channel)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 42 of 120                  |




Plot 7-49. CSE (WCDMA Ch. 1312- Low Channel)




Plot 7-50. CSE (WCDMA Ch. 1413- Mid Channel)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 43 of 120                  |




Plot 7-51. CSE (WCDMA Ch. 1413- Mid Channel)




Plot 7-52. CSE (WCDMA Ch. 1413- Mid Channel)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 44 of 120                  |




Plot 7-53. CSE (WCDMA Ch. 1513- High Channel)



Plot 7-54. CSE (WCDMA Ch. 1513- High Channel)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 45 of 120                  |



Plot 7-55. CSE (WCDMA Ch. 1513- High Channel)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 46 of 120                  |

## 7.4 Band Edge Emissions at Antenna Terminal

\$2.1051, \$27.53

### Test Overview

All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section. All ports were tested and only the worst case data was reported.

***The minimum permissible attenuation level of any spurious emission is  $43 + 10 \log_{10}(P_{\text{Watts}})$ , where  $P$  is the transmitter power in Watts.***

### Test Procedure Used


KDB 971168 D01 v03r01 – Section 6.0

### Test Settings

1. Start and stop frequency were set such that the band edge would be placed in the center of the plot
2. Span was set large enough so as to capture all out of band emissions near the band edge
3. RBW  $\geq 1\%$  of the emission bandwidth
4. VBW  $\geq 3 \times$  RBW
5. Detector = RMS
6. Number of sweep points  $\geq 2 \times$  Span/RBW
7. Trace mode = trace average for continuous emissions, max hold for pulse emissions
8. Sweep time = auto couple
9. The trace was allowed to stabilize

### Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



**Figure 7-3. Test Instrument & Measurement Setup**


|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 47 of 120                  |

## Test Notes


1. Per 27.53(h) in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed to demonstrate compliance with the out-of-band emissions limit. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.
2. Per 27.53(g) for operations in the 663 - 698 MHz and 698 – 746MHz bands, in the 100 kHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least 30 kHz may be employed to demonstrate compliance with the out-of-band emissions limit.
3. Per 27.53(c)(5) for operations in the 776-788 MHz band, in the 100 kHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least 30 kHz may be employed to demonstrate compliance with the out-of-band emissions limit.
4. For all plots showing emissions in the 763 – 775MHz and 793 – 805MHz band, the FCC limit per 27.53(c)(4) is  $65 + 10 \log_{10}(P) = -35\text{dBm}$  in a 6.25kHz bandwidth.

|                                                   |                                                                                                                                   |                                               |                                        |
|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|----------------------------------------|
| <b>FCC ID:</b> BCG-A2475                          | <br><small>Proud to be part of element</small> | <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b> | <b>Approved by:</b><br>Quality Manager |
| <b>Test Report S/N:</b><br>1C2106070043-03-R1.BCG | <b>Test Dates:</b><br>06-08-2021 – 08-04-2021                                                                                     | <b>EUT Type:</b><br>Watch                     | Page 48 of 120                         |

## LTE Band 66



Plot 7-56. Lower Band Edge Plot (LTE Band 66 – 1.4MHz QPSK – Full RB)




Plot 7-57. Lower Extended Band Edge Plot (LTE Band 66 – 1.4MHz QPSK – Full RB)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 49 of 120                  |




Plot 7-58. Upper Band Edge Plot (LTE Band 66 – 1.4MHz QPSK – Full RB)




Plot 7-59. Upper Extended Band Edge Plot (LTE Band 66 – 1.4MHz QPSK – Full RB)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 50 of 120                  |



Plot 7-60. Lower Band Edge Plot (LTE Band 66 - 3MHz QPSK – Full RB)




Plot 7-61. Lower Extended Band Edge Plot (LTE Band 66 - 3MHz QPSK – Full RB)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 51 of 120                  |




Plot 7-62. Upper Band Edge Plot (LTE Band 66 - 3MHz QPSK – Full RB)




Plot 7-63. Upper Extended Band Edge Plot (LTE Band 66 - 3MHz QPSK – Full RB)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 52 of 120                  |



Plot 7-64. Lower Band Edge Plot (LTE Band 66 - 5MHz QPSK - Full RB)




Plot 7-65. Lower Extended Band Edge Plot (LTE Band 66 - 5MHz QPSK - Full RB)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 53 of 120                  |




Plot 7-66. Upper Band Edge Plot (LTE Band 66 - 5MHz QPSK – Full RB)




Plot 7-67. Upper Extended Band Edge Plot (LTE Band 66 - 5MHz QPSK – Full RB)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 54 of 120                  |




Plot 7-68. Lower Band Edge Plot (LTE Band 66 - 10MHz QPSK – Full RB)




Plot 7-69. Lower Extended Band Edge Plot (LTE Band 66 - 10MHz QPSK – Full RB)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 55 of 120                  |




Plot 7-70. Upper Band Edge Plot (LTE Band 66 - 10MHz QPSK – Full RB)




Plot 7-71. Upper Extended Band Edge Plot (LTE Band 66 - 10MHz QPSK – Full RB)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 56 of 120                  |



Plot 7-72. Lower Band Edge Plot (LTE Band 66 - 15MHz QPSK - Full RB)




Plot 7-73. Lower Extended Band Edge Plot (LTE Band 66 - 15MHz QPSK - Full RB)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 57 of 120                  |




Plot 7-74. Upper Band Edge Plot (LTE Band 66 - 15MHz QPSK – Full RB)




Plot 7-75. Upper Extended Band Edge Plot (LTE Band 66 - 15MHz QPSK – Full RB)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 58 of 120                  |



Plot 7-76. Lower Band Edge Plot (LTE Band 66 - 20MHz QPSK – Full RB)




Plot 7-77. Lower Extended Band Edge Plot (LTE Band 66 - 20MHz QPSK – Full RB)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 59 of 120                  |




Plot 7-78. Upper Band Edge Plot (LTE Band 66 - 20MHz QPSK – Full RB)




Plot 7-79. Upper Extended Band Edge Plot (LTE Band 66 - 20MHz QPSK – Full RB)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 60 of 120                  |

## LTE Band 4



Plot 7-80. Lower Band Edge Plot (LTE Band 4 – 1.4MHz QPSK – Full RB)




Plot 7-81. Lower Extended Band Edge Plot (LTE Band 4 – 1.4MHz QPSK – Full RB)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 61 of 120                  |




Plot 7-82. Upper Band Edge Plot (LTE Band 4 – 1.4MHz QPSK – Full RB)




Plot 7-83. Upper Extended Band Edge Plot (LTE Band 4 – 1.4MHz QPSK – Full RB)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 62 of 120                  |




Plot 7-84. Lower Band Edge Plot (LTE Band 4 - 3MHz QPSK – Full RB)




Plot 7-85. Lower Extended Band Edge Plot (LTE Band 4 - 3MHz QPSK – Full RB)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 63 of 120                  |




Plot 7-86. Upper Band Edge Plot (LTE Band 4 - 3MHz QPSK – Full RB)




Plot 7-87. Upper Extended Band Edge Plot (LTE Band 4 - 3MHz QPSK – Full RB)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 64 of 120                  |



Plot 7-88. Lower Band Edge Plot (LTE Band 4 - 5MHz QPSK – Full RB)



Plot 7-89. Lower Extended Band Edge Plot (LTE Band 4 - 5MHz QPSK – Full RB)

|                                            |                                              |                                       |                                 |
|--------------------------------------------|----------------------------------------------|---------------------------------------|---------------------------------|
| FCC ID: BCG-A2475                          | <b>PCTEST</b><br>Proud to be part of element | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Quality Manager |
| Test Report S/N:<br>1C2106070043-03-R1.BCG | Test Dates:<br>06-08-2021 – 08-04-2021       | EUT Type:<br>Watch                    | Page 65 of 120                  |