

# Appendix -

## Test Data and Result for report

### GZCR230600056802 (A)

(For DL 2110-2200MHz)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)



## 2 Input versus Output comparison


| Occupied Bandwidth |                |              |               |         |
|--------------------|----------------|--------------|---------------|---------|
| Test Path          | Test Signal    | Test Channel | Signal Level  | Verdict |
| DL                 | 4.1MHz<br>AWGN | MCH          | Pre-AGC       | PASS    |
|                    |                |              | 3dB above AGC | PASS    |
|                    | 100MHz<br>AWGN | MCH          | Pre-AGC       | PASS*   |
|                    |                |              | 3dB above AGC | PASS*   |
|                    | GSM            | MCH          | Pre-AGC       | PASS    |
|                    |                |              | 3dB above AGC | PASS    |

Remark:


- \* The band supports maximum channel BW is 90MHz for NR, so the output signal OBW was less than the input when 100MHz AWGN as input signal.
- Compare the spectral plot of the input signal to the output signal affirm that they are similar (in passband and roll off characteristic features and relative spectral locations). The test result complies with the requirement.

### 99% OBW

#### DL\_4.1MHz AWGN\_MCH\_Input\_Pre-AGC




#### DL\_4.1MHz AWGN\_MCH\_Input\_3dB above AGC




### 99% OBW

#### DL\_4.1MHz AWGN\_MCH\_Output\_Pre-AGC



#### DL\_4.1MHz AWGN\_MCH\_Output\_3dB above AGC




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)




### 99% OBW

#### DL\_GSM\_MCH\_Input\_Pre-AGC



#### DL\_GSM\_MCH\_Input\_3dB above AGC




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

### 99% OBW

#### DL\_GSM\_MCH\_Output\_Pre-AGC




#### DL\_GSM\_MCH\_Output\_3dB above AGC




### 99% OBW

#### DL\_100MHz AWGN\_MCH\_Input\_Pre-AGC




#### DL\_100MHz AWGN\_MCH\_Input\_3dB above AGC






### 99% OBW

#### DL\_100MHz AWGN\_MCH\_Output\_Pre-AGC



#### DL\_100MHz AWGN\_MCH\_Output\_3dB above AGC



## 3 Mean output power and amplifier/booster gain

| Mean output power and gain                                                                                                                                                                                                                                                                                                                                                                                    |                     |             |               |                   |                    |               |                |           |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|-------------|---------------|-------------------|--------------------|---------------|----------------|-----------|
| Test Path                                                                                                                                                                                                                                                                                                                                                                                                     | Test Freq. f0 (MHz) | Test Signal | Signal Level  | Input power (dBm) | Output Power (dBm) | SISO EIRP (W) | Total EIRP (W) | Gain (dB) |
| DL                                                                                                                                                                                                                                                                                                                                                                                                            | 2176.1              | 4.1MHz AWGN | Pre-AGC       | 23.00             | 37.65              | 58.21         | 232.81         | 14.65     |
|                                                                                                                                                                                                                                                                                                                                                                                                               |                     |             | 3dB above AGC | 26.00             | 37.53              | 56.62         | 226.47         | /         |
|                                                                                                                                                                                                                                                                                                                                                                                                               |                     | 100MHz AWGN | Pre-AGC       | 22.00             | 35.77              | 37.76         | 151.01         | 13.77     |
|                                                                                                                                                                                                                                                                                                                                                                                                               |                     |             | 3dB above AGC | 25.00             | 36.05              | 40.27         | 161.07         | /         |
|                                                                                                                                                                                                                                                                                                                                                                                                               |                     | GSM         | Pre-AGC       | 23.00             | 37.80              | 60.26         | 241.00         | 14.80     |
|                                                                                                                                                                                                                                                                                                                                                                                                               |                     |             | 3dB above AGC | 26.00             | 37.65              | 58.21         | 232.81         | /         |
| Remark:<br>1. f0 is from Out-of-band Rejection test in the report.<br>2. EIRP= output power (dBm)+ antenna gain (dBi), the antenna gain is 10dBi declared by the manufacturer, the directional gain = G <sub>ANT</sub> + 10 log (N <sub>ANT</sub> ) dBi = 13dBi.<br>3. The conducted test performed at ANT 1 port only due to the two MIMO ports with identical design(Hardware & software) and radio output. |                     |             |               |                   |                    |               |                |           |

| Mean output power                                                                                                                                                                                                                                                                                                                                                                                                                                        |                     |             |               |                        |                   |                    |         |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|-------------|---------------|------------------------|-------------------|--------------------|---------|
| Test Path                                                                                                                                                                                                                                                                                                                                                                                                                                                | Test Freq. f0 (MHz) | Test Signal | Signal Level  | Output Power (dBm/MHz) | SISO EIRP (W/MHz) | Total EIRP (W/MHz) | Verdict |
| DL                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 2176.1              | 4.1MHz AWGN | Pre-AGC       | 31.36                  | 13.68             | 54.71              | PASS    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                     |             | 3dB above AGC | 31.08                  | 12.84             | 51.29              | PASS    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                     | 100MHz AWGN | Pre-AGC       | 26.73                  | 4.72              | 18.84              | PASS    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                     |             | 3dB above AGC | 26.19                  | 4.16              | 16.64              | PASS    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                     | GSM         | Pre-AGC       | 37.80                  | 60.26             | 241.00             | PASS    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                     |             | 3dB above AGC | 37.65                  | 58.22             | 232.81             | PASS    |
| Remark:<br>1. f0 is from Out-of-band Rejection test in the report.<br>2. EIRP= output power (dBm)+ antenna gain (dBi), the antenna gain is 10dBi declared by the manufacturer, the directional gain = $G_{ANT} + 10 \log (N_{ANT})$ dBi = 13dBi.<br>3. The output power is limited to an EIRP of 1640W/MHz.<br>4. The conducted test performed at ANT 1 port only due to the two MIMO ports with identical design(Hardware & software) and radio output. |                     |             |               |                        |                   |                    |         |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

| Peak-to-average ratio (PAR)                                                                                                                                                                                                               |                     |             |               |          |            |         |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|-------------|---------------|----------|------------|---------|
| Test path                                                                                                                                                                                                                                 | Test freq. f0 (MHz) | Test Signal | Signal level  | PAR (dB) | Limit (dB) | Verdict |
| DL                                                                                                                                                                                                                                        | 2176.1              | 4.1MHz AWGN | Pre-AGC       | 8.38     | ≤13        | PASS    |
|                                                                                                                                                                                                                                           |                     |             | 3dB above AGC | 8.23     |            | PASS    |
|                                                                                                                                                                                                                                           |                     | 100MHz AWGN | Pre-AGC       | 8.38     |            | PASS    |
|                                                                                                                                                                                                                                           |                     |             | 3dB above AGC | 8.19     |            | PASS    |
| Remark:<br>The GSM signal is narrow band signal with extremity low PAR values (the worst case is lower than 0.3dB), so only the test plots for 4.1MHz and 100MHz AWGN (pre-AGC) were record in the report for demonstrate PAR compliance. |                     |             |               |          |            |         |




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

### Peak-to-average ratio (PAR)

#### DL\_4.1MHz AWGN\_Pre-AGC



#### DL\_100MHz AWGN\_Pre-AGC



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)



#### 4 Out-of-band/out-of-block(including intermodulation) emissions

| Out-of-band/out-of-block(including intermodulation) emissions |              |             |                    |               |                                  |             |         |
|---------------------------------------------------------------|--------------|-------------|--------------------|---------------|----------------------------------|-------------|---------|
| Test Path                                                     | Test Channel | Test Signal | Stimulus Condition | Signal Level  | Worst conducted test level (dBm) | Limit (dBm) | Verdict |
| DL                                                            | LCH          | 4.1MHz AWGN | One signal input   | Pre-AGC       | -26.87                           | ≤-16        | PASS    |
|                                                               |              |             |                    | 3dB above AGC | -28.19                           |             | PASS    |
|                                                               |              |             | Two signals input  | Pre-AGC       | -27.68                           |             | PASS    |
|                                                               |              |             |                    | 3dB above AGC | -27.65                           |             | PASS    |
|                                                               | HCH          |             | One signal input   | Pre-AGC       | -28.35                           |             | PASS    |
|                                                               |              |             |                    | 3dB above AGC | -28.67                           |             | PASS    |
|                                                               |              |             | Two signals input  | Pre-AGC       | -28.01                           |             | PASS    |
|                                                               |              |             |                    | 3dB above AGC | -29.09                           |             | PASS    |
| DL                                                            | LCH          | 100MHz AWGN | One signal input   | Pre-AGC       | -20.06                           | ≤-16        | PASS    |
|                                                               |              |             |                    | 3dB above AGC | -19.61                           |             | PASS    |
|                                                               |              |             | Two signals input  | Pre-AGC       | -22.86                           |             | PASS    |
|                                                               |              |             |                    | 3dB above AGC | -23.20                           |             | PASS    |
|                                                               | HCH          |             | One signal input   | Pre-AGC       | -21.71                           |             | PASS    |
|                                                               |              |             |                    | 3dB above AGC | -20.02                           |             | PASS    |
|                                                               |              |             | Two signals input  | Pre-AGC       | -20.93                           |             | PASS    |
|                                                               |              |             |                    | 3dB above AGC | -21.52                           |             | PASS    |

**Remark:**


- The power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least  $43 + 10\log_{10}(P)$  dB, here,  
 $P = 37\text{dBm} = 5.02\text{W}$   
the limit =  $37\text{dBm} - [43 + 10\log_{10}(5.02\text{W})]$  dB = -13dBm
- For 2×2 MIMO, ANT1 port was measured and the limit was showed -13dBm- 10lg(2)= -16dBm to determine the test result conveniently.




| Out-of-band/out-of-block(including intermodulation) emissions                                                                                                                                                                                                                                                                                                                                           |              |             |                    |               |                                  |             |         |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-------------|--------------------|---------------|----------------------------------|-------------|---------|
| Test Path                                                                                                                                                                                                                                                                                                                                                                                               | Test Channel | Test Signal | Stimulus Condition | Signal Level  | Worst conducted test level (dBm) | Limit (dBm) | Verdict |
| Downlink                                                                                                                                                                                                                                                                                                                                                                                                | LCH          | GSM         | One signal input   | Pre-AGC       | -23.54                           | ≤-16        | PASS    |
|                                                                                                                                                                                                                                                                                                                                                                                                         |              |             |                    | 3dB above AGC | -22.99                           |             | PASS    |
|                                                                                                                                                                                                                                                                                                                                                                                                         |              |             | Two signals input  | Pre-AGC       | -20.73                           |             | PASS    |
|                                                                                                                                                                                                                                                                                                                                                                                                         |              |             |                    | 3dB above AGC | -19.40                           |             | PASS    |
|                                                                                                                                                                                                                                                                                                                                                                                                         | HCH          |             | One signal input   | Pre-AGC       | -22.35                           |             | PASS    |
|                                                                                                                                                                                                                                                                                                                                                                                                         |              |             |                    | 3dB above AGC | -21.91                           |             | PASS    |
|                                                                                                                                                                                                                                                                                                                                                                                                         |              |             | Two signals input  | Pre-AGC       | -21.99                           |             | PASS    |
|                                                                                                                                                                                                                                                                                                                                                                                                         |              |             |                    | 3dB above AGC | -20.83                           |             | PASS    |
| Remark:<br>1. The power of any emission outside a licensee’s frequency block shall be attenuated below the transmitter power (P) in watts by at least 43 + 10log10 (P) dB, here,<br>P = 37dBm = 5.02W<br>the limit = 37dBm – [43 + 10 log10 (5.02W)] dB = -13dBm<br>2. For 2×2 MIMO, ANT1 port was measured and the limit was showed -13dBm- 10lg(2)= -16dBm to determine the test result conveniently. |              |             |                    |               |                                  |             |         |

### Out-of-band/out-of-block emissions

#### DL\_4.1MHz AWGN\_LCH\_a single test signal\_Pre-AGC



#### DL\_4.1MHz AWGN\_LCH\_a single test signal\_3dB above AGC



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

### Out-of-band/out-of-block emissions

#### DL\_4.1MHz AWGN\_LCH\_two adjacent test signals\_Pre-AGC



#### DL\_4.1MHz AWGN\_LCH\_two adjacent test signals\_3dB above AGC




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

### Out-of-band/out-of-block emissions

#### DL\_4.1MHz AWGN\_HCH\_a single test signal\_Pre-AGC



#### DL\_4.1MHz AWGN\_HCH\_a single test signal\_3dB above AGC




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)




### Out-of-band/out-of-block emissions

#### DL\_4.1MHz AWGN\_HCH\_two adjacent test signals\_Pre-AGC



#### DL\_4.1MHz AWGN\_HCH\_two adjacent test signals\_3dB above AGC




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

### Out-of-band/out-of-block emissions

#### DL\_100MHz AWGN\_LCH\_a single test signal\_Pre-AGC



#### DL\_100MHz AWGN\_LCH\_a single test signal\_3dB above AGC




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

### Out-of-band/out-of-block emissions

#### DL\_100MHz AWGN\_LCH\_two adjacent test signals\_Pre-AGC



#### DL\_100MHz AWGN\_LCH\_two adjacent test signals\_3dB above AGC




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com**

### Out-of-band/out-of-block emissions

#### DL\_100MHz AWGN\_HCH\_a single test signal\_Pre-AGC



#### DL\_100MHz AWGN\_HCH\_a single test signal\_3dB above AGC




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)




### Out-of-band/out-of-block emissions

#### DL\_100MHz AWGN\_HCH\_two adjacent test signals\_Pre-AGC



#### DL\_100MHz AWGN\_HCH\_two adjacent test signals\_3dB above AGC




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

### Out-of-band/out-of-block emissions

#### DL\_GSM\_LCH\_a single test signal\_Pre-AGC



#### DL\_GSM\_LCH\_a single test signal\_3dB above AGC




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

### Out-of-band/out-of-block emissions

#### DL\_GSM\_LCH\_two adjacent test signals\_Pre-AGC



#### DL\_GSM\_LCH\_two adjacent test signals\_3dB above AGC




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

### Out-of-band/out-of-block emissions

#### DL\_GSM\_HCH\_a single test signal\_Pre-AGC



#### DL\_GSM\_HCH\_a single test signal\_3dB above AGC




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com**




### Out-of-band/out-of-block emissions

#### DL\_GSM\_HCH\_two adjacent test signals\_Pre-AGC



#### DL\_GSM\_HCH\_two adjacent test signals\_3dB above AGC



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)


### 5 Conducted Spurious emissions

#### Conducted spurious emissions

#### DL\_4.1MHz AWGN\_MCH\_Pre-AGC



#### DL\_4.1MHz AWGN\_MCH\_Pre-AGC




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

### Conducted spurious emissions

#### DL\_4.1MHz AWGN\_MCH\_Pre-AGC



#### DL\_4.1MHz AWGN\_MCH\_Pre-AGC



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

Remark:

1. The power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least  $43 + 10\log_{10}(P)$  dB, here,  
 $P = 37\text{dBm} = 5.02\text{W}$ ,  
the limit =  $37\text{dBm} - [43 + 10\log_{10}(5.02\text{W})]$  dB = -13dBm
2. For 2x2 MIMO, ANT1 port was measured and the limit was showed -13dBm- 10lg(2)= -16dBm to determine the test result conveniently.
3. The spurious emissions 9kHz to 30MHz were very low and not displayed in this report.
4. All modes (Low Channel/MCH/High Channel, with GSM signal/ with 4.1MHz AWGN signal/ with 100MHz AWGN signal) had been tested, only show the worst-case in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com**



## 6 Frequency Stability

| Frequency stability vs voltage |                  |             |             |         |                  |                 |         |
|--------------------------------|------------------|-------------|-------------|---------|------------------|-----------------|---------|
| Test path                      | Test Freq. (MHz) | Test Signal | Temperature | Voltage | Freq. error (Hz) | Tolerance (ppm) | Verdict |
| DL                             | 2155             | 4.1MHz AWGN | TN          | VL      | 12               | 0.0056          | PASS    |
|                                |                  |             | TN          | VH      | 19               | 0.0088          | PASS    |
|                                | 2155             | 100MHz AWGN | TN          | VL      | 23               | 0.0107          | PASS    |
|                                |                  |             | TN          | VH      | 17               | 0.0079          | PASS    |
|                                | 2155             | GSM         | TN          | VL      | 20               | 0.0093          | PASS    |
|                                |                  |             | TN          | VH      | 15               | 0.0070          | PASS    |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)


| Frequency stability vs temperature |                  |             |         |                  |                  |                 |         |
|------------------------------------|------------------|-------------|---------|------------------|------------------|-----------------|---------|
| Test Path                          | Test Freq. (MHz) | Test Signal | Voltage | Temperature (°C) | Freq. error (Hz) | Tolerance (ppm) | Verdict |
| DL                                 | 2155             | 4.1MHz AWGN | VN      | +50              | 21               | 0.0097          | PASS    |
|                                    |                  |             | VN      | +40              | 27               | 0.0125          | PASS    |
|                                    |                  |             | VN      | +30              | 17               | 0.0079          | PASS    |
|                                    |                  |             | VN      | +20              | 9                | 0.0042          | PASS    |
|                                    |                  |             | VN      | +10              | 18               | 0.0084          | PASS    |
|                                    |                  |             | VN      | 0                | 23               | 0.0107          | PASS    |
|                                    |                  |             | VN      | -10              | 14               | 0.0065          | PASS    |
|                                    |                  |             | VN      | -20              | 10               | 0.0046          | PASS    |
|                                    |                  |             | VN      | -30              | 7                | 0.0032          | PASS    |
|                                    | 2155             | 100MHz AWGN | VN      | +50              | 27               | 0.0125          | PASS    |
|                                    |                  |             | VN      | +40              | 19               | 0.0088          | PASS    |
|                                    |                  |             | VN      | +30              | 21               | 0.0097          | PASS    |
|                                    |                  |             | VN      | +20              | 16               | 0.0074          | PASS    |
|                                    |                  |             | VN      | +10              | 11               | 0.0051          | PASS    |
|                                    |                  |             | VN      | 0                | 24               | 0.0111          | PASS    |
|                                    |                  |             | VN      | -10              | 21               | 0.0097          | PASS    |
|                                    |                  |             | VN      | -20              | 10               | 0.0046          | PASS    |
|                                    |                  |             | VN      | -30              | 8                | 0.0037          | PASS    |
|                                    | 2155             | GSM         | VN      | +50              | 19               | 0.0088          | PASS    |
|                                    |                  |             | VN      | +40              | 24               | 0.0111          | PASS    |
|                                    |                  |             | VN      | +30              | 20               | 0.0093          | PASS    |
|                                    |                  |             | VN      | +20              | 16               | 0.0074          | PASS    |
|                                    |                  |             | VN      | +10              | 10               | 0.0046          | PASS    |
|                                    |                  |             | VN      | 0                | 8                | 0.0037          | PASS    |
|                                    |                  |             | VN      | -10              | 14               | 0.0065          | PASS    |
|                                    |                  |             | VN      | -20              | 19               | 0.0088          | PASS    |
|                                    |                  |             | VN      | -30              | 24               | 0.0111          | PASS    |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

### 7 Radiated Spurious emissions




### Radiated Spurious emissions

#### DL\_4.1MHz AWGN\_MCH\_above 1GHz



|   | Freq     | Read Level | Correction Factor | Level  | Limit Line | Over Limit | Pol/Phase  |
|---|----------|------------|-------------------|--------|------------|------------|------------|
|   | MHz      | dBm        | dB                | dBm    | dBm        | dB         |            |
| 1 | 1883.236 | -62.00     | 6.34              | -55.66 | -13.00     | -42.66     | HORIZONTAL |
| 2 | 2226.950 | -62.47     | 9.32              | -53.15 | -13.00     | -40.15     | HORIZONTAL |
| 3 | 3214.623 | -63.33     | 2.23              | -61.10 | -13.00     | -48.10     | HORIZONTAL |
| 4 | 4521.185 | -62.98     | 6.34              | -56.64 | -13.00     | -43.64     | HORIZONTAL |
| 5 | 5780.300 | -64.85     | 13.52             | -51.33 | -13.00     | -38.33     | HORIZONTAL |
| 6 | 7076.516 | -67.60     | 19.16             | -48.44 | -13.00     | -35.44     | HORIZONTAL |




|   | Freq      | Read Level | Correction Factor | Level  | Limit Line | Over Limit | Pol/Phase |
|---|-----------|------------|-------------------|--------|------------|------------|-----------|
|   | MHz       | dBm        | dB                | dBm    | dBm        | dB         |           |
| 1 | 2176.047  | -61.89     | 9.35              | -52.54 | -13.00     | -39.54     | VERTICAL  |
| 2 | 2838.921  | -63.10     | 4.40              | -58.70 | -13.00     | -45.70     | VERTICAL  |
| 3 | 4845.948  | -64.61     | 9.23              | -55.38 | -13.00     | -42.38     | VERTICAL  |
| 4 | 5881.418  | -65.46     | 16.05             | -49.41 | -13.00     | -36.41     | VERTICAL  |
| 5 | 8013.020  | -72.46     | 16.19             | -56.27 | -13.00     | -43.27     | VERTICAL  |
| 6 | 11566.870 | -70.80     | 22.04             | -48.76 | -13.00     | -35.76     | VERTICAL  |




### Radiated Spurious emissions

#### DL\_4.1MHz AWGN\_MCH\_above 1GHz



|   | Freq      | Read Level | Correction Factor | Level  | Limit Line | Over Limit | Pol/Phase  |
|---|-----------|------------|-------------------|--------|------------|------------|------------|
|   | MHz       | dBm        | dB                | dBm    | dBm        | dB         |            |
| 1 | 18673.460 | -88.34     | 36.75             | -51.59 | -13.00     | -38.59     | HORIZONTAL |
| 2 | 19110.920 | -89.30     | 37.72             | -51.58 | -13.00     | -38.58     | HORIZONTAL |
| 3 | 19543.020 | -87.23     | 38.23             | -49.00 | -13.00     | -36.00     | HORIZONTAL |
| 4 | 19889.370 | -83.06     | 38.45             | -44.61 | -13.00     | -31.61     | HORIZONTAL |
| 5 | 20241.850 | -80.11     | 38.52             | -41.59 | -13.00     | -28.59     | HORIZONTAL |
| 6 | 20600.590 | -83.55     | 38.55             | -45.00 | -13.00     | -32.00     | HORIZONTAL |



|   | Freq      | Read Level | Correction Factor | Level  | Limit Line | Over Limit | Pol/Phase |
|---|-----------|------------|-------------------|--------|------------|------------|-----------|
|   | MHz       | dBm        | dB                | dBm    | dBm        | dB         |           |
| 1 | 18733.200 | -89.10     | 29.73             | -59.37 | -13.00     | -46.37     | VERTICAL  |
| 2 | 18913.560 | -84.29     | 30.86             | -53.43 | -13.00     | -40.43     | VERTICAL  |
| 3 | 19496.260 | -84.07     | 34.20             | -49.87 | -13.00     | -36.87     | VERTICAL  |
| 4 | 19873.490 | -81.89     | 35.00             | -46.89 | -13.00     | -33.89     | VERTICAL  |
| 5 | 20177.300 | -88.32     | 35.23             | -53.09 | -13.00     | -40.09     | VERTICAL  |
| 6 | 20633.510 | -85.74     | 35.33             | -50.41 | -13.00     | -37.41     | VERTICAL  |

#### Remark:

Pre-test was performed for all modes (LCH/MCH/HCH, with GSM signal/ with 4.1MHz AWGN signals/ with 100MHz AWGN signals), the test result always keeps more than 20dB margin, The spurious emissions 9kHz to 30MHz were very low and not displayed in this report. Therefore, only show the worst-case data in this report.

--End of Appendix--



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Guangzhou Branch, EEC Laboratory

No.190 Kexu Road, Science Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgs.com.cn  
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Member of the SGS Group (SGS SA)