


Test Mode: UNII-2C/TX AC Wave2(40 MHz) Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	6.08	7.41
CH110	5550	6.15	7.41
CH134	5670	5.95	7.41

Test Mode: UNII-2C/TX AC Wave2(80 MHz) Mode_CH106/CH122_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	0.17	0.22	0.39	7.41
CH122	5610	-2.03	0.22	-1.81	7.41

CH106



Date: 3.JAN.2017 17:13:07

CH122




Date: 3.JAN.2017 17:14:24

Test Mode: UNII-2C/TX AC Wave2(80 MHz) Mode_CH106/CH122_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-1.84	0.22	-1.62	7.41
CH122	5610	-2.59	0.22	-2.37	7.41

CH106



Date: 3.JAN.2017 17:07:22

CH122




Date: 3.JAN.2017 17:08:20

Test Mode: UNII-2C/TX AC Wave2(80 MHz) Mode_CH106/CH122_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-0.63	0.22	-0.41	7.41
CH122	5610	-2.15	0.22	-1.93	7.41

CH106



Date: 3.JAN.2017 17:16:57

CH122



Date: 3.JAN.2017 17:18:00


Test Mode: UNII-2C/TX AC Wave2(80 MHz) Mode_CH106/CH122_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	4.30	7.41
CH122	5610	2.74	7.41

For 4TX Beamforming


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-1.78	0.06	-1.72	6.18
CH60	5300	-1.80	0.06	-1.74	6.18
CH64	5320	-1.41	0.06	-1.35	6.18




Date: 3.JAN.2017 19:35:45

CH60



Date: 3.JAN.2017 19:36:53


CH64



Date: 3.JAN.2017 19:37:54


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-1.25	0.06	-1.19	6.18
CH60	5300	-1.35	0.06	-1.29	6.18
CH64	5320	-1.17	0.06	-1.11	6.18




Date: 3.JAN.2017 19:44:12

CH60



Date: 3.JAN.2017 19:45:03


CH64



Date: 3.JAN.2017 19:46:13


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-1.59	0.06	-1.53	6.18
CH60	5300	-1.76	0.06	-1.70	6.18
CH64	5320	-1.41	0.06	-1.35	6.18




Date: 3.JAN.2017 19:51:24

CH60



Date: 3.JAN.2017 19:52:34


CH64



Date: 3.JAN.2017 19:53:28


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-0.33	0.06	-0.27	6.18
CH60	5300	-0.46	0.06	-0.40	6.18
CH64	5320	-0.13	0.06	-0.07	6.18




Date: 3.JAN.2017 19:59:02

CH60



Date: 3.JAN.2017 19:59:55

CH64



Date: 3.JAN.2017 20:00:48


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.88	6.18
CH60	5300	4.77	6.18
CH64	5320	5.08	6.18

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-1.39	0.11	-1.28	6.18
CH62	5310	-1.42	0.11	-1.31	6.18

CH54



Date: 3.JAN.2017 21:15:12

CH62




Date: 3.JAN.2017 21:16:10

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-0.93	0.11	-0.82	6.18
CH62	5310	-0.79	0.11	-0.68	6.18

CH54



Date: 3.JAN.2017 21:20:49

CH62




Date: 3.JAN.2017 21:21:47

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-1.08	0.11	-0.97	6.18
CH62	5310	-0.99	0.11	-0.88	6.18

CH54



Date: 4.JAN.2017 09:08:06

CH62




Date: 4.JAN.2017 09:09:10

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-0.80	0.11	-0.69	6.18
CH62	5310	-0.12	0.11	-0.01	6.18

CH54



Date: 4.JAN.2017 09:16:32

CH62




Date: 4.JAN.2017 09:18:15

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	5.08	6.18
CH62	5310	5.32	6.18


Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-1.58	0.06	-1.52	6.18
CH60	5300	-1.65	0.06	-1.59	6.18
CH64	5320	-1.29	0.06	-1.23	6.18




Date: 3.JAN.2017 20:09:19

CH60



Date: 3.JAN.2017 20:10:21


CH64



Date: 3.JAN.2017 20:11:28


Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-1.16	0.06	-1.10	6.18
CH60	5300	-1.28	0.06	-1.22	6.18
CH64	5320	-1.13	0.06	-1.07	6.18




Date: 3.JAN.2017 20:18:43

CH60



Date: 3.JAN.2017 20:19:36


CH64



Date: 3.JAN.2017 20:20:33


Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode_CH52/CH60/CH64_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-1.54	0.06	-1.48	6.18
CH60	5300	-1.75	0.06	-1.69	6.18
CH64	5320	-1.40	0.06	-1.34	6.18




Date: 3.JAN.2017 20:26:02

CH60



Date: 3.JAN.2017 20:27:33


CH64



Date: 3.JAN.2017 20:28:30


Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode_CH52/CH60/CH64_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-0.37	0.06	-0.31	6.18
CH60	5300	-0.40	0.06	-0.34	6.18
CH64	5320	-0.11	0.06	-0.05	6.18




Date: 3.JAN.2017 20:33:55

CH60



Date: 3.JAN.2017 20:34:57

CH64



Date: 3.JAN.2017 20:36:08


Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.95	6.18
CH60	5300	4.84	6.18
CH64	5320	5.13	6.18

Test Mode: UNII-2A/TX AC Wave2(40 MHz) Mode_CH54/CH62_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-1.32	0.11	-1.21	6.18
CH62	5310	-1.29	0.11	-1.18	6.18

CH54



Date: 4.JAN.2017 09:49:25

CH62




Date: 4.JAN.2017 09:50:51

Test Mode: UNII-2A/TX AC Wave2(40 MHz) Mode_CH54/CH62_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-0.91	0.11	-0.80	6.18
CH62	5310	-0.96	0.11	-0.85	6.18

CH54



Date: 4.JAN.2017 09:41:40

CH62




Date: 4.JAN.2017 09:44:57

Test Mode: UNII-2A/TX AC Wave2(40 MHz) Mode_CH54/CH62_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-1.30	0.11	-1.19	6.18
CH62	5310	-1.04	0.11	-0.93	6.18

CH54



Date: 4.JAN.2017 09:36:16

CH62




Date: 4.JAN.2017 09:37:21

Test Mode: UNII-2A/TX AC Wave2(40 MHz) Mode_CH54/CH62_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	0.01	0.11	0.12	6.18
CH62	5310	-0.08	0.11	0.03	6.18

CH54



Date: 4.JAN.2017 09:30:59

CH62




Date: 4.JAN.2017 09:31:58

Test Mode: UNII-2A/TX AC Wave2(40 MHz) Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.70	6.18
CH62	5310	3.78	6.18

Test Mode: UNII-2A/TX AC Wave2(80 MHz) Mode_CH58_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-3.58	0.22	-3.36	6.18



Date: 4.JAN.2017 09:58:43

Test Mode: UNII-2A/TX AC Wave2(80 MHz) Mode_CH58_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-2.79	0.22	-2.57	6.18



Date: 4.JAN.2017 10:02:15

Test Mode: UNII-2A/TX AC Wave2(80 MHz) Mode_CH58_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-3.36	0.22	-3.14	6.18



Date: 4.JAN.2017 10:05:39

Test Mode: UNII-2A/TX AC Wave2(80 MHz) Mode_CH58_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-2.47	0.22	-2.25	6.18




Date: 4.JAN.2017 10:10:37

Test Mode: UNII-2A/TX AC Wave2(80 MHz) Mode_CH58_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	3.21	6.18


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-0.32	0.06	-0.26	6.18
CH116	5580	-1.20	0.06	-1.14	6.18
CH140	5700	-1.18	0.06	-1.12	6.18

CH100



Date: 3.JAN.2017 19:38:56

CH116



Date: 3.JAN.2017 19:40:04

CH140




Date: 3.JAN.2017 19:41:02

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-0.32	0.06	-0.26	6.18
CH116	5580	-1.78	0.06	-1.72	6.18
CH140	5700	-1.96	0.06	-1.90	6.18

CH100




Date: 3.JAN.2017 19:47:26

CH116



Date: 3.JAN.2017 19:48:22


CH140



Date: 3.JAN.2017 19:49:26


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-0.22	0.06	-0.16	6.18
CH116	5580	-0.85	0.06	-0.79	6.18
CH140	5700	-1.24	0.06	-1.18	6.18

CH100



Date: 3.JAN.2017 19:54:20

CH116



Date: 3.JAN.2017 19:55:15

CH140




Date: 3.JAN.2017 19:56:28

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-0.62	0.06	-0.56	6.18
CH116	5580	-0.29	0.06	-0.23	6.18
CH140	5700	-0.12	0.06	-0.06	6.18

CH100




Date: 3.JAN.2017 20:01:49

CH116



Date: 3.JAN.2017 20:02:43

CH140



Date: 3.JAN.2017 20:03:43

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	5.71	6.18
CH116	5580	5.08	6.18
CH140	5700	5.01	6.18


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-0.42	0.11	-0.31	6.18
CH110	5550	-1.60	0.11	-1.49	6.18
CH134	5670	-1.61	0.11	-1.50	6.18




Date: 3.JAN.2017 21:17:07

CH110



Date: 3.JAN.2017 21:18:03


CH134



Date: 3.JAN.2017 21:19:09


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-1.56	0.11	-1.45	6.18
CH110	5550	-2.48	0.11	-2.37	6.18
CH134	5670	-2.16	0.11	-2.05	6.18




Date: 3.JAN.2017 21:22:47

CH110



Date: 3.JAN.2017 21:23:39


CH134



Date: 3.JAN.2017 21:24:36


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-0.27	0.11	-0.16	6.18
CH110	5550	-1.23	0.11	-1.12	6.18
CH134	5670	-1.72	0.11	-1.61	6.18




Date: 4.JAN.2017 09:10:39

CH110



Date: 4.JAN.2017 09:11:36


CH134



Date: 4.JAN.2017 09:12:33


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-0.33	0.11	-0.22	6.18
CH110	5550	-0.89	0.11	-0.78	6.18
CH134	5670	-0.34	0.11	-0.23	6.18




Date: 4.JAN.2017 09:21:01

CH110



Date: 4.JAN.2017 09:21:55

CH134




Date: 4.JAN.2017 09:23:27

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	5.51	6.18
CH110	5550	4.62	6.18
CH134	5670	4.72	6.18


Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-0.27	0.06	-0.21	6.18
CH116	5580	-1.10	0.06	-1.04	6.18
CH140	5700	-1.10	0.06	-1.04	6.18




Date: 3.JAN.2017 20:12:42

CH116



Date: 3.JAN.2017 20:13:51


CH140



Date: 3.JAN.2017 20:14:53


Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-1.67	0.06	-1.61	6.18
CH116	5580	-1.78	0.06	-1.72	6.18
CH140	5700	-1.92	0.06	-1.86	6.18




Date: 3.JAN.2017 20:21:38

CH116



Date: 3.JAN.2017 20:23:05


CH140



Date: 3.JAN.2017 20:24:29


Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode_CH100/CH116/CH140_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-0.21	0.06	-0.15	6.18
CH116	5580	-0.72	0.06	-0.66	6.18
CH140	5700	-1.17	0.06	-1.11	6.18




Date: 3.JAN.2017 20:30:04

CH116



Date: 3.JAN.2017 20:31:24


CH140



Date: 3.JAN.2017 20:32:28


Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode_CH100/CH116/CH140_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-0.59	0.06	-0.53	6.18
CH116	5580	-0.24	0.06	-0.18	6.18
CH140	5700	-0.12	0.06	-0.06	6.18




Date: 3.JAN.2017 20:37:31

CH116



Date: 3.JAN.2017 20:41:48

CH140




Date: 3.JAN.2017 20:43:20

Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	5.43	6.18
CH116	5580	5.16	6.18
CH140	5700	5.05	6.18


Test Mode: UNII-2C/TX AC Wave2(40 MHz) Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-0.52	0.11	-0.41	6.18
CH110	5550	-1.44	0.11	-1.33	6.18
CH134	5670	-1.53	0.11	-1.42	6.18




Date: 4.JAN.2017 09:51:43

CH110




Date: 4.JAN.2017 09:52:42

CH134




Date: 4.JAN.2017 09:53:35

CH110



Date: 4.JAN.2017 09:46:52

CH134




Date: 4.JAN.2017 09:47:47

Test Mode: UNII-2C/TX AC Wave2(40 MHz) Mode_CH102/CH110/CH134_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-0.31	0.11	-0.20	6.18
CH110	5550	-1.21	0.11	-1.10	6.18
CH134	5670	-1.81	0.11	-1.70	6.18

CH102




Date: 4.JAN.2017 09:38:16

CH110




Date: 4.JAN.2017 09:39:15

CH134




Date: 4.JAN.2017 09:40:08

CH110



Date: 4.JAN.2017 09:33:55

CH134



Date: 4.JAN.2017 09:34:48


Test Mode: UNII-2C/TX AC Wave2(40 MHz) Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	4.05	6.18
CH110	5550	3.21	6.18
CH134	5670	3.04	6.18

Test Mode: UNII-2C/TX AC Wave2(80 MHz) Mode_CH106/CH122_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-2.03	0.22	-1.81	6.18
CH122	5610	-4.13	0.22	-3.91	6.18

CH106



Date: 4.JAN.2017 09:59:41

CH122




Date: 4.JAN.2017 10:00:37

Test Mode: UNII-2C/TX AC Wave2(80 MHz) Mode_CH106/CH122_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-3.60	0.22	-3.38	6.18
CH122	5610	-4.37	0.22	-4.15	6.18

CH106



Date: 4.JAN.2017 10:03:23

CH122




Date: 4.JAN.2017 10:04:19

Test Mode: UNII-2C/TX AC Wave2(80 MHz) Mode_CH106/CH122_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-1.65	0.22	-1.43	6.18
CH122	5610	-4.02	0.22	-3.80	6.18

CH106



Date: 4.JAN.2017 10:06:53

CH122




Date: 4.JAN.2017 10:08:32

Test Mode: UNII-2C/TX AC Wave2(80 MHz) Mode_CH106/CH122_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-2.20	0.22	-1.98	6.18
CH122	5610	-2.91	0.22	-2.69	6.18

CH106



Date: 4.JAN.2017 10:12:20

CH122



Date: 4.JAN.2017 10:14:37

Test Mode: UNII-2C/TX AC Wave2(80 MHz) Mode_CH106/CH122_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	3.93	6.18
CH122	5610	2.42	6.18

ATTACHMENT H - FREQUENCY STABILITY

Test Mode:	UNII-2A
-------------------	----------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
132	5260.0036
120	5260.0036
108	5260.0040
Max. Deviation (MHz)	0.0040
Max. Deviation (ppm)	0.7605

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5260.0000
-5	5260.0040
5	5260.0040
15	5260.0040
25	5260.0044
35	5260.0044
45	5260.0044
50	5260.0044
Max. Deviation (MHz)	0.0044
Max. Deviation (ppm)	0.8365

Test Mode:	UNII-2C
-------------------	----------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
132	5500.0040
120	5500.0040
108	5500.0044
Max. Deviation (MHz)	0.0044
Max. Deviation (ppm)	0.8000

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5500.0000
-5	5500.0044
5	5500.0044
15	5500.0044
25	5500.0048
35	5500.0044
45	5500.0048
50	5500.0048
Max. Deviation (MHz)	0.0048
Max. Deviation (ppm)	0.8727