



**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-1.36	0.09	-1.27	9.00
CH116	5580	-1.70	0.09	-1.61	9.00
CH140	5700	-1.21	0.09	-1.12	9.00




Date: 3.APR.2015 17:43:45

### CH116



Date: 3.APR.2015 17:44:31


### CH140



Date: 3.APR.2015 17:45:26


**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-0.65	0.09	-0.56	9.00
CH116	5580	-0.86	0.09	-0.77	9.00
CH140	5700	-1.22	0.09	-1.13	9.00




Date: 3.APR.2015 17:02:17

### CH116



Date: 3.APR.2015 17:03:02

### CH140




Date: 3.APR.2015 17:03:39

**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	2.11	0.09	2.11	9.00
CH116	5580	1.84	0.09	1.84	9.00
CH140	5700	1.88	0.09	1.88	9.00




### CH116



Date: 3.APR.2015 17:51:29

### CH140




Date: 3.APR.2015 17:51:46

**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-0.89	0.07	-0.82	9.00
CH116	5580	-0.85	0.07	-0.78	9.00
CH140	5700	-1.25	0.07	-1.18	9.00

**CH100**




Date: 3.APR.2015 17:09:52

### CH116



Date: 3.APR.2015 17:10:25

### CH140



Date: 3.APR.2015 17:10:41


**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	1.87	0.07	1.87	9.00
CH116	5580	1.73	0.07	1.73	9.00
CH140	5700	1.71	0.07	1.71	9.00

**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-4.64	0.32	-4.32	9.00
CH110	5550	-4.53	0.32	-4.21	9.00
CH134	5670	-4.83	0.32	-4.51	9.00

**CH102**




Date: 3.APR.2015 18:00:46

### CH110



Date: 3.APR.2015 18:01:15


### CH134




Date: 3.APR.2015 18:01:32

**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-4.19	0.32	-3.87	9.00
CH110	5550	-5.64	0.32	-5.32	9.00
CH134	5670	-5.09	0.32	-4.77	9.00



Date: 3.APR.2015 17:20:11

**CH110**

Date: 3.APR.2015 17:20:37

**CH134**

Date: 3.APR.2015 17:20:55


**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-1.08	0.32	-1.08	9.00
CH110	5550	-1.72	0.32	-1.72	9.00
CH134	5670	-1.63	0.32	-1.63	9.00

**Test Mode: UNII-3/TX A Mode\_CH149/CH157/CH165\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-4.26	0.09	-4.17	28.00
CH157	5785	-4.17	0.09	-4.08	28.00
CH165	5825	-3.85	0.09	-3.76	28.00

**TX CH149**




Date: 3.APR.2015 17:46:10






### TX CH157



Date: 3.APR.2015 17:05:11

### TX CH165



Date: 3.APR.2015 17:05:48

**Test Mode: UNII-3/TX A Mode\_CH149/CH157/CH165\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-0.83	0.09	-0.83	28.00
CH157	5785	-0.65	0.09	-0.65	28.00
CH165	5825	-0.16	0.09	-0.16	28.00






**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-3.98	0.07	-3.91	28.00
CH157	5785	-3.42	0.07	-3.35	28.00
CH165	5825	-2.51	0.07	-2.44	28.00

**TX CH149**




Date: 3.APR.2015 17:11:08

### TX CH157



Date: 3.APR.2015 17:11:54

### TX CH165



Date: 3.APR.2015 17:12:14


**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-1.17	0.07	-1.17	28.00
CH157	5785	-0.77	0.07	-0.77	28.00
CH165	5825	-0.22	0.07	-0.22	28.00

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-7.49	0.32	-7.17	28.00
CH159	5795	-7.73	0.32	-7.41	28.00

### TX CH151



Date: 3.APR.2015 18:01:57

### TX CH159




Date: 3.APR.2015 18:02:21

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-7.22	0.32	-6.90	28.00
CH159	5795	-6.20	0.32	-5.88	28.00

**TX CH151**



Date: 3.APR.2015 17:21:26

**TX CH159**




Date: 3.APR.2015 17:21:54

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-4.02	0.32	-4.02	28.00
CH159	5795	-3.57	0.32	-3.57	28.00


**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	0.68	0.07	0.75	15.00
CH40	5200	0.70	0.07	0.77	15.00
CH48	5240	0.62	0.07	0.69	15.00




Date: 3.APR.2015 17:54:09

### CH40



Date: 3.APR.2015 17:54:35


### CH48



Date: 3.APR.2015 17:54:52


**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.00	0.07	1.07	15.00
CH40	5200	0.82	0.07	0.89	15.00
CH48	5240	0.87	0.07	0.94	15.00




Date: 3.APR.2015 17:12:48

### CH40



Date: 3.APR.2015 17:13:18

### CH48




Date: 3.APR.2015 17:13:35

**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_Total**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.92	0.07	3.92	15.00
CH40	5200	3.84	0.07	3.84	15.00
CH48	5240	3.83	0.07	3.83	15.00

**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-4.86	0.26	-4.60	15.00
CH46	5230	-2.64	0.26	-2.38	15.00

**CH38**

Date: 3.APR.2015 18:03:16


**CH46**

Date: 3.APR.2015 18:03:46

**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-4.44	0.26	-4.18	15.00
CH46	5230	-2.32	0.26	-2.06	15.00

### CH38



Date: 3.APR.2015 17:22:25

### CH46




Date: 3.APR.2015 17:22:56

**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.37	0.26	-1.37	15.00
CH46	5230	0.79	0.26	0.79	15.00

**Test Mode: UNII-1/TX AC80 Mode\_CH42\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-9.98	0.61	-9.37	15.00



Date: 3.APR.2015 18:07:23




**Test Mode: UNII-1/TX AC80 Mode\_CH42\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-6.35	0.61	-6.35	15.00




### CH60



Date: 3.APR.2015 17:55:42


### CH64



Date: 3.APR.2015 17:55:59


**Test Mode: UNII-2A/TX AC20 Mode\_CH52/CH60/CH64\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	1.25	0.07	1.32	9.00
CH60	5300	0.68	0.07	0.75	9.00
CH64	5320	0.12	0.07	0.19	9.00




Date: 3.APR.2015 17:13:59

### CH60



Date: 3.APR.2015 17:14:24

### CH64




Date: 3.APR.2015 17:14:46

**Test Mode: UNII-2A/TX AC20 Mode\_CH52/CH60/CH64\_Total**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.02	0.07	4.02	9.00
CH60	5300	3.50	0.07	3.50	9.00
CH64	5320	3.18	0.07	3.18	9.00

**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-4.76	0.26	-4.50	9.00
CH62	5310	-5.39	0.26	-5.13	9.00

**CH54**

Date: 3.APR.2015 18:04:11


**CH62**

Date: 3.APR.2015 18:04:38

**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-2.44	0.26	-2.18	9.00
CH62	5310	-5.31	0.26	-5.05	9.00

**CH54**



Date: 3.APR.2015 17:23:32

**CH62**




Date: 3.APR.2015 17:24:11

**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-0.17	0.26	-0.17	9.00
CH62	5310	-2.08	0.26	-2.08	9.00

**Test Mode: UNII-2A/TX AC80 Mode\_CH58\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-11.22	0.61	-10.61	9.00



Date: 3.APR.2015 18:09:16




**Test Mode: UNII-2A/TX AC80 Mode\_CH58\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-7.07	0.61	-7.07	9.00




### CH116



Date: 3.APR.2015 17:56:45


### CH140



Date: 3.APR.2015 17:57:01


**Test Mode: UNII-2C/TX AC20 Mode\_CH100/CH116/CH140\_ANT 2**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-0.74	0.07	-0.67	9.00
CH116	5580	-0.42	0.07	-0.35	9.00
CH140	5700	-0.87	0.07	-0.80	9.00




Date: 3.APR.2015 17:15:09

### CH116



Date: 3.APR.2015 17:15:36

### CH140




Date: 3.APR.2015 17:15:53

**Test Mode: UNII-2C/TX AC20 Mode\_CH100/CH116/CH140\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	2.29	0.07	2.29	9.00
CH116	5580	2.18	0.07	2.18	9.00
CH140	5700	2.30	0.07	2.30	9.00


**Test Mode: UNII-2C/TX AC40 Mode\_CH102/CH110/CH134\_ANT 1**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-4.27	0.26	-4.01	9.00
CH110	5550	-4.13	0.26	-3.87	9.00
CH134	5670	-4.68	0.26	-4.42	9.00




Date: 3.APR.2015 18:05:10

### CH110



Date: 3.APR.2015 18:05:41

### CH134




Date: 3.APR.2015 18:05:58

**Test Mode: UNII-2C/TX AC40 Mode\_CH102/CH110/CH134\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-3.86	0.26	-3.60	9.00
CH110	5550	-4.04	0.26	-3.78	9.00
CH134	5670	-4.97	0.26	-4.71	9.00

**CH102**




Date: 3.APR.2015 17:24:37

### CH110



Date: 3.APR.2015 17:25:04

### CH134



Date: 3.APR.2015 17:25:26


**Test Mode: UNII-2C/TX AC40 Mode\_CH102/CH110/CH134\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-0.79	0.26	-0.79	9.00
CH110	5550	-0.82	0.26	-0.82	9.00
CH134	5670	-1.55	0.26	-1.55	9.00

**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-11.62	0.61	-11.01	9.00
CH122	5610	-6.88	0.61	-6.27	9.00

### CH106



Date: 3.APR.2015 18:09:57

### CH122




Date: 3.APR.2015 18:10:28

**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-11.20	0.61	-10.59	9.00
CH122	5610	-7.38	0.61	-6.77	9.00

### CH106



Date: 3.APR.2015 17:28:56

### CH122




Date: 3.APR.2015 17:29:56

**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-7.79	0.61	-7.79	9.00
CH122	5610	-3.50	0.61	-3.50	9.00




### TX CH157



Date: 3.APR.2015 17:57:48

### TX CH165




Date: 3.APR.2015 17:58:06

**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-3.46	0.07	-3.39	28.00
CH157	5785	-2.86	0.07	-2.79	28.00
CH165	5825	-2.44	0.07	-2.37	28.00

**TX CH149**




Date: 3.APR.2015 17:16:17

### TX CH157



Date: 3.APR.2015 17:16:42

### TX CH165



Date: 3.APR.2015 17:17:01


**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-0.53	0.07	-0.53	28.00
CH157	5785	-0.05	0.07	-0.05	28.00
CH165	5825	0.13	0.07	0.13	28.00

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_ANT 1**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-7.13	0.26	-6.87	28.00
CH159	5795	-7.05	0.26	-6.79	28.00

### TX CH151



Date: 3.APR.2015 18:06:24

### TX CH159




Date: 3.APR.2015 18:06:49

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_ANT 2**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-6.93	0.26	-6.67	28.00
CH159	5795	-6.38	0.26	-6.12	28.00

### TX CH151



Date: 3.APR.2015 17:25:56

### TX CH159



Date: 3.APR.2015 17:26:32

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-3.76	0.26	-3.76	28.00
CH159	5795	-3.43	0.26	-3.43	28.00





**Test Mode: UNII-3/ TX AC80 Mode\_CH155\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH155	5775	-7.82	0.61	-7.82	28.00

## ATTACHMENT I - FREQUENCY STABILITY

<b>Test Mode:</b>	<b>UNII-1</b>
-------------------	---------------

### Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5179.9800
120	5179.9800
108	5179.9600
Max. Deviation (MHz)	0.0400
Max. Deviation (ppm)	7.7220

### Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5180.0000
-5	5179.9823
5	5179.9800
15	5179.9810
25	5179.9800
35	5179.9820
45	5179.9830
50	5179.9810
Max. Deviation (MHz)	0.0200
Max. Deviation (ppm)	3.8610

<b>Test Mode:</b>	<b>UNII-2A</b>
-------------------	----------------

### Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
132	5260.0000
120	5260.0000
108	5260.0000
Max. Deviation (MHz)	0.0000
Max. Deviation (ppm)	0.0024

### Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5260.0000
-5	5260.0000
5	5260.0000
15	5260.0000
25	5260.0000
35	5260.0000
45	5260.0000
50	5260.0000
Max. Deviation (MHz)	0.0000
Max. Deviation (ppm)	0.0000

<b>Test Mode:</b>	<b>UNII-2C</b>
-------------------	----------------

### Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
132	5500.0000
120	5500.0000
108	5500.0000
Max. Deviation (MHz)	0.0000
Max. Deviation (ppm)	0.0023

### Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5500.0000
-5	5500.0000
5	5500.0000
15	5500.0000
25	5500.0000
35	5500.0000
45	5500.0000
50	5500.0000
Max. Deviation (MHz)	0.0000
Max. Deviation (ppm)	0.0000

<b>Test Mode:</b>	<b>UNII-3</b>
-------------------	---------------

### Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5745.0000
120	5745.0000
108	5745.0000
Max. Deviation (MHz)	0.0000
Max. Deviation (ppm)	0.0000

### Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5745.0000
-5	5745.0000
5	5745.0000
15	5745.0000
25	5745.0000
35	5745.0000
45	5745.0000
50	5745.0000
Max. Deviation (MHz)	0.0000
Max. Deviation (ppm)	0.0000