


802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)

PSD

5210MHz

25/06/2019

CF
5.21GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
30s
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.04	-3.04	-3.04


802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)

PSD

5775MHz

25/06/2019

CF
5.775GHz
Span
120MHz
RBW
500kHz
VBW
3MHz
Sweep Time
30s
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.11	-2.11	-2.11


802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

PSD

5210MHz

25/06/2019

CF
5.21GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
30s
Detector Type
RMS



Port 2


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.90	-1.90		-1.90

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

PSD

5775MHz

25/06/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.55	-2.55		-2.55

802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5210MHz

25/06/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.30	-0.30	-3.35	-3.26

802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5775MHz

25/06/2019



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.35	0.35	-2.35	-2.71

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_2TX	7.46	15.26
802.11ac VHT40-BF_Nss1,(MCS0)_2TX	4.64	12.44
802.11ac VHT80-BF_Nss1,(MCS0)_2TX	1.73	9.53
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	7.69	15.49
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	4.69	12.49
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	1.61	9.41
5.725-5.85GHz	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_2TX	6.00	13.85
802.11ac VHT40-BF_Nss1,(MCS0)_2TX	3.42	11.27
802.11ac VHT80-BF_Nss1,(MCS0)_2TX	0.62	8.47
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	5.74	13.59
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	3.25	11.10
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	0.54	8.39

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ac VHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	7.80	4.13	4.36	7.25	15.20	15.05	23.00
5200MHz_TnomVnom	Pass	7.80	4.08	4.29	7.20	15.20	15.00	23.00
5240MHz_TnomVnom	Pass	7.80	4.48	4.45	7.46	15.20	15.26	23.00
5745MHz_TnomVnom	Pass	7.85	2.84	3.30	6.00	28.15	13.85	36.00
5785MHz_TnomVnom	Pass	7.85	3.02	2.95	5.97	28.15	13.82	36.00
5825MHz_TnomVnom	Pass	7.85	2.58	2.72	5.56	28.15	13.41	36.00
802.11ac VHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	7.80	1.51	1.35	4.40	15.20	12.20	23.00
5230MHz_TnomVnom	Pass	7.80	1.71	1.56	4.64	15.20	12.44	23.00
5755MHz_TnomVnom	Pass	7.85	0.72	0.64	3.15	28.15	11.00	36.00
5795MHz_TnomVnom	Pass	7.85	0.45	0.42	3.42	28.15	11.27	36.00
802.11ac VHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	7.80	-1.03	-1.24	1.73	15.20	9.53	23.00
5775MHz_TnomVnom	Pass	7.85	-2.51	-2.15	0.62	28.15	8.47	36.00
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	7.80	3.96	4.11	7.03	15.20	14.83	23.00
5200MHz_TnomVnom	Pass	7.80	3.98	4.14	7.05	15.20	14.85	23.00
5240MHz_TnomVnom	Pass	7.80	4.85	4.95	7.69	15.20	15.49	23.00
5745MHz_TnomVnom	Pass	7.85	2.39	2.64	5.41	28.15	13.26	36.00
5785MHz_TnomVnom	Pass	7.85	2.76	2.72	5.74	28.15	13.59	36.00
5825MHz_TnomVnom	Pass	7.85	2.48	2.56	5.45	28.15	13.30	36.00
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	7.80	1.63	1.45	4.50	15.20	12.30	23.00
5230MHz_TnomVnom	Pass	7.80	1.78	1.92	4.69	15.20	12.49	23.00
5755MHz_TnomVnom	Pass	7.85	0.81	0.60	3.23	28.15	11.08	36.00
5795MHz_TnomVnom	Pass	7.85	0.28	0.53	3.25	28.15	11.10	36.00
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	7.80	-1.10	-1.28	1.61	15.20	9.41	23.00
5775MHz_TnomVnom	Pass	7.85	-2.63	-2.26	0.54	28.15	8.39	36.00

DG = Directional Gain; **RBW** = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;


PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;

802.11ac VHT20-BF_Nss1,(MCS0)_2TX

PSD

5180MHz

20/07/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.25	7.25	4.13	4.36

802.11ac VHT20-BF_Nss1,(MCS0)_2TX

PSD

5200MHz

20/07/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.20	7.20	4.08	4.29

802.11ac VHT20-BF_Nss1,(MCS0)_2TX

PSD

5240MHz

20/07/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.46	7.46	4.48	4.45

802.11ac VHT20-BF_Nss1,(MCS0)_2TX

PSD

5745MHz

20/07/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.00	6.00	2.84	3.30

802.11ac VHT20-BF_Nss1,(MCS0)_2TX

PSD

5785MHz

20/07/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.97	5.97	3.02	2.95

802.11ac VHT20-BF_Nss1,(MCS0)_2TX

PSD

5825MHz

20/07/2019



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.56	5.56	2.58	2.72


802.11ac VHT40-BF_Nss1,(MCS0)_2TX

PSD

5190MHz

20/07/2019

CF
5.19GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
18s
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.40	4.40	1.51	1.35


802.11ac VHT40-BF_Nss1,(MCS0)_2TX

PSD

5230MHz

20/07/2019

CF
5.23GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
18s
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.64	4.64	1.71	1.56


802.11ac VHT40-BF_Nss1,(MCS0)_2TX

PSD

5755MHz

20/07/2019

CF
5.755GHz
Span
60MHz
RBW
500kHz
VBW
3MHz
Sweep Time
18s
Detector Type
RMS



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.15	3.15	0.72	0.64

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

PSD

5795MHz

20/07/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.42	3.42	0.45	0.42

802.11ac VHT80-BF_Nss1,(MCS0)_2TX

PSD

5210MHz

20/07/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.73	1.73	-1.03	-1.24

802.11ac VHT80-BF_Nss1,(MCS0)_2TX

PSD

5775MHz

20/07/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.62	0.62	-2.51	-2.15

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

PSD

5180MHz

20/07/2019



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.03	7.03	3.96	4.11

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

PSD

5200MHz

20/07/2019



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.05	7.05	3.98	4.14

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

PSD

5240MHz

20/07/2019



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.69	7.69	4.85	4.95

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

PSD

5745MHz

20/07/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.41	5.41	2.39	2.64

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

PSD

5785MHz

20/07/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.74	5.74	2.76	2.72

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

PSD

5825MHz

20/07/2019



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.45	5.45	2.48	2.56


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

PSD

5190MHz

20/07/2019

CF
5.19GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
18.3s
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.50	4.50	1.63	1.45


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

PSD

5230MHz

20/07/2019

CF
5.23GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
18.3s
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.69	4.69	1.78	1.92


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

PSD

5755MHz

20/07/2019

CF
5.755GHz
Span
60MHz
RBW
500kHz
VBW
3MHz
Sweep Time
18.3s
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.23	3.23	0.81	0.60


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

PSD

5795MHz

20/07/2019

CF
5.795GHz
Span
60MHz
RBW
500kHz
VBW
3MHz
Sweep Time
18.3s
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.25	3.25	0.28	0.53


802.11ax HEW80-BF_Nss1,(MCS0)_2TX

PSD

5210MHz

20/07/2019

CF
5.21GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20.9s
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.61	1.61	-1.10	-1.28


802.11ax HEW80-BF_Nss1,(MCS0)_2TX

PSD

5775MHz

20/07/2019

CF
5.775GHz
Span
120MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20.9s
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.54	0.54	-2.63	-2.26



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	6.04	9.10
802.11ac VHT20_Nss1,(MCS0)_1TX	5.85	8.91
802.11ac VHT40_Nss1,(MCS0)_1TX	2.48	5.54
802.11ac VHT80_Nss1,(MCS0)_1TX	-7.24	-4.18
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	3.19	5.57
802.11ac VHT20_Nss1,(MCS0)_1TX	2.95	5.33
802.11ac VHT40_Nss1,(MCS0)_1TX	-0.45	1.93
802.11ac VHT80_Nss1,(MCS0)_1TX	-3.94	-1.56

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-
5180MHz	Pass	3.06	6.04	6.04	17.00	9.10	23.00
5200MHz	Pass	3.06	5.87	5.87	17.00	8.93	23.00
5240MHz	Pass	3.06	5.91	5.91	17.00	8.97	23.00
5745MHz	Pass	2.38	2.57	2.57	30.00	4.95	36.00
5785MHz	Pass	2.38	2.75	2.75	30.00	5.13	36.00
5825MHz	Pass	2.38	3.19	3.19	30.00	5.57	36.00
802.11ac VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5180MHz	Pass	3.06	5.52	5.52	17.00	8.58	23.00
5200MHz	Pass	3.06	5.82	5.82	17.00	8.88	23.00
5240MHz	Pass	3.06	5.85	5.85	17.00	8.91	23.00
5745MHz	Pass	2.38	2.55	2.55	30.00	4.93	36.00
5785MHz	Pass	2.38	2.52	2.52	30.00	4.90	36.00
5825MHz	Pass	2.38	2.95	2.95	30.00	5.33	36.00
802.11ac VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5190MHz	Pass	3.06	-3.08	-3.08	17.00	-0.02	23.00
5230MHz	Pass	3.06	2.48	2.48	17.00	5.54	23.00
5755MHz	Pass	2.38	-0.71	-0.71	30.00	1.67	36.00
5795MHz	Pass	2.38	-0.45	-0.45	30.00	1.93	36.00
802.11ac VHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5210MHz	Pass	3.06	-7.24	-7.24	17.00	-4.18	23.00
5775MHz	Pass	2.38	-3.94	-3.94	30.00	-1.56	36.00

DG = Directional Gain; **RBW** = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;


PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;

802.11a_Nss1,(6Mbps)_1TX

PSD

5180MHz

28/06/2019




Sum	PD	Port1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.04	6.04	6.04

802.11a_Nss1,(6Mbps)_1TX

PSD

5200MHz

28/06/2019




Sum	PD	Port1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.87	5.87	5.87

802.11a_Nss1,(6Mbps)_1TX

PSD

5240MHz

28/06/2019



Sum	PD	Port1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.91	5.91	5.91


802.11a_Nss1,(6Mbps)_1TX

PSD

5745MHz

28/06/2019

CF
5.745GHz
Span
30MHz
RBW
500kHz
VBW
3MHz
Sweep Time
21.1s
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.57	2.57	2.57


802.11a_Nss1,(6Mbps)_1TX

PSD

5785MHz

28/06/2019

CF
5.785GHz
Span
30MHz
RBW
500kHz
VBW
3MHz
Sweep Time
21.1s
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.75	2.75	2.75


802.11a_Nss1,(6Mbps)_1TX

PSD

5825MHz

28/06/2019

CF
5.825GHz
Span
30MHz
RBW
500kHz
VBW
3MHz
Sweep Time
21.1s
Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.19	3.19	3.19

802.11ac VHT20_Nss1,(MCS0)_1TX

PSD

5180MHz

28/06/2019




Sum	PD	Port1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.52	5.52	5.52

802.11ac VHT20_Nss1,(MCS0)_1TX

PSD

5200MHz

28/06/2019




Sum	PD	Port1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.82	5.82	5.82

802.11ac VHT20_Nss1,(MCS0)_1TX

PSD

5240MHz

28/06/2019




Sum	PD	Port1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.85	5.85	5.85

802.11ac VHT20_Nss1,(MCS0)_1TX

PSD

5745MHz

28/06/2019




Sum	PD	Port1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.55	2.55	2.55

802.11ac VHT20_Nss1,(MCS0)_1TX

PSD

5785MHz

28/06/2019




Sum	PD	Port1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.52	2.52	2.52

802.11ac VHT20_Nss1,(MCS0)_1TX

PSD

5825MHz

28/06/2019




Sum	PD	Port1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.95	2.95	2.95

802.11ac VHT40_Nss1,(MCS0)_1TX

PSD

5190MHz

28/06/2019




Sum	PD	Port1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.08	-3.08	-3.08

802.11ac VHT40_Nss1,(MCS0)_1TX

PSD

5230MHz

28/06/2019




Sum	PD	Port1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.48	2.48	2.48

802.11ac VHT40_Nss1,(MCS0)_1TX

PSD

5755MHz

28/06/2019



Sum	PD	Port1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.71	-0.71	-0.71


802.11ac VHT40_Nss1,(MCS0)_1TX

PSD

5795MHz

28/06/2019

CF
5.795GHz
Span
60MHz
RBW
500kHz
VBW
3MHz
Sweep Time
10.1s
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.45	-0.45	-0.45

802.11ac VHT80_Nss1,(MCS0)_1TX

PSD

5210MHz

28/06/2019

CF
5.21GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
5.26s
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.24	-7.24	-7.24


802.11ac VHT80_Nss1,(MCS0)_1TX

PSD

5775MHz

28/06/2019

CF
5.775GHz
Span
120MHz
RBW
500kHz
VBW
3MHz
Sweep Time
5.26s
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.94	-3.94	-3.94



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	43.58M	35.75	40.00	-4.25	-11.29	3	Vertical	0	1.00	-


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	43.58M	35.75	40.00	-4.25	-11.29	3	Vertical	0	1.00	-
5775MHz	Pass	PK	90.14M	25.08	43.50	-18.42	-12.55	3	Vertical	0	1.00	-
5775MHz	Pass	PK	198.78M	26.88	43.50	-16.62	-10.65	3	Vertical	0	1.00	-
5775MHz	Pass	PK	324.88M	26.29	46.00	-19.71	-5.51	3	Vertical	0	1.00	-
5775MHz	Pass	PK	375.32M	31.43	46.00	-14.57	-4.48	3	Vertical	0	1.00	-
5775MHz	Pass	PK	499.48M	29.78	46.00	-16.22	-2.38	3	Vertical	0	1.00	-
5775MHz	Pass	PK	43.58M	31.91	40.00	-8.09	-11.29	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	128.94M	26.83	43.50	-16.67	-9.00	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	229.82M	29.48	46.00	-16.52	-9.39	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	375.32M	33.60	46.00	-12.40	-4.48	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	499.48M	30.65	46.00	-15.35	-2.38	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	625.58M	30.23	46.00	-15.77	-0.43	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	80.44M	27.74	40.00	-12.26	-23.64	3	Vertical	0	1.00	-
5775MHz	Pass	PK	127M	25.33	43.50	-18.17	-18.98	3	Vertical	0	1.00	-
5775MHz	Pass	PK	175.5M	26.28	43.50	-17.22	-20.94	3	Vertical	0	1.00	-
5775MHz	Pass	PK	255.04M	24.07	46.00	-21.93	-16.35	3	Vertical	0	1.00	-
5775MHz	Pass	PK	346.22M	24.56	46.00	-21.44	-15.49	3	Vertical	0	1.00	-
5775MHz	Pass	PK	774.96M	29.27	46.00	-16.73	-7.72	3	Vertical	0	1.00	-
5775MHz	Pass	PK	45.52M	29.31	40.00	-10.69	-21.10	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	173.56M	27.97	43.50	-15.53	-20.83	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	344.28M	34.92	46.00	-11.08	-15.55	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	425.76M	29.32	46.00	-16.68	-12.95	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	530.52M	26.13	46.00	-19.87	-11.74	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	920.46M	34.28	46.00	-11.72	-6.00	3	Horizontal	360	1.00	-

802.11ax HEW80_Nss1,(MCS0)_2TX

24/06/2019

5775MHz_Adapter




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	43.58M	35.75	40.00	-4.25	-11.29	3	Vertical	0	1.00	-	47.04	15.83	0.72	27.84
PK	90.14M	25.08	43.50	-18.42	-12.55	3	Vertical	0	1.00	-	37.63	13.84	1.39	27.78
PK	198.78M	26.88	43.50	-16.62	-10.65	3	Vertical	0	1.00	-	37.53	14.43	2.30	27.38
PK	324.88M	26.29	46.00	-19.71	-5.51	3	Vertical	0	1.00	-	31.80	18.73	3.05	27.29
PK	375.32M	31.43	46.00	-14.57	-4.48	3	Vertical	0	1.00	-	35.91	20.03	3.15	27.66
PK	499.48M	29.78	46.00	-16.22	-2.38	3	Vertical	0	1.00	-	32.16	22.69	3.31	28.38

802.11ax HEW80_Nss1,(MCS0)_2TX

24/06/2019

5775MHz_Adapter




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	43.58M	31.91	40.00	-8.09	-11.29	3	Horizontal	360	1.00	-	43.20	15.83	0.72	27.84
PK	128.94M	26.83	43.50	-16.67	-9.00	3	Horizontal	360	1.00	-	35.83	16.96	1.70	27.66
PK	229.82M	29.48	46.00	-16.52	-9.39	3	Horizontal	360	1.00	-	38.87	15.31	2.60	27.30
PK	375.32M	33.60	46.00	-12.40	-4.48	3	Horizontal	360	1.00	-	38.08	20.03	3.15	27.66
PK	499.48M	30.65	46.00	-15.35	-2.38	3	Horizontal	360	1.00	-	33.03	22.69	3.31	28.38
PK	625.58M	30.23	46.00	-15.77	-0.43	3	Horizontal	360	1.00	-	30.66	24.24	3.74	28.41

802.11ax HEW80_Nss1,(MCS0)_2TX

28/06/2019

5775MHz_PoE




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	80.44M	27.74	40.00	-12.26	-23.64	3	Vertical	0	1.00	-	51.38	12.56	0.73	36.93
PK	127M	25.33	43.50	-18.17	-18.98	3	Vertical	0	1.00	-	44.31	16.77	0.91	36.66
PK	175.5M	26.28	43.50	-17.22	-20.94	3	Vertical	0	1.00	-	47.22	14.42	1.10	36.46
PK	255.04M	24.07	46.00	-21.93	-16.35	3	Vertical	0	1.00	-	40.42	18.77	1.31	36.43
PK	346.22M	24.56	46.00	-21.44	-15.49	3	Vertical	0	1.00	-	40.05	19.49	1.57	36.55
PK	774.96M	29.27	46.00	-16.73	-7.72	3	Vertical	0	1.00	-	36.99	27.34	2.40	37.46

802.11ax HEW80_Nss1,(MCS0)_2TX

28/06/2019

5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	45.52M	29.31	40.00	-10.69	-21.10	3	Horizontal	360	1.00	-	50.41	15.53	0.57	37.20
PK	173.56M	27.97	43.50	-15.53	-20.83	3	Horizontal	360	1.00	-	48.80	14.55	1.09	36.47
PK	344.28M	34.92	46.00	-11.08	-15.55	3	Horizontal	360	1.00	-	50.47	19.44	1.56	36.55
PK	425.76M	29.32	46.00	-16.68	-12.95	3	Horizontal	360	1.00	-	42.27	22.01	1.75	36.71
PK	530.52M	26.13	46.00	-19.87	-11.74	3	Horizontal	360	1.00	-	37.87	23.31	1.96	37.01
PK	920.46M	34.28	46.00	-11.72	-6.00	3	Horizontal	360	1.00	-	40.28	28.85	2.57	37.42

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port1)	Pass	AV	5.15G	49.46	54.00	-4.54	-3.11	3	Vertical	0	2.97	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	Pass	AV	5.15G	50.53	54.00	-3.47	-3.11	3	Vertical	44	2.73	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.148G	51.61	54.00	-2.39	-3.10	3	Vertical	106	2.89	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)	Pass	AV	5.15G	52.88	54.00	-1.12	-3.11	3	Vertical	346	2.96	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	AV	5.1498G	51.79	54.00	-2.21	-3.11	3	Vertical	43	2.90	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.1462G	52.87	54.00	-1.13	-3.09	3	Vertical	9	2.99	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)	Pass	AV	5.15G	53.42	54.00	-0.58	-3.11	3	Vertical	358	2.99	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	AV	5.15G	52.66	54.00	-1.34	-3.11	3	Vertical	37	2.87	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.03	54.00	-0.97	-3.11	3	Vertical	15	2.99	-
802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)	Pass	AV	5.149G	53.21	54.00	-0.79	-3.11	3	Vertical	8	2.62	-
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	Pass	AV	5.15G	53.34	54.00	-0.66	-3.11	3	Vertical	50	2.99	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.144G	53.12	54.00	-0.88	-3.09	3	Vertical	19	2.92	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port1)	Pass	PK	5.985G	61.08	68.20	-7.12	-2.40	3	Horizontal	166	1.01	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	Pass	PK	5.9826G	60.90	68.20	-7.30	-2.40	3	Vertical	64	2.42	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.9886G	61.72	68.20	-6.48	-2.40	3	Vertical	21	2.87	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)	Pass	PK	5.979G	60.79	68.20	-7.41	-2.41	3	Horizontal	317	1.00	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	PK	5.5858G	60.80	68.20	-7.40	-3.19	3	Vertical	53	2.90	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	5.9634G	61.05	68.20	-7.15	-2.40	3	Vertical	25	2.73	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)	Pass	PK	5.9794G	60.71	68.20	-7.49	-2.41	3	Horizontal	317	1.01	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	PK	5.9702G	61.11	68.20	-7.09	-2.40	3	Vertical	54	2.89	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.9582G	60.19	68.20	-8.01	-2.40	3	Horizontal	328	1.01	-
802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)	Pass	PK	5.6478G	65.22	68.20	-2.98	-3.12	3	Vertical	13	2.81	-
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	Pass	PK	5.637G	62.33	68.20	-5.87	-3.16	3	Vertical	64	2.38	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.6454G	67.84	68.20	-0.36	-3.13	3	Vertical	23	2.59	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz_TX	Pass	AV	5.15G	49.46	54.00	-4.54	-3.11	3	Vertical	0	2.97	-
5180MHz_TX	Pass	AV	5.183G	95.70	Inf	-Inf	-3.23	3	Vertical	0	2.97	-
5180MHz_TX	Pass	PK	5.1472G	63.81	74.00	-10.19	-3.10	3	Vertical	0	2.97	-
5180MHz_TX	Pass	PK	5.1764G	110.76	Inf	-Inf	-3.22	3	Vertical	0	2.97	-
5180MHz_TX	Pass	AV	5.1498G	46.25	54.00	-7.75	-3.11	3	Horizontal	318	1.03	-
5180MHz_TX	Pass	AV	5.183G	82.51	Inf	-Inf	-3.23	3	Horizontal	318	1.03	-
5180MHz_TX	Pass	PK	5.139G	59.30	74.00	-14.70	-3.08	3	Horizontal	318	1.03	-
5180MHz_TX	Pass	PK	5.1818G	95.72	Inf	-Inf	-3.24	3	Horizontal	318	1.03	-
5180MHz_TX	Pass	PK	10.35988G	53.95	68.20	-14.25	5.12	3	Vertical	231	2.97	-
5180MHz_TX	Pass	PK	10.3453G	54.52	68.20	-13.68	5.10	3	Horizontal	278	2.08	-
5200MHz_TX	Pass	AV	5.1484G	47.66	54.00	-6.34	-3.10	3	Vertical	9	2.68	-
5200MHz_TX	Pass	AV	5.2032G	102.41	Inf	-Inf	-3.31	3	Vertical	9	2.68	-
5200MHz_TX	Pass	PK	5.116G	59.81	74.00	-14.19	-2.98	3	Vertical	9	2.68	-
5200MHz_TX	Pass	PK	5.2024G	113.32	Inf	-Inf	-3.31	3	Vertical	9	2.68	-
5200MHz_TX	Pass	AV	5.1316G	47.56	54.00	-6.44	-3.05	3	Horizontal	316	1.01	-
5200MHz_TX	Pass	AV	5.2032G	88.48	Inf	-Inf	-3.31	3	Horizontal	316	1.01	-
5200MHz_TX	Pass	PK	5.1492G	60.34	74.00	-13.66	-3.11	3	Horizontal	316	1.01	-
5200MHz_TX	Pass	PK	5.1964G	98.03	Inf	-Inf	-3.29	3	Horizontal	316	1.01	-
5200MHz_TX	Pass	PK	10.38746G	53.16	68.20	-15.04	5.14	3	Vertical	23	1.50	-
5200MHz_TX	Pass	PK	10.38728G	53.35	68.20	-14.85	5.14	3	Horizontal	244	2.66	-
5240MHz_TX	Pass	AV	5.0996G	47.71	54.00	-6.29	-2.93	3	Vertical	8	2.95	-
5240MHz_TX	Pass	AV	5.2424G	103.09	Inf	-Inf	-3.46	3	Vertical	8	2.95	-
5240MHz_TX	Pass	AV	5.3552G	46.73	54.00	-7.27	-3.50	3	Vertical	8	2.95	-
5240MHz_TX	Pass	PK	5.1002G	59.95	74.00	-14.05	-2.93	3	Vertical	8	2.95	-
5240MHz_TX	Pass	PK	5.2424G	113.48	Inf	-Inf	-3.46	3	Vertical	8	2.95	-
5240MHz_TX	Pass	PK	5.3546G	58.90	74.00	-15.10	-3.51	3	Vertical	8	2.95	-
5240MHz_TX	Pass	AV	5.09G	47.61	54.00	-6.39	-2.98	3	Horizontal	320	1.02	-
5240MHz_TX	Pass	AV	5.243G	89.01	Inf	-Inf	-3.46	3	Horizontal	320	1.02	-
5240MHz_TX	Pass	AV	5.3804G	46.70	54.00	-7.30	-3.42	3	Horizontal	320	1.02	-
5240MHz_TX	Pass	PK	5.1032G	60.24	74.00	-13.76	-2.93	3	Horizontal	320	1.02	-
5240MHz_TX	Pass	PK	5.2442G	99.38	Inf	-Inf	-3.47	3	Horizontal	320	1.02	-
5240MHz_TX	Pass	PK	5.3822G	58.69	74.00	-15.31	-3.41	3	Horizontal	320	1.02	-
5240MHz_TX	Pass	PK	10.48072G	53.38	68.20	-14.82	5.24	3	Vertical	315	2.17	-
5240MHz_TX	Pass	PK	10.47268G	52.85	68.20	-15.35	5.23	3	Horizontal	53	1.50	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz_TX	Pass	AV	5.15G	50.53	54.00	-3.47	-3.11	3	Vertical	44	2.73	-
5180MHz_TX	Pass	AV	5.1832G	100.74	Inf	-Inf	-3.23	3	Vertical	44	2.73	-
5180MHz_TX	Pass	PK	5.1498G	64.83	74.00	-9.17	-3.11	3	Vertical	44	2.73	-
5180MHz_TX	Pass	PK	5.1762G	109.71	Inf	-Inf	-3.21	3	Vertical	44	2.73	-
5180MHz_TX	Pass	AV	5.1474G	47.74	54.00	-6.26	-3.10	3	Horizontal	50	1.01	-
5180MHz_TX	Pass	AV	5.1826G	88.68	Inf	-Inf	-3.23	3	Horizontal	50	1.01	-
5180MHz_TX	Pass	PK	5.1302G	59.77	74.00	-14.23	-3.04	3	Horizontal	50	1.01	-
5180MHz_TX	Pass	PK	5.184G	97.91	Inf	-Inf	-3.24	3	Horizontal	50	1.01	-
5180MHz_TX	Pass	PK	10.34758G	53.11	68.20	-15.09	5.10	3	Vertical	252	1.50	-
5180MHz_TX	Pass	PK	10.35646G	52.94	68.20	-15.26	5.11	3	Horizontal	30	1.90	-
5200MHz_TX	Pass	AV	5.1004G	47.84	54.00	-6.16	-2.93	3	Vertical	45	2.72	-
5200MHz_TX	Pass	AV	5.202G	100.90	Inf	-Inf	-3.31	3	Vertical	45	2.72	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5200MHz_TX	Pass	PK	5.1316G	60.97	74.00	-13.03	-3.05	3	Vertical	45	2.72	-
5200MHz_TX	Pass	PK	5.204G	110.04	Inf	-Inf	-3.32	3	Vertical	45	2.72	-
5200MHz_TX	Pass	AV	5.102G	47.66	54.00	-6.34	-2.93	3	Horizontal	46	2.81	-
5200MHz_TX	Pass	AV	5.2032G	89.99	Inf	-Inf	-3.31	3	Horizontal	46	2.81	-
5200MHz_TX	Pass	PK	5.138G	59.93	74.00	-14.07	-3.07	3	Horizontal	46	2.81	-
5200MHz_TX	Pass	PK	5.1984G	99.31	Inf	-Inf	-3.29	3	Horizontal	46	2.81	-
5200MHz_TX	Pass	PK	10.3955G	53.58	68.20	-14.62	5.15	3	Vertical	169	1.14	-
5200MHz_TX	Pass	PK	10.39196G	52.99	68.20	-15.21	5.15	3	Horizontal	2	1.91	-
5240MHz_TX	Pass	AV	5.093G	47.81	54.00	-6.19	-2.97	3	Vertical	47	2.54	-
5240MHz_TX	Pass	AV	5.243G	100.66	Inf	-Inf	-3.46	3	Vertical	47	2.54	-
5240MHz_TX	Pass	AV	5.3726G	46.78	54.00	-7.22	-3.44	3	Vertical	47	2.54	-
5240MHz_TX	Pass	PK	5.1404G	60.35	74.00	-13.65	-3.08	3	Vertical	47	2.54	-
5240MHz_TX	Pass	PK	5.2454G	109.74	Inf	-Inf	-3.47	3	Vertical	47	2.54	-
5240MHz_TX	Pass	PK	5.3588G	58.60	74.00	-15.40	-3.48	3	Vertical	47	2.54	-
5240MHz_TX	Pass	AV	5.1002G	47.67	54.00	-6.33	-2.93	3	Horizontal	50	1.49	-
5240MHz_TX	Pass	AV	5.243G	85.78	Inf	-Inf	-3.46	3	Horizontal	50	1.49	-
5240MHz_TX	Pass	AV	5.3672G	46.92	54.00	-7.08	-3.46	3	Horizontal	50	1.49	-
5240MHz_TX	Pass	PK	5.0966G	60.27	74.00	-13.73	-2.95	3	Horizontal	50	1.49	-
5240MHz_TX	Pass	PK	5.2442G	94.77	Inf	-Inf	-3.47	3	Horizontal	50	1.49	-
5240MHz_TX	Pass	PK	5.3798G	58.65	74.00	-15.35	-3.42	3	Horizontal	50	1.49	-
5240MHz_TX	Pass	PK	10.482G	53.48	68.20	-14.72	5.24	3	Vertical	333	1.44	-
5240MHz_TX	Pass	PK	10.48062G	53.59	68.20	-14.61	5.24	3	Horizontal	14	1.97	-
802.11a_Nss1,(6Mbps)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-	-
5745MHz_TX	Pass	AV	5.7486G	103.67	Inf	-Inf	-2.86	3	Vertical	11	2.90	-
5745MHz_TX	Pass	PK	5.5242G	59.75	68.20	-8.45	-3.08	3	Vertical	11	2.90	-
5745MHz_TX	Pass	PK	5.7474G	112.89	Inf	-Inf	-2.87	3	Vertical	11	2.90	-
5745MHz_TX	Pass	PK	5.9826G	60.42	68.20	-7.78	-2.40	3	Vertical	11	2.90	-
5745MHz_TX	Pass	AV	5.7486G	88.32	Inf	-Inf	-2.86	3	Horizontal	166	1.01	-
5745MHz_TX	Pass	PK	5.4726G	59.60	68.20	-8.60	-3.12	3	Horizontal	166	1.01	-
5745MHz_TX	Pass	PK	5.7402G	97.80	Inf	-Inf	-2.90	3	Horizontal	166	1.01	-
5745MHz_TX	Pass	PK	5.985G	61.08	68.20	-7.12	-2.40	3	Horizontal	166	1.01	-
5745MHz_TX	Pass	AV	11.48754G	41.01	54.00	-12.99	6.14	3	Vertical	231	2.02	-
5745MHz_TX	Pass	PK	11.49684G	53.96	74.00	-20.04	6.13	3	Vertical	231	2.02	-
5745MHz_TX	Pass	AV	11.49066G	41.18	54.00	-12.82	6.13	3	Horizontal	148	1.88	-
5745MHz_TX	Pass	PK	11.48604G	53.63	74.00	-20.37	6.14	3	Horizontal	148	1.88	-
5785MHz_TX	Pass	AV	5.7886G	103.63	Inf	-Inf	-2.74	3	Vertical	1	2.97	-
5785MHz_TX	Pass	PK	5.5894G	59.41	68.20	-8.79	-3.20	3	Vertical	1	2.97	-
5785MHz_TX	Pass	PK	5.7886G	112.58	Inf	-Inf	-2.74	3	Vertical	1	2.97	-
5785MHz_TX	Pass	PK	5.983G	60.54	68.20	-7.66	-2.40	3	Vertical	1	2.97	-
5785MHz_TX	Pass	AV	5.7874G	91.01	Inf	-Inf	-2.75	3	Horizontal	324	1.01	-
5785MHz_TX	Pass	PK	5.593G	59.64	68.20	-8.56	-3.22	3	Horizontal	324	1.01	-
5785MHz_TX	Pass	PK	5.7886G	99.83	Inf	-Inf	-2.74	3	Horizontal	324	1.01	-
5785MHz_TX	Pass	PK	5.983G	60.62	68.20	-7.58	-2.40	3	Horizontal	324	1.01	-
5785MHz_TX	Pass	AV	11.57174G	40.96	54.00	-13.04	6.17	3	Vertical	193	2.16	-
5785MHz_TX	Pass	PK	11.57348G	53.87	74.00	-20.13	6.17	3	Vertical	193	2.16	-
5785MHz_TX	Pass	AV	11.58392G	40.86	54.00	-13.14	6.17	3	Horizontal	66	1.46	-
5785MHz_TX	Pass	PK	11.57474G	53.63	74.00	-20.37	6.17	3	Horizontal	66	1.46	-
5825MHz_TX	Pass	AV	5.8226G	102.73	Inf	-Inf	-2.64	3	Vertical	355	2.77	-
5825MHz_TX	Pass	PK	5.6198G	59.74	68.20	-8.46	-3.18	3	Vertical	355	2.77	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5825MHz_TX	Pass	PK	5.8286G	111.89	Inf	-Inf	-2.62	3	Vertical	355	2.77	-
5825MHz_TX	Pass	PK	5.9354G	60.95	68.20	-7.25	-2.40	3	Vertical	355	2.77	-
5825MHz_TX	Pass	AV	5.8286G	87.83	Inf	-Inf	-2.62	3	Horizontal	164	1.30	-
5825MHz_TX	Pass	PK	5.6402G	59.83	68.20	-8.37	-3.14	3	Horizontal	164	1.30	-
5825MHz_TX	Pass	PK	5.8286G	96.87	Inf	-Inf	-2.62	3	Horizontal	164	1.30	-
5825MHz_TX	Pass	PK	5.9342G	60.34	68.20	-7.86	-2.40	3	Horizontal	164	1.30	-
5825MHz_TX	Pass	AV	11.65596G	40.53	54.00	-13.47	6.21	3	Vertical	210	1.32	-
5825MHz_TX	Pass	PK	11.65236G	53.26	74.00	-20.74	6.21	3	Vertical	210	1.32	-
5825MHz_TX	Pass	AV	11.63716G	40.47	54.00	-13.53	6.20	3	Horizontal	309	1.78	-
5825MHz_TX	Pass	PK	11.63572G	53.23	74.00	-20.77	6.20	3	Horizontal	309	1.78	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-	-
5745MHz_TX	Pass	AV	5.7474G	102.29	Inf	-Inf	-2.87	3	Vertical	64	2.42	-
5745MHz_TX	Pass	PK	5.6334G	59.97	68.20	-8.23	-3.15	3	Vertical	64	2.42	-
5745MHz_TX	Pass	PK	5.7498G	110.98	Inf	-Inf	-2.86	3	Vertical	64	2.42	-
5745MHz_TX	Pass	PK	5.9826G	60.90	68.20	-7.30	-2.40	3	Vertical	64	2.42	-
5745MHz_TX	Pass	AV	5.7426G	87.77	Inf	-Inf	-2.89	3	Horizontal	187	1.19	-
5745MHz_TX	Pass	PK	5.6046G	59.70	68.20	-8.50	-3.21	3	Horizontal	187	1.19	-
5745MHz_TX	Pass	PK	5.739G	97.01	Inf	-Inf	-2.90	3	Horizontal	187	1.19	-
5745MHz_TX	Pass	PK	5.9262G	60.20	68.20	-8.00	-2.41	3	Horizontal	187	1.19	-
5745MHz_TX	Pass	AV	11.4822G	41.30	54.00	-12.70	6.14	3	Vertical	209	1.56	-
5745MHz_TX	Pass	PK	11.50146G	54.13	74.00	-19.87	6.13	3	Vertical	209	1.56	-
5745MHz_TX	Pass	AV	11.49114G	41.25	54.00	-12.75	6.13	3	Horizontal	135	2.24	-
5745MHz_TX	Pass	PK	11.48838G	53.84	74.00	-20.16	6.14	3	Horizontal	135	2.24	-
5785MHz_TX	Pass	AV	5.7826G	102.81	Inf	-Inf	-2.77	3	Vertical	56	2.88	-
5785MHz_TX	Pass	PK	5.521G	59.56	68.20	-8.64	-3.06	3	Vertical	56	2.88	-
5785MHz_TX	Pass	PK	5.7814G	111.77	Inf	-Inf	-2.78	3	Vertical	56	2.88	-
5785MHz_TX	Pass	PK	5.9878G	60.15	68.20	-8.05	-2.40	3	Vertical	56	2.88	-
5785MHz_TX	Pass	AV	5.7826G	84.16	Inf	-Inf	-2.77	3	Horizontal	190	1.50	-
5785MHz_TX	Pass	PK	5.5354G	59.53	68.20	-8.67	-3.09	3	Horizontal	190	1.50	-
5785MHz_TX	Pass	PK	5.7826G	93.04	Inf	-Inf	-2.77	3	Horizontal	190	1.50	-
5785MHz_TX	Pass	PK	5.9422G	60.23	68.20	-7.97	-2.40	3	Horizontal	190	1.50	-
5785MHz_TX	Pass	AV	11.58002G	40.77	54.00	-13.23	6.17	3	Vertical	110	1.93	-
5785MHz_TX	Pass	PK	11.57636G	53.24	74.00	-20.76	6.17	3	Vertical	110	1.93	-
5785MHz_TX	Pass	AV	11.57762G	40.96	54.00	-13.04	6.17	3	Horizontal	58	1.02	-
5785MHz_TX	Pass	PK	11.57528G	53.50	74.00	-20.50	6.17	3	Horizontal	58	1.02	-
5825MHz_TX	Pass	AV	5.8274G	103.16	Inf	-Inf	-2.63	3	Vertical	55	2.99	-
5825MHz_TX	Pass	PK	5.543G	59.71	68.20	-8.49	-3.12	3	Vertical	55	2.99	-
5825MHz_TX	Pass	PK	5.8298G	111.99	Inf	-Inf	-2.62	3	Vertical	55	2.99	-
5825MHz_TX	Pass	PK	5.9378G	60.74	68.20	-7.46	-2.41	3	Vertical	55	2.99	-
5825MHz_TX	Pass	AV	5.8286G	86.87	Inf	-Inf	-2.62	3	Horizontal	332	1.01	-
5825MHz_TX	Pass	PK	5.6354G	60.23	68.20	-7.97	-3.15	3	Horizontal	332	1.01	-
5825MHz_TX	Pass	PK	5.8214G	95.72	Inf	-Inf	-2.65	3	Horizontal	332	1.01	-
5825MHz_TX	Pass	PK	5.9594G	59.98	68.20	-8.22	-2.40	3	Horizontal	332	1.01	-
5825MHz_TX	Pass	AV	11.63944G	40.46	54.00	-13.54	6.20	3	Vertical	90	1.72	-
5825MHz_TX	Pass	PK	11.64514G	53.31	74.00	-20.69	6.20	3	Vertical	90	1.72	-
5825MHz_TX	Pass	AV	11.63674G	40.55	54.00	-13.45	6.20	3	Horizontal	303	1.13	-
5825MHz_TX	Pass	PK	11.6401G	53.39	74.00	-20.61	6.21	3	Horizontal	303	1.13	-
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz_TX	Pass	AV	5.148G	51.61	54.00	-2.39	-3.10	3	Vertical	106	2.89	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5180MHz_TX	Pass	AV	5.1776G	104.47	Inf	-Inf	-3.22	3	Vertical	106	2.89	-
5180MHz_TX	Pass	PK	5.1474G	65.72	74.00	-8.28	-3.10	3	Vertical	106	2.89	-
5180MHz_TX	Pass	PK	5.1776G	113.99	Inf	-Inf	-3.22	3	Vertical	106	2.89	-
5180MHz_TX	Pass	AV	5.15G	47.59	54.00	-6.41	-3.11	3	Horizontal	144	2.52	-
5180MHz_TX	Pass	AV	5.1766G	92.23	Inf	-Inf	-3.22	3	Horizontal	144	2.52	-
5180MHz_TX	Pass	PK	5.1368G	61.13	74.00	-12.87	-3.07	3	Horizontal	144	2.52	-
5180MHz_TX	Pass	PK	5.1758G	101.66	Inf	-Inf	-3.21	3	Horizontal	144	2.52	-
5180MHz_TX	Pass	PK	10.35666G	53.42	68.20	-14.78	5.11	3	Vertical	313	2.17	-
5180MHz_TX	Pass	PK	10.36756G	53.07	68.20	-15.13	5.12	3	Horizontal	50	1.58	-
5200MHz_TX	Pass	AV	5.1476G	47.52	54.00	-6.48	-3.10	3	Vertical	16	2.69	-
5200MHz_TX	Pass	AV	5.202G	105.29	Inf	-Inf	-3.31	3	Vertical	16	2.69	-
5200MHz_TX	Pass	PK	5.1476G	60.42	74.00	-13.58	-3.10	3	Vertical	16	2.69	-
5200MHz_TX	Pass	PK	5.2024G	114.22	Inf	-Inf	-3.31	3	Vertical	16	2.69	-
5200MHz_TX	Pass	AV	5.1032G	47.64	54.00	-6.36	-2.93	3	Horizontal	196	1.01	-
5200MHz_TX	Pass	AV	5.1972G	92.49	Inf	-Inf	-3.29	3	Horizontal	196	1.01	-
5200MHz_TX	Pass	PK	5.1148G	60.61	74.00	-13.39	-2.99	3	Horizontal	196	1.01	-
5200MHz_TX	Pass	PK	5.1976G	101.92	Inf	-Inf	-3.29	3	Horizontal	196	1.01	-
5200MHz_TX	Pass	PK	10.39982G	53.48	68.20	-14.72	5.16	3	Vertical	73	1.01	-
5200MHz_TX	Pass	PK	10.39928G	53.27	68.20	-14.93	5.16	3	Horizontal	203	1.49	-
5240MHz_TX	Pass	AV	5.1062G	47.71	54.00	-6.29	-2.94	3	Vertical	15	2.68	-
5240MHz_TX	Pass	AV	5.2424G	105.48	Inf	-Inf	-3.46	3	Vertical	15	2.68	-
5240MHz_TX	Pass	AV	5.3756G	47.12	54.00	-6.88	-3.43	3	Vertical	15	2.68	-
5240MHz_TX	Pass	PK	5.12G	59.95	74.00	-14.05	-3.00	3	Vertical	15	2.68	-
5240MHz_TX	Pass	PK	5.2424G	114.18	Inf	-Inf	-3.46	3	Vertical	15	2.68	-
5240MHz_TX	Pass	PK	5.3606G	60.01	74.00	-13.99	-3.48	3	Vertical	15	2.68	-
5240MHz_TX	Pass	AV	5.0948G	47.78	54.00	-6.22	-2.96	3	Horizontal	194	1.01	-
5240MHz_TX	Pass	AV	5.2424G	93.12	Inf	-Inf	-3.46	3	Horizontal	194	1.01	-
5240MHz_TX	Pass	AV	5.3864G	46.81	54.00	-7.19	-3.39	3	Horizontal	194	1.01	-
5240MHz_TX	Pass	PK	5.1284G	59.64	74.00	-14.36	-3.02	3	Horizontal	194	1.01	-
5240MHz_TX	Pass	PK	5.2376G	102.12	Inf	-Inf	-3.44	3	Horizontal	194	1.01	-
5240MHz_TX	Pass	PK	5.354G	59.13	74.00	-14.87	-3.51	3	Horizontal	194	1.01	-
5240MHz_TX	Pass	PK	10.4824G	53.63	68.20	-14.57	5.24	3	Vertical	223	2.40	-
5240MHz_TX	Pass	PK	10.47334G	53.58	68.20	-14.62	5.24	3	Horizontal	256	2.41	-
5745MHz_TX	Pass	AV	5.7474G	107.15	Inf	-Inf	-2.87	3	Vertical	21	2.87	-
5745MHz_TX	Pass	PK	5.6406G	59.38	68.20	-8.82	-3.14	3	Vertical	21	2.87	-
5745MHz_TX	Pass	PK	5.7426G	115.99	Inf	-Inf	-2.89	3	Vertical	21	2.87	-
5745MHz_TX	Pass	PK	5.9886G	61.72	68.20	-6.48	-2.40	3	Vertical	21	2.87	-
5745MHz_TX	Pass	AV	5.7486G	93.48	Inf	-Inf	-2.86	3	Horizontal	187	1.14	-
5745MHz_TX	Pass	PK	5.5662G	59.38	68.20	-8.82	-3.16	3	Horizontal	187	1.14	-
5745MHz_TX	Pass	PK	5.7474G	102.37	Inf	-Inf	-2.87	3	Horizontal	187	1.14	-
5745MHz_TX	Pass	PK	5.9838G	59.96	68.20	-8.24	-2.40	3	Horizontal	187	1.14	-
5745MHz_TX	Pass	AV	11.48172G	40.80	54.00	-13.20	6.14	3	Vertical	33	1.45	-
5745MHz_TX	Pass	PK	11.48358G	53.41	74.00	-20.59	6.14	3	Vertical	33	1.45	-
5745MHz_TX	Pass	AV	11.48964G	40.83	54.00	-13.17	6.13	3	Horizontal	340	1.78	-
5745MHz_TX	Pass	PK	11.49966G	53.56	74.00	-20.44	6.13	3	Horizontal	340	1.78	-
5785MHz_TX	Pass	AV	5.7802G	106.69	Inf	-Inf	-2.78	3	Vertical	26	2.60	-
5785MHz_TX	Pass	PK	5.5966G	59.43	68.20	-8.77	-3.22	3	Vertical	26	2.60	-
5785MHz_TX	Pass	PK	5.7802G	115.17	Inf	-Inf	-2.78	3	Vertical	26	2.60	-
5785MHz_TX	Pass	PK	5.953G	60.22	68.20	-7.98	-2.41	3	Vertical	26	2.60	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz_TX	Pass	AV	5.7862G	92.58	Inf	-Inf	-2.75	3	Horizontal	187	1.00	-
5785MHz_TX	Pass	PK	5.4982G	59.68	68.20	-8.52	-3.04	3	Horizontal	187	1.00	-
5785MHz_TX	Pass	PK	5.7814G	101.00	Inf	-Inf	-2.78	3	Horizontal	187	1.00	-
5785MHz_TX	Pass	PK	5.9326G	60.02	68.20	-8.18	-2.40	3	Horizontal	187	1.00	-
5785MHz_TX	Pass	AV	11.58452G	40.67	54.00	-13.33	6.17	3	Vertical	276	1.92	-
5785MHz_TX	Pass	PK	11.57948G	53.04	74.00	-20.96	6.17	3	Vertical	276	1.92	-
5785MHz_TX	Pass	AV	11.57822G	40.78	54.00	-13.22	6.17	3	Horizontal	193	1.41	-
5785MHz_TX	Pass	PK	11.579G	53.88	74.00	-20.12	6.17	3	Horizontal	193	1.41	-
5825MHz_TX	Pass	AV	5.8274G	106.50	Inf	-Inf	-2.63	3	Vertical	27	2.71	-
5825MHz_TX	Pass	PK	5.549G	60.01	68.20	-8.19	-3.12	3	Vertical	27	2.71	-
5825MHz_TX	Pass	PK	5.8274G	115.11	Inf	-Inf	-2.63	3	Vertical	27	2.71	-
5825MHz_TX	Pass	PK	5.963G	60.95	68.20	-7.25	-2.40	3	Vertical	27	2.71	-
5825MHz_TX	Pass	AV	5.8274G	92.11	Inf	-Inf	-2.63	3	Horizontal	303	1.01	-
5825MHz_TX	Pass	PK	5.6246G	59.63	68.20	-8.57	-3.18	3	Horizontal	303	1.01	-
5825MHz_TX	Pass	PK	5.8274G	101.14	Inf	-Inf	-2.63	3	Horizontal	303	1.01	-
5825MHz_TX	Pass	PK	5.9594G	60.22	68.20	-7.98	-2.40	3	Horizontal	303	1.01	-
5825MHz_TX	Pass	AV	11.64244G	40.52	54.00	-13.48	6.20	3	Vertical	174	2.18	-
5825MHz_TX	Pass	PK	11.64526G	53.28	74.00	-20.72	6.20	3	Vertical	174	2.18	-
5825MHz_TX	Pass	AV	11.65516G	40.25	54.00	-13.75	6.21	3	Horizontal	153	2.11	-
5825MHz_TX	Pass	PK	11.65574G	52.84	74.00	-21.16	6.21	3	Horizontal	153	2.11	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz_TX	Pass	AV	5.15G	52.88	54.00	-1.12	-3.11	3	Vertical	346	2.96	-
5180MHz_TX	Pass	AV	5.1784G	101.55	Inf	-Inf	-3.22	3	Vertical	346	2.96	-
5180MHz_TX	Pass	PK	5.1492G	69.15	74.00	-4.85	-3.11	3	Vertical	346	2.96	-
5180MHz_TX	Pass	PK	5.1758G	114.28	Inf	-Inf	-3.21	3	Vertical	346	2.96	-
5180MHz_TX	Pass	AV	5.1494G	47.34	54.00	-6.66	-3.11	3	Horizontal	315	1.01	-
5180MHz_TX	Pass	AV	5.1814G	87.72	Inf	-Inf	-3.24	3	Horizontal	315	1.01	-
5180MHz_TX	Pass	PK	5.1302G	60.80	74.00	-13.20	-3.04	3	Horizontal	315	1.01	-
5180MHz_TX	Pass	PK	5.186G	100.74	Inf	-Inf	-3.24	3	Horizontal	315	1.01	-
5180MHz_TX	Pass	PK	10.35052G	53.48	68.20	-14.72	5.11	3	Vertical	178	1.16	-
5180MHz_TX	Pass	PK	10.36972G	52.81	68.20	-15.39	5.12	3	Horizontal	255	1.39	-
5200MHz_TX	Pass	AV	5.1488G	47.44	54.00	-6.56	-3.11	3	Vertical	352	2.97	-
5200MHz_TX	Pass	AV	5.1964G	101.76	Inf	-Inf	-3.29	3	Vertical	352	2.97	-
5200MHz_TX	Pass	PK	5.1068G	60.52	74.00	-13.48	-2.95	3	Vertical	352	2.97	-
5200MHz_TX	Pass	PK	5.2056G	114.61	Inf	-Inf	-3.32	3	Vertical	352	2.97	-
5200MHz_TX	Pass	AV	5.1024G	47.08	54.00	-6.92	-2.93	3	Horizontal	316	1.00	-
5200MHz_TX	Pass	AV	5.1968G	88.27	Inf	-Inf	-3.29	3	Horizontal	316	1.00	-
5200MHz_TX	Pass	PK	5.114G	59.92	74.00	-14.08	-2.99	3	Horizontal	316	1.00	-
5200MHz_TX	Pass	PK	5.202G	100.67	Inf	-Inf	-3.31	3	Horizontal	316	1.00	-
5200MHz_TX	Pass	PK	10.4075G	53.32	68.20	-14.88	5.16	3	Vertical	248	1.02	-
5200MHz_TX	Pass	PK	10.40978G	54.20	68.20	-14.00	5.16	3	Horizontal	26	1.22	-
5240MHz_TX	Pass	AV	5.1212G	47.24	54.00	-6.76	-3.00	3	Vertical	2	2.96	-
5240MHz_TX	Pass	AV	5.2376G	102.46	Inf	-Inf	-3.44	3	Vertical	2	2.96	-
5240MHz_TX	Pass	AV	5.3762G	47.08	54.00	-6.92	-3.43	3	Vertical	2	2.96	-
5240MHz_TX	Pass	PK	5.0996G	60.76	74.00	-13.24	-2.93	3	Vertical	2	2.96	-
5240MHz_TX	Pass	PK	5.2424G	114.77	Inf	-Inf	-3.46	3	Vertical	2	2.96	-
5240MHz_TX	Pass	PK	5.3768G	59.24	74.00	-14.76	-3.43	3	Vertical	2	2.96	-
5240MHz_TX	Pass	AV	5.0924G	47.22	54.00	-6.78	-2.97	3	Horizontal	319	1.01	-
5240MHz_TX	Pass	AV	5.2418G	88.30	Inf	-Inf	-3.46	3	Horizontal	319	1.01	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz_TX	Pass	AV	5.3822G	46.32	54.00	-7.68	-3.41	3	Horizontal	319	1.01	-
5240MHz_TX	Pass	PK	5.1098G	60.41	74.00	-13.59	-2.96	3	Horizontal	319	1.01	-
5240MHz_TX	Pass	PK	5.2358G	101.08	Inf	-Inf	-3.44	3	Horizontal	319	1.01	-
5240MHz_TX	Pass	PK	5.3576G	59.03	74.00	-14.97	-3.50	3	Horizontal	319	1.01	-
5240MHz_TX	Pass	PK	10.48494G	53.71	68.20	-14.49	5.24	3	Vertical	223	1.87	-
5240MHz_TX	Pass	PK	10.47928G	53.84	68.20	-14.36	5.24	3	Horizontal	221	1.02	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz_TX	Pass	AV	5.1498G	51.79	54.00	-2.21	-3.11	3	Vertical	43	2.90	-
5180MHz_TX	Pass	AV	5.1782G	100.08	Inf	-Inf	-3.22	3	Vertical	43	2.90	-
5180MHz_TX	Pass	PK	5.15G	65.80	74.00	-8.20	-3.11	3	Vertical	43	2.90	-
5180MHz_TX	Pass	PK	5.1816G	112.90	Inf	-Inf	-3.24	3	Vertical	43	2.90	-
5180MHz_TX	Pass	AV	5.15G	47.50	54.00	-6.50	-3.11	3	Horizontal	43	2.87	-
5180MHz_TX	Pass	AV	5.1842G	88.49	Inf	-Inf	-3.24	3	Horizontal	43	2.87	-
5180MHz_TX	Pass	PK	5.1494G	60.28	74.00	-13.72	-3.11	3	Horizontal	43	2.87	-
5180MHz_TX	Pass	PK	5.1838G	100.95	Inf	-Inf	-3.24	3	Horizontal	43	2.87	-
5180MHz_TX	Pass	PK	10.35964G	53.71	68.20	-14.49	5.12	3	Vertical	98	1.10	-
5180MHz_TX	Pass	PK	10.36086G	54.27	68.20	-13.93	5.13	3	Horizontal	181	2.15	-
5200MHz_TX	Pass	AV	5.1252G	47.25	54.00	-6.75	-3.02	3	Vertical	42	2.70	-
5200MHz_TX	Pass	AV	5.1988G	100.23	Inf	-Inf	-3.30	3	Vertical	42	2.70	-
5200MHz_TX	Pass	PK	5.1124G	60.53	74.00	-13.47	-2.98	3	Vertical	42	2.70	-
5200MHz_TX	Pass	PK	5.206G	113.18	Inf	-Inf	-3.32	3	Vertical	42	2.70	-
5200MHz_TX	Pass	AV	5.106G	47.11	54.00	-6.89	-2.94	3	Horizontal	44	2.80	-
5200MHz_TX	Pass	AV	5.2032G	89.28	Inf	-Inf	-3.31	3	Horizontal	44	2.80	-
5200MHz_TX	Pass	PK	5.1404G	60.36	74.00	-13.64	-3.08	3	Horizontal	44	2.80	-
5200MHz_TX	Pass	PK	5.1952G	101.53	Inf	-Inf	-3.29	3	Horizontal	44	2.80	-
5200MHz_TX	Pass	PK	10.40026G	54.85	68.20	-13.35	5.16	3	Vertical	316	2.10	-
5200MHz_TX	Pass	PK	10.40003G	54.55	68.20	-13.65	5.16	3	Horizontal	335	2.16	-
5240MHz_TX	Pass	AV	5.1044G	47.24	54.00	-6.76	-2.94	3	Vertical	44	2.85	-
5240MHz_TX	Pass	AV	5.2358G	100.34	Inf	-Inf	-3.44	3	Vertical	44	2.85	-
5240MHz_TX	Pass	AV	5.372G	46.24	54.00	-7.76	-3.44	3	Vertical	44	2.85	-
5240MHz_TX	Pass	PK	5.1128G	60.93	74.00	-13.07	-2.98	3	Vertical	44	2.85	-
5240MHz_TX	Pass	PK	5.2466G	112.25	Inf	-Inf	-3.48	3	Vertical	44	2.85	-
5240MHz_TX	Pass	PK	5.363G	58.95	74.00	-15.05	-3.47	3	Vertical	44	2.85	-
5240MHz_TX	Pass	AV	5.105G	47.27	54.00	-6.73	-2.94	3	Horizontal	48	1.01	-
5240MHz_TX	Pass	AV	5.2418G	88.63	Inf	-Inf	-3.46	3	Horizontal	48	1.01	-
5240MHz_TX	Pass	AV	5.3768G	46.21	54.00	-7.79	-3.43	3	Horizontal	48	1.01	-
5240MHz_TX	Pass	PK	5.1446G	59.74	74.00	-14.26	-3.09	3	Horizontal	48	1.01	-
5240MHz_TX	Pass	PK	5.2334G	100.59	Inf	-Inf	-3.43	3	Horizontal	48	1.01	-
5240MHz_TX	Pass	PK	5.3678G	58.79	74.00	-15.21	-3.46	3	Horizontal	48	1.01	-
5240MHz_TX	Pass	PK	10.4798G	53.49	68.20	-14.71	5.24	3	Vertical	330	1.13	-
5240MHz_TX	Pass	PK	10.47786G	53.59	68.20	-14.61	5.24	3	Horizontal	270	1.06	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-	-
5745MHz_TX	Pass	AV	5.7474G	103.17	Inf	-Inf	-2.87	3	Vertical	12	2.87	-
5745MHz_TX	Pass	PK	5.5074G	59.77	68.20	-8.43	-3.04	3	Vertical	12	2.87	-
5745MHz_TX	Pass	PK	5.7402G	114.97	Inf	-Inf	-2.90	3	Vertical	12	2.87	-
5745MHz_TX	Pass	PK	5.979G	60.03	68.20	-8.17	-2.41	3	Vertical	12	2.87	-
5745MHz_TX	Pass	AV	5.7474G	90.71	Inf	-Inf	-2.87	3	Horizontal	317	1.00	-
5745MHz_TX	Pass	PK	5.5614G	59.99	68.20	-8.21	-3.14	3	Horizontal	317	1.00	-
5745MHz_TX	Pass	PK	5.7498G	102.60	Inf	-Inf	-2.86	3	Horizontal	317	1.00	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5745MHz_TX	Pass	PK	5.979G	60.79	68.20	-7.41	-2.41	3	Horizontal	317	1.00	-
5745MHz_TX	Pass	AV	11.4885G	40.86	54.00	-13.14	6.13	3	Vertical	7	1.50	-
5745MHz_TX	Pass	PK	11.48844G	54.20	74.00	-19.80	6.14	3	Vertical	7	1.50	-
5745MHz_TX	Pass	AV	11.49108G	41.09	54.00	-12.91	6.13	3	Horizontal	315	2.53	-
5745MHz_TX	Pass	PK	11.49042G	53.90	74.00	-20.10	6.13	3	Horizontal	315	2.53	-
5785MHz_TX	Pass	AV	5.7874G	103.20	Inf	-Inf	-2.75	3	Vertical	352	2.99	-
5785MHz_TX	Pass	PK	5.6386G	59.26	68.20	-8.94	-3.14	3	Vertical	352	2.99	-
5785MHz_TX	Pass	PK	5.7802G	114.79	Inf	-Inf	-2.78	3	Vertical	352	2.99	-
5785MHz_TX	Pass	PK	5.971G	60.64	68.20	-7.56	-2.40	3	Vertical	352	2.99	-
5785MHz_TX	Pass	AV	5.7874G	88.00	Inf	-Inf	-2.75	3	Horizontal	185	1.03	-
5785MHz_TX	Pass	PK	5.557G	59.76	68.20	-8.44	-3.14	3	Horizontal	185	1.03	-
5785MHz_TX	Pass	PK	5.791G	100.10	Inf	-Inf	-2.74	3	Horizontal	185	1.03	-
5785MHz_TX	Pass	PK	5.9266G	60.12	68.20	-8.08	-2.41	3	Horizontal	185	1.03	-
5785MHz_TX	Pass	AV	11.57234G	40.65	54.00	-13.35	6.18	3	Vertical	270	1.50	-
5785MHz_TX	Pass	PK	11.57186G	54.46	74.00	-19.54	6.17	3	Vertical	270	1.50	-
5785MHz_TX	Pass	AV	11.57163G	40.68	54.00	-13.32	6.17	3	Horizontal	1	1.50	-
5785MHz_TX	Pass	PK	11.57136G	53.89	74.00	-20.11	6.17	3	Horizontal	1	1.50	-
5825MHz_TX	Pass	AV	5.8238G	102.04	Inf	-Inf	-2.64	3	Vertical	355	2.96	-
5825MHz_TX	Pass	PK	5.5814G	59.95	68.20	-8.25	-3.19	3	Vertical	355	2.96	-
5825MHz_TX	Pass	PK	5.831G	114.93	Inf	-Inf	-2.62	3	Vertical	355	2.96	-
5825MHz_TX	Pass	PK	5.9342G	60.25	68.20	-7.95	-2.40	3	Vertical	355	2.96	-
5825MHz_TX	Pass	AV	5.8286G	86.82	Inf	-Inf	-2.62	3	Horizontal	165	1.02	-
5825MHz_TX	Pass	PK	5.615G	59.21	68.20	-8.99	-3.19	3	Horizontal	165	1.02	-
5825MHz_TX	Pass	PK	5.8238G	98.20	Inf	-Inf	-2.64	3	Horizontal	165	1.02	-
5825MHz_TX	Pass	PK	5.987G	60.33	68.20	-7.87	-2.40	3	Horizontal	165	1.02	-
5825MHz_TX	Pass	AV	11.6487G	40.28	54.00	-13.72	6.22	3	Vertical	248	1.13	-
5825MHz_TX	Pass	PK	11.65059G	53.85	74.00	-20.15	6.21	3	Vertical	248	1.13	-
5825MHz_TX	Pass	AV	11.64769G	40.28	54.00	-13.72	6.20	3	Horizontal	287	2.07	-
5825MHz_TX	Pass	PK	11.65188G	53.71	74.00	-20.29	6.21	3	Horizontal	287	2.07	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-	-
5745MHz_TX	Pass	AV	5.7474G	101.96	Inf	-Inf	-2.87	3	Vertical	57	2.94	-
5745MHz_TX	Pass	PK	5.6466G	60.02	68.20	-8.18	-3.13	3	Vertical	57	2.94	-
5745MHz_TX	Pass	PK	5.751G	114.56	Inf	-Inf	-2.87	3	Vertical	57	2.94	-
5745MHz_TX	Pass	PK	5.9838G	60.38	68.20	-7.82	-2.40	3	Vertical	57	2.94	-
5745MHz_TX	Pass	AV	5.7414G	87.52	Inf	-Inf	-2.90	3	Horizontal	187	1.01	-
5745MHz_TX	Pass	PK	5.523G	59.84	68.20	-8.36	-3.08	3	Horizontal	187	1.01	-
5745MHz_TX	Pass	PK	5.7426G	100.08	Inf	-Inf	-2.89	3	Horizontal	187	1.01	-
5745MHz_TX	Pass	PK	5.9898G	60.35	68.20	-7.85	-2.40	3	Horizontal	187	1.01	-
5745MHz_TX	Pass	AV	11.48978G	41.18	54.00	-12.82	6.13	3	Vertical	326	2.97	-
5745MHz_TX	Pass	PK	11.49238G	54.59	74.00	-19.41	6.14	3	Vertical	326	2.97	-
5745MHz_TX	Pass	AV	11.49145G	40.90	54.00	-13.10	6.13	3	Horizontal	359	1.50	-
5745MHz_TX	Pass	PK	11.49105G	54.46	74.00	-19.54	6.13	3	Horizontal	359	1.50	-
5785MHz_TX	Pass	AV	5.7886G	102.13	Inf	-Inf	-2.74	3	Vertical	53	2.90	-
5785MHz_TX	Pass	PK	5.5858G	60.80	68.20	-7.40	-3.19	3	Vertical	53	2.90	-
5785MHz_TX	Pass	PK	5.7898G	114.23	Inf	-Inf	-2.74	3	Vertical	53	2.90	-
5785MHz_TX	Pass	PK	5.9542G	60.32	68.20	-7.88	-2.40	3	Vertical	53	2.90	-
5785MHz_TX	Pass	AV	5.7826G	84.31	Inf	-Inf	-2.77	3	Horizontal	188	1.14	-
5785MHz_TX	Pass	PK	5.5342G	59.41	68.20	-8.79	-3.09	3	Horizontal	188	1.14	-
5785MHz_TX	Pass	PK	5.7826G	96.42	Inf	-Inf	-2.77	3	Horizontal	188	1.14	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz_TX	Pass	PK	5.9398G	60.17	68.20	-8.03	-2.41	3	Horizontal	188	1.14	-
5785MHz_TX	Pass	AV	11.57061G	41.12	54.00	-12.88	6.17	3	Vertical	329	2.45	-
5785MHz_TX	Pass	PK	11.57013G	54.83	74.00	-19.17	6.16	3	Vertical	329	2.45	-
5785MHz_TX	Pass	AV	11.57244G	40.77	54.00	-13.23	6.18	3	Horizontal	160	1.50	-
5785MHz_TX	Pass	PK	11.5687G	54.13	74.00	-19.87	6.16	3	Horizontal	160	1.50	-
5825MHz_TX	Pass	AV	5.8274G	102.57	Inf	-Inf	-2.63	3	Vertical	55	2.99	-
5825MHz_TX	Pass	PK	5.5982G	59.59	68.20	-8.61	-3.23	3	Vertical	55	2.99	-
5825MHz_TX	Pass	PK	5.8202G	114.50	Inf	-Inf	-2.65	3	Vertical	55	2.99	-
5825MHz_TX	Pass	PK	5.981G	60.52	68.20	-7.68	-2.40	3	Vertical	55	2.99	-
5825MHz_TX	Pass	AV	5.8274G	86.41	Inf	-Inf	-2.63	3	Horizontal	327	1.00	-
5825MHz_TX	Pass	PK	5.6294G	60.33	68.20	-7.87	-3.16	3	Horizontal	327	1.00	-
5825MHz_TX	Pass	PK	5.8274G	98.44	Inf	-Inf	-2.63	3	Horizontal	327	1.00	-
5825MHz_TX	Pass	PK	5.9558G	59.95	68.20	-8.25	-2.40	3	Horizontal	327	1.00	-
5825MHz_TX	Pass	AV	11.64999G	40.69	54.00	-13.31	6.22	3	Vertical	327	1.00	-
5825MHz_TX	Pass	PK	11.64954G	54.17	74.00	-19.83	6.22	3	Vertical	327	1.00	-
5825MHz_TX	Pass	AV	11.65066G	40.24	54.00	-13.76	6.21	3	Horizontal	73	1.50	-
5825MHz_TX	Pass	PK	11.6491G	54.14	74.00	-19.86	6.22	3	Horizontal	73	1.50	-
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz_TX	Pass	AV	5.1462G	52.87	54.00	-1.13	-3.09	3	Vertical	9	2.99	-
5180MHz_TX	Pass	AV	5.1846G	104.52	Inf	-Inf	-3.24	3	Vertical	9	2.99	-
5180MHz_TX	Pass	PK	5.147G	67.45	74.00	-6.55	-3.10	3	Vertical	9	2.99	-
5180MHz_TX	Pass	PK	5.1852G	116.62	Inf	-Inf	-3.24	3	Vertical	9	2.99	-
5180MHz_TX	Pass	AV	5.1454G	47.60	54.00	-6.40	-3.09	3	Horizontal	190	1.00	-
5180MHz_TX	Pass	AV	5.1844G	92.35	Inf	-Inf	-3.24	3	Horizontal	190	1.00	-
5180MHz_TX	Pass	PK	5.1376G	60.26	74.00	-13.74	-3.07	3	Horizontal	190	1.00	-
5180MHz_TX	Pass	PK	5.1844G	104.74	Inf	-Inf	-3.24	3	Horizontal	190	1.00	-
5180MHz_TX	Pass	PK	10.36006G	54.00	68.20	-14.20	5.12	3	Vertical	313	2.21	-
5180MHz_TX	Pass	PK	10.35967G	53.87	68.20	-14.33	5.12	3	Horizontal	28	1.50	-
5200MHz_TX	Pass	AV	5.1452G	47.56	54.00	-6.44	-3.09	3	Vertical	16	2.97	-
5200MHz_TX	Pass	AV	5.204G	104.57	Inf	-Inf	-3.32	3	Vertical	16	2.97	-
5200MHz_TX	Pass	PK	5.1368G	60.07	74.00	-13.93	-3.07	3	Vertical	16	2.97	-
5200MHz_TX	Pass	PK	5.1944G	116.81	Inf	-Inf	-3.29	3	Vertical	16	2.97	-
5200MHz_TX	Pass	AV	5.1092G	47.21	54.00	-6.79	-2.96	3	Horizontal	193	1.01	-
5200MHz_TX	Pass	AV	5.1948G	92.09	Inf	-Inf	-3.29	3	Horizontal	193	1.01	-
5200MHz_TX	Pass	PK	5.1152G	59.84	74.00	-14.16	-2.98	3	Horizontal	193	1.01	-
5200MHz_TX	Pass	PK	5.2044G	104.45	Inf	-Inf	-3.32	3	Horizontal	193	1.01	-
5200MHz_TX	Pass	PK	10.39982G	54.46	68.20	-13.74	5.16	3	Vertical	310	2.12	-
5200MHz_TX	Pass	PK	10.40008G	53.62	68.20	-14.58	5.16	3	Horizontal	274	2.11	-
5240MHz_TX	Pass	AV	5.102G	47.31	54.00	-6.69	-2.93	3	Vertical	17	2.93	-
5240MHz_TX	Pass	AV	5.2388G	104.60	Inf	-Inf	-3.45	3	Vertical	17	2.93	-
5240MHz_TX	Pass	AV	5.3756G	46.84	54.00	-7.16	-3.43	3	Vertical	17	2.93	-
5240MHz_TX	Pass	PK	5.1284G	61.30	74.00	-12.70	-3.02	3	Vertical	17	2.93	-
5240MHz_TX	Pass	PK	5.2382G	116.36	Inf	-Inf	-3.44	3	Vertical	17	2.93	-
5240MHz_TX	Pass	PK	5.375G	59.18	74.00	-14.82	-3.43	3	Vertical	17	2.93	-
5240MHz_TX	Pass	AV	5.1236G	47.19	54.00	-6.81	-3.01	3	Horizontal	193	1.01	-
5240MHz_TX	Pass	AV	5.2388G	91.96	Inf	-Inf	-3.45	3	Horizontal	193	1.01	-
5240MHz_TX	Pass	AV	5.3798G	46.21	54.00	-7.79	-3.42	3	Horizontal	193	1.01	-
5240MHz_TX	Pass	PK	5.1128G	60.96	74.00	-13.04	-2.98	3	Horizontal	193	1.01	-
5240MHz_TX	Pass	PK	5.2388G	103.89	Inf	-Inf	-3.45	3	Horizontal	193	1.01	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz_TX	Pass	PK	5.3552G	59.24	74.00	-14.76	-3.50	3	Horizontal	193	1.01	-
5240MHz_TX	Pass	PK	10.4806G	53.50	68.20	-14.70	5.24	3	Vertical	306	1.04	-
5240MHz_TX	Pass	PK	10.47788G	53.71	68.20	-14.49	5.24	3	Horizontal	229	1.50	-
5745MHz_TX	Pass	AV	5.7486G	106.29	Inf	-Inf	-2.86	3	Vertical	25	2.73	-
5745MHz_TX	Pass	PK	5.5362G	59.71	68.20	-8.49	-3.10	3	Vertical	25	2.73	-
5745MHz_TX	Pass	PK	5.7402G	118.05	Inf	-Inf	-2.90	3	Vertical	25	2.73	-
5745MHz_TX	Pass	PK	5.9634G	61.05	68.20	-7.15	-2.40	3	Vertical	25	2.73	-
5745MHz_TX	Pass	AV	5.7414G	93.03	Inf	-Inf	-2.90	3	Horizontal	186	1.13	-
5745MHz_TX	Pass	PK	5.6466G	59.69	68.20	-8.51	-3.13	3	Horizontal	186	1.13	-
5745MHz_TX	Pass	PK	5.7402G	105.50	Inf	-Inf	-2.90	3	Horizontal	186	1.13	-
5745MHz_TX	Pass	PK	5.9718G	60.87	68.20	-7.33	-2.40	3	Horizontal	186	1.13	-
5745MHz_TX	Pass	AV	11.49114G	41.30	54.00	-12.70	6.13	3	Vertical	325	2.11	-
5745MHz_TX	Pass	PK	11.48914G	54.36	74.00	-19.64	6.13	3	Vertical	325	2.11	-
5745MHz_TX	Pass	AV	11.49075G	40.69	54.00	-13.31	6.13	3	Horizontal	200	1.50	-
5745MHz_TX	Pass	PK	11.48929G	54.13	74.00	-19.87	6.13	3	Horizontal	200	1.50	-
5785MHz_TX	Pass	AV	5.7886G	106.54	Inf	-Inf	-2.74	3	Vertical	26	2.76	-
5785MHz_TX	Pass	PK	5.6014G	59.77	68.20	-8.43	-3.22	3	Vertical	26	2.76	-
5785MHz_TX	Pass	PK	5.7802G	119.07	Inf	-Inf	-2.78	3	Vertical	26	2.76	-
5785MHz_TX	Pass	PK	5.9434G	60.33	68.20	-7.87	-2.40	3	Vertical	26	2.76	-
5785MHz_TX	Pass	AV	5.7814G	91.97	Inf	-Inf	-2.78	3	Horizontal	185	1.02	-
5785MHz_TX	Pass	PK	5.4898G	60.01	68.20	-8.19	-3.06	3	Horizontal	185	1.02	-
5785MHz_TX	Pass	PK	5.7814G	103.10	Inf	-Inf	-2.78	3	Horizontal	185	1.02	-
5785MHz_TX	Pass	PK	5.9314G	60.37	68.20	-7.83	-2.40	3	Horizontal	185	1.02	-
5785MHz_TX	Pass	AV	11.57035G	40.96	54.00	-13.04	6.17	3	Vertical	325	2.21	-
5785MHz_TX	Pass	PK	11.57072G	54.80	74.00	-19.20	6.17	3	Vertical	325	2.21	-
5785MHz_TX	Pass	AV	11.57079G	40.54	54.00	-13.46	6.17	3	Horizontal	271	2.13	-
5785MHz_TX	Pass	PK	11.56918G	53.68	74.00	-20.32	6.16	3	Horizontal	271	2.13	-
5825MHz_TX	Pass	AV	5.8286G	105.98	Inf	-Inf	-2.62	3	Vertical	30	2.99	-
5825MHz_TX	Pass	PK	5.6438G	59.99	68.20	-8.21	-3.13	3	Vertical	30	2.99	-
5825MHz_TX	Pass	PK	5.8286G	118.41	Inf	-Inf	-2.62	3	Vertical	30	2.99	-
5825MHz_TX	Pass	PK	5.975G	60.52	68.20	-7.68	-2.40	3	Vertical	30	2.99	-
5825MHz_TX	Pass	AV	5.8286G	91.13	Inf	-Inf	-2.62	3	Horizontal	301	1.01	-
5825MHz_TX	Pass	PK	5.627G	60.05	68.20	-8.15	-3.17	3	Horizontal	301	1.01	-
5825MHz_TX	Pass	PK	5.8202G	103.50	Inf	-Inf	-2.65	3	Horizontal	301	1.01	-
5825MHz_TX	Pass	PK	5.9786G	60.70	68.20	-7.50	-2.41	3	Horizontal	301	1.01	-
5825MHz_TX	Pass	AV	11.64983G	40.76	54.00	-13.24	6.22	3	Vertical	325	2.16	-
5825MHz_TX	Pass	PK	11.64989G	54.94	74.00	-19.06	6.22	3	Vertical	325	2.16	-
5825MHz_TX	Pass	AV	11.65107G	40.10	54.00	-13.90	6.21	3	Horizontal	278	1.50	-
5825MHz_TX	Pass	PK	11.64923G	53.42	74.00	-20.58	6.22	3	Horizontal	278	1.50	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz_TX	Pass	AV	5.15G	53.42	54.00	-0.58	-3.11	3	Vertical	358	2.99	-
5190MHz_TX	Pass	AV	5.1884G	97.41	Inf	-Inf	-3.25	3	Vertical	358	2.99	-
5190MHz_TX	Pass	PK	5.1496G	68.74	74.00	-5.26	-3.11	3	Vertical	358	2.99	-
5190MHz_TX	Pass	PK	5.1872G	110.77	Inf	-Inf	-3.25	3	Vertical	358	2.99	-
5190MHz_TX	Pass	AV	5.1332G	47.25	54.00	-6.75	-3.05	3	Horizontal	312	1.00	-
5190MHz_TX	Pass	AV	5.196G	83.41	Inf	-Inf	-3.28	3	Horizontal	312	1.00	-
5190MHz_TX	Pass	PK	5.144G	59.60	74.00	-14.40	-3.09	3	Horizontal	312	1.00	-
5190MHz_TX	Pass	PK	5.1912G	96.50	Inf	-Inf	-3.27	3	Horizontal	312	1.00	-
5190MHz_TX	Pass	PK	10.37983G	54.64	68.20	-13.56	5.13	3	Vertical	308	2.15	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5190MHz_TX	Pass	PK	10.37967G	53.80	68.20	-14.40	5.13	3	Horizontal	316	1.50	-
5230MHz_TX	Pass	AV	5.1496G	47.71	54.00	-6.29	-3.11	3	Vertical	346	2.93	-
5230MHz_TX	Pass	AV	5.2284G	99.33	Inf	-Inf	-3.40	3	Vertical	346	2.93	-
5230MHz_TX	Pass	PK	5.1488G	60.94	74.00	-13.06	-3.11	3	Vertical	346	2.93	-
5230MHz_TX	Pass	PK	5.2228G	112.45	Inf	-Inf	-3.39	3	Vertical	346	2.93	-
5230MHz_TX	Pass	AV	5.1352G	47.06	54.00	-6.94	-3.06	3	Horizontal	311	1.02	-
5230MHz_TX	Pass	AV	5.2248G	85.67	Inf	-Inf	-3.39	3	Horizontal	311	1.02	-
5230MHz_TX	Pass	PK	5.1304G	60.33	74.00	-13.67	-3.04	3	Horizontal	311	1.02	-
5230MHz_TX	Pass	PK	5.2284G	97.89	Inf	-Inf	-3.40	3	Horizontal	311	1.02	-
5230MHz_TX	Pass	PK	10.45988G	53.12	68.20	-15.08	5.22	3	Vertical	309	2.26	-
5230MHz_TX	Pass	PK	10.46164G	53.66	68.20	-14.54	5.22	3	Horizontal	180	2.58	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz_TX	Pass	AV	5.15G	52.66	54.00	-1.34	-3.11	3	Vertical	37	2.87	-
5190MHz_TX	Pass	AV	5.1932G	95.94	Inf	-Inf	-3.28	3	Vertical	37	2.87	-
5190MHz_TX	Pass	PK	5.1488G	66.90	74.00	-7.10	-3.11	3	Vertical	37	2.87	-
5190MHz_TX	Pass	PK	5.188G	108.37	Inf	-Inf	-3.25	3	Vertical	37	2.87	-
5190MHz_TX	Pass	AV	5.15G	47.64	54.00	-6.36	-3.11	3	Horizontal	38	2.86	-
5190MHz_TX	Pass	AV	5.186G	85.32	Inf	-Inf	-3.24	3	Horizontal	38	2.86	-
5190MHz_TX	Pass	PK	5.1476G	60.43	74.00	-13.57	-3.10	3	Horizontal	38	2.86	-
5190MHz_TX	Pass	PK	5.1852G	97.52	Inf	-Inf	-3.24	3	Horizontal	38	2.86	-
5190MHz_TX	Pass	PK	10.38057G	54.53	68.20	-13.67	5.13	3	Vertical	307	2.20	-
5190MHz_TX	Pass	PK	10.37903G	53.67	68.20	-14.53	5.13	3	Horizontal	268	1.50	-
5230MHz_TX	Pass	AV	5.15G	47.41	54.00	-6.59	-3.11	3	Vertical	42	2.84	-
5230MHz_TX	Pass	AV	5.2328G	97.96	Inf	-Inf	-3.43	3	Vertical	42	2.84	-
5230MHz_TX	Pass	PK	5.1344G	60.46	74.00	-13.54	-3.06	3	Vertical	42	2.84	-
5230MHz_TX	Pass	PK	5.2368G	110.28	Inf	-Inf	-3.44	3	Vertical	42	2.84	-
5230MHz_TX	Pass	AV	5.13G	47.09	54.00	-6.91	-3.03	3	Horizontal	45	2.88	-
5230MHz_TX	Pass	AV	5.2368G	85.42	Inf	-Inf	-3.44	3	Horizontal	45	2.88	-
5230MHz_TX	Pass	PK	5.1436G	59.26	74.00	-14.74	-3.08	3	Horizontal	45	2.88	-
5230MHz_TX	Pass	PK	5.2344G	98.15	Inf	-Inf	-3.44	3	Horizontal	45	2.88	-
5230MHz_TX	Pass	PK	10.45944G	53.99	68.20	-14.21	5.22	3	Vertical	305	2.10	-
5230MHz_TX	Pass	PK	10.46164G	53.43	68.20	-14.77	5.22	3	Horizontal	210	1.50	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-	-
5755MHz_TX	Pass	AV	5.7598G	100.79	Inf	-Inf	-2.83	3	Vertical	15	2.88	-
5755MHz_TX	Pass	PK	5.4946G	59.69	68.20	-8.51	-3.05	3	Vertical	15	2.88	-
5755MHz_TX	Pass	PK	5.7586G	113.72	Inf	-Inf	-2.83	3	Vertical	15	2.88	-
5755MHz_TX	Pass	PK	5.9614G	60.44	68.20	-7.76	-2.40	3	Vertical	15	2.88	-
5755MHz_TX	Pass	AV	5.7574G	87.66	Inf	-Inf	-2.84	3	Horizontal	317	1.01	-
5755MHz_TX	Pass	PK	5.6362G	59.71	68.20	-8.49	-3.16	3	Horizontal	317	1.01	-
5755MHz_TX	Pass	PK	5.7622G	99.54	Inf	-Inf	-2.82	3	Horizontal	317	1.01	-
5755MHz_TX	Pass	PK	5.9794G	60.71	68.20	-7.49	-2.41	3	Horizontal	317	1.01	-
5755MHz_TX	Pass	AV	11.51031G	40.54	54.00	-13.46	6.14	3	Vertical	320	1.02	-
5755MHz_TX	Pass	PK	11.51152G	53.60	74.00	-20.40	6.14	3	Vertical	320	1.02	-
5755MHz_TX	Pass	AV	11.51068G	40.33	54.00	-13.67	6.14	3	Horizontal	236	1.50	-
5755MHz_TX	Pass	PK	11.50856G	53.82	74.00	-20.18	6.14	3	Horizontal	236	1.50	-
5795MHz_TX	Pass	AV	5.7938G	100.52	Inf	-Inf	-2.74	3	Vertical	3	2.97	-
5795MHz_TX	Pass	PK	5.5334G	59.80	68.20	-8.40	-3.09	3	Vertical	3	2.97	-
5795MHz_TX	Pass	PK	5.7926G	112.19	Inf	-Inf	-2.73	3	Vertical	3	2.97	-
5795MHz_TX	Pass	PK	5.951G	60.24	68.20	-7.96	-2.41	3	Vertical	3	2.97	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5795MHz_TX	Pass	AV	5.8034G	85.63	Inf	-Inf	-2.70	3	Horizontal	183	1.00	-
5795MHz_TX	Pass	PK	5.6438G	59.42	68.20	-8.78	-3.13	3	Horizontal	183	1.00	-
5795MHz_TX	Pass	PK	5.7986G	98.55	Inf	-Inf	-2.71	3	Horizontal	183	1.00	-
5795MHz_TX	Pass	PK	5.9438G	60.38	68.20	-7.82	-2.40	3	Horizontal	183	1.00	-
5795MHz_TX	Pass	AV	11.58838G	40.53	54.00	-13.47	6.18	3	Vertical	321	1.50	-
5795MHz_TX	Pass	PK	11.59119G	54.83	74.00	-19.17	6.18	3	Vertical	321	1.50	-
5795MHz_TX	Pass	AV	11.58976G	40.39	54.00	-13.61	6.18	3	Horizontal	234	1.50	-
5795MHz_TX	Pass	PK	11.59084G	54.10	74.00	-19.90	6.18	3	Horizontal	234	1.50	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-	-
5755MHz_TX	Pass	AV	5.7586G	99.39	Inf	-Inf	-2.83	3	Vertical	57	2.94	-
5755MHz_TX	Pass	PK	5.5558G	59.84	68.20	-8.36	-3.14	3	Vertical	57	2.94	-
5755MHz_TX	Pass	PK	5.7586G	112.08	Inf	-Inf	-2.83	3	Vertical	57	2.94	-
5755MHz_TX	Pass	PK	5.9578G	60.59	68.20	-7.61	-2.40	3	Vertical	57	2.94	-
5755MHz_TX	Pass	AV	5.7478G	84.40	Inf	-Inf	-2.87	3	Horizontal	186	1.00	-
5755MHz_TX	Pass	PK	5.5786G	59.38	68.20	-8.82	-3.19	3	Horizontal	186	1.00	-
5755MHz_TX	Pass	PK	5.7406G	96.48	Inf	-Inf	-2.90	3	Horizontal	186	1.00	-
5755MHz_TX	Pass	PK	5.977G	59.87	68.20	-8.33	-2.40	3	Horizontal	186	1.00	-
5755MHz_TX	Pass	AV	11.50892G	40.42	54.00	-13.58	6.14	3	Vertical	233	1.50	-
5755MHz_TX	Pass	PK	11.51069G	54.19	74.00	-19.81	6.14	3	Vertical	233	1.50	-
5755MHz_TX	Pass	AV	11.51082G	40.38	54.00	-13.62	6.14	3	Horizontal	324	2.83	-
5755MHz_TX	Pass	PK	11.51076G	53.81	74.00	-20.19	6.14	3	Horizontal	324	2.83	-
5795MHz_TX	Pass	AV	5.7926G	99.36	Inf	-Inf	-2.73	3	Vertical	54	2.89	-
5795MHz_TX	Pass	PK	5.5586G	59.06	68.20	-9.14	-3.15	3	Vertical	54	2.89	-
5795MHz_TX	Pass	PK	5.8046G	111.87	Inf	-Inf	-2.70	3	Vertical	54	2.89	-
5795MHz_TX	Pass	PK	5.9702G	61.11	68.20	-7.09	-2.40	3	Vertical	54	2.89	-
5795MHz_TX	Pass	AV	5.7986G	83.91	Inf	-Inf	-2.71	3	Horizontal	21	1.02	-
5795MHz_TX	Pass	PK	5.5022G	59.58	68.20	-8.62	-3.03	3	Horizontal	21	1.02	-
5795MHz_TX	Pass	PK	5.7986G	96.16	Inf	-Inf	-2.71	3	Horizontal	21	1.02	-
5795MHz_TX	Pass	PK	5.951G	59.72	68.20	-8.48	-2.41	3	Horizontal	21	1.02	-
5795MHz_TX	Pass	AV	11.58942G	40.45	54.00	-13.55	6.18	3	Vertical	210	1.50	-
5795MHz_TX	Pass	PK	11.59216G	53.56	74.00	-20.44	6.18	3	Vertical	210	1.50	-
5795MHz_TX	Pass	AV	11.5878G	40.44	54.00	-13.56	6.18	3	Horizontal	185	1.50	-
5795MHz_TX	Pass	PK	11.5919G	54.00	74.00	-20.00	6.18	3	Horizontal	185	1.50	-
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz_TX	Pass	AV	5.15G	53.03	54.00	-0.97	-3.11	3	Vertical	15	2.99	-
5190MHz_TX	Pass	AV	5.1944G	99.68	Inf	-Inf	-3.29	3	Vertical	15	2.99	-
5190MHz_TX	Pass	PK	5.1452G	66.85	74.00	-7.15	-3.09	3	Vertical	15	2.99	-
5190MHz_TX	Pass	PK	5.1948G	112.42	Inf	-Inf	-3.29	3	Vertical	15	2.99	-
5190MHz_TX	Pass	AV	5.0932G	47.22	54.00	-6.78	-2.96	3	Horizontal	192	1.01	-
5190MHz_TX	Pass	AV	5.1844G	87.46	Inf	-Inf	-3.24	3	Horizontal	192	1.01	-
5190MHz_TX	Pass	PK	5.1088G	60.04	74.00	-13.96	-2.96	3	Horizontal	192	1.01	-
5190MHz_TX	Pass	PK	5.1944G	99.88	Inf	-Inf	-3.29	3	Horizontal	192	1.01	-
5190MHz_TX	Pass	PK	10.38031G	54.48	68.20	-13.72	5.13	3	Vertical	304	2.15	-
5190MHz_TX	Pass	PK	10.38096G	53.30	68.20	-14.90	5.14	3	Horizontal	193	2.07	-
5230MHz_TX	Pass	AV	5.1452G	47.58	54.00	-6.42	-3.09	3	Vertical	17	2.62	-
5230MHz_TX	Pass	AV	5.2348G	102.77	Inf	-Inf	-3.44	3	Vertical	17	2.62	-
5230MHz_TX	Pass	PK	5.1456G	60.14	74.00	-13.86	-3.09	3	Vertical	17	2.62	-
5230MHz_TX	Pass	PK	5.2256G	114.95	Inf	-Inf	-3.39	3	Vertical	17	2.62	-
5230MHz_TX	Pass	AV	5.1384G	46.50	54.00	-7.50	-3.07	3	Horizontal	329	1.03	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5230MHz_TX	Pass	AV	5.2328G	88.46	Inf	-Inf	-3.43	3	Horizontal	329	1.03	-
5230MHz_TX	Pass	PK	5.1332G	59.15	74.00	-14.85	-3.05	3	Horizontal	329	1.03	-
5230MHz_TX	Pass	PK	5.2324G	101.45	Inf	-Inf	-3.43	3	Horizontal	329	1.03	-
5230MHz_TX	Pass	PK	10.45955G	53.62	68.20	-14.58	5.22	3	Vertical	306	2.11	-
5230MHz_TX	Pass	PK	10.45773G	53.32	68.20	-14.88	5.22	3	Horizontal	75	1.79	-
5755MHz_TX	Pass	AV	5.7598G	103.48	Inf	-Inf	-2.83	3	Vertical	28	2.99	-
5755MHz_TX	Pass	PK	5.5066G	59.40	68.20	-8.80	-3.03	3	Vertical	28	2.99	-
5755MHz_TX	Pass	PK	5.761G	114.29	Inf	-Inf	-2.83	3	Vertical	28	2.99	-
5755MHz_TX	Pass	PK	5.9614G	59.70	68.20	-8.50	-2.40	3	Vertical	28	2.99	-
5755MHz_TX	Pass	AV	5.7502G	89.26	Inf	-Inf	-2.87	3	Horizontal	164	1.01	-
5755MHz_TX	Pass	PK	5.5894G	59.44	68.20	-8.76	-3.20	3	Horizontal	164	1.01	-
5755MHz_TX	Pass	PK	5.761G	100.45	Inf	-Inf	-2.83	3	Horizontal	164	1.01	-
5755MHz_TX	Pass	PK	5.9338G	60.01	68.20	-8.19	-2.40	3	Horizontal	164	1.01	-
5755MHz_TX	Pass	AV	11.51175G	40.64	54.00	-13.36	6.13	3	Vertical	322	2.09	-
5755MHz_TX	Pass	PK	11.51104G	53.83	74.00	-20.17	6.14	3	Vertical	322	2.09	-
5755MHz_TX	Pass	AV	11.51137G	40.43	54.00	-13.57	6.14	3	Horizontal	325	1.50	-
5755MHz_TX	Pass	PK	11.512G	53.97	74.00	-20.03	6.13	3	Horizontal	325	1.50	-
5795MHz_TX	Pass	AV	5.7938G	103.31	Inf	-Inf	-2.74	3	Vertical	35	2.56	-
5795MHz_TX	Pass	PK	5.6354G	59.27	68.20	-8.93	-3.15	3	Vertical	35	2.56	-
5795MHz_TX	Pass	PK	5.7938G	114.86	Inf	-Inf	-2.74	3	Vertical	35	2.56	-
5795MHz_TX	Pass	PK	5.933G	59.55	68.20	-8.65	-2.40	3	Vertical	35	2.56	-
5795MHz_TX	Pass	AV	5.7938G	89.74	Inf	-Inf	-2.74	3	Horizontal	328	1.01	-
5795MHz_TX	Pass	PK	5.5622G	59.18	68.20	-9.02	-3.14	3	Horizontal	328	1.01	-
5795MHz_TX	Pass	PK	5.7938G	100.33	Inf	-Inf	-2.74	3	Horizontal	328	1.01	-
5795MHz_TX	Pass	PK	5.9582G	60.19	68.20	-8.01	-2.40	3	Horizontal	328	1.01	-
5795MHz_TX	Pass	AV	11.59014G	40.57	54.00	-13.43	6.18	3	Vertical	327	1.50	-
5795MHz_TX	Pass	PK	11.59018G	54.26	74.00	-19.74	6.18	3	Vertical	327	1.50	-
5795MHz_TX	Pass	AV	11.58801G	40.41	54.00	-13.59	6.18	3	Horizontal	16	1.50	-
5795MHz_TX	Pass	PK	11.58988G	53.43	74.00	-20.57	6.18	3	Horizontal	16	1.50	-
802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz_TX	Pass	AV	5.149G	53.21	54.00	-0.79	-3.11	3	Vertical	8	2.62	-
5210MHz_TX	Pass	AV	5.218G	94.09	Inf	-Inf	-3.37	3	Vertical	8	2.62	-
5210MHz_TX	Pass	AV	5.376G	46.28	54.00	-7.72	-3.43	3	Vertical	8	2.62	-
5210MHz_TX	Pass	PK	5.15G	69.27	74.00	-4.73	-3.11	3	Vertical	8	2.62	-
5210MHz_TX	Pass	PK	5.217G	106.75	Inf	-Inf	-3.37	3	Vertical	8	2.62	-
5210MHz_TX	Pass	PK	5.453G	58.87	74.00	-15.13	-3.18	3	Vertical	8	2.62	-
5210MHz_TX	Pass	AV	5.104G	46.96	54.00	-7.04	-2.94	3	Horizontal	320	1.02	-
5210MHz_TX	Pass	AV	5.212G	79.92	Inf	-Inf	-3.35	3	Horizontal	320	1.02	-
5210MHz_TX	Pass	AV	5.446G	46.17	54.00	-7.83	-3.20	3	Horizontal	320	1.02	-
5210MHz_TX	Pass	PK	5.083G	59.88	74.00	-14.12	-3.02	3	Horizontal	320	1.02	-
5210MHz_TX	Pass	PK	5.224G	92.90	Inf	-Inf	-3.39	3	Horizontal	320	1.02	-
5210MHz_TX	Pass	PK	5.368G	58.72	74.00	-15.28	-3.46	3	Horizontal	320	1.02	-
5210MHz_TX	Pass	PK	10.42027G	53.37	68.20	-14.83	5.18	3	Vertical	304	2.20	-
5210MHz_TX	Pass	PK	10.42238G	53.69	68.20	-14.51	5.18	3	Horizontal	318	2.15	-
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz_TX	Pass	AV	5.15G	53.34	54.00	-0.66	-3.11	3	Vertical	50	2.99	-
5210MHz_TX	Pass	AV	5.212G	93.10	Inf	-Inf	-3.35	3	Vertical	50	2.99	-
5210MHz_TX	Pass	AV	5.35G	46.21	54.00	-7.79	-3.52	3	Vertical	50	2.99	-
5210MHz_TX	Pass	PK	5.15G	69.26	74.00	-4.74	-3.11	3	Vertical	50	2.99	-


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5210MHz_TX	Pass	PK	5.221G	105.14	Inf	-Inf	-3.38	3	Vertical	50	2.99	-
5210MHz_TX	Pass	PK	5.36G	58.84	74.00	-15.16	-3.48	3	Vertical	50	2.99	-
5210MHz_TX	Pass	AV	5.15G	47.41	54.00	-6.59	-3.11	3	Horizontal	46	2.81	-
5210MHz_TX	Pass	AV	5.2G	82.62	Inf	-Inf	-3.30	3	Horizontal	46	2.81	-
5210MHz_TX	Pass	AV	5.447G	46.09	54.00	-7.91	-3.20	3	Horizontal	46	2.81	-
5210MHz_TX	Pass	PK	5.068G	60.92	74.00	-13.08	-3.09	3	Horizontal	46	2.81	-
5210MHz_TX	Pass	PK	5.204G	95.22	Inf	-Inf	-3.32	3	Horizontal	46	2.81	-
5210MHz_TX	Pass	PK	5.391G	58.57	74.00	-15.43	-3.39	3	Horizontal	46	2.81	-
5210MHz_TX	Pass	PK	10.41968G	53.80	68.20	-14.40	5.18	3	Vertical	301	2.13	-
5210MHz_TX	Pass	PK	10.41961G	54.49	68.20	-13.71	5.18	3	Horizontal	250	2.36	-
802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz_TX	Pass	AV	5.7786G	97.58	Inf	-Inf	-2.78	3	Vertical	13	2.81	-
5775MHz_TX	Pass	PK	5.6478G	65.22	68.20	-2.98	-3.12	3	Vertical	13	2.81	-
5775MHz_TX	Pass	PK	5.7738G	109.95	Inf	-Inf	-2.79	3	Vertical	13	2.81	-
5775MHz_TX	Pass	PK	5.9322G	64.76	68.20	-3.44	-2.40	3	Vertical	13	2.81	-
5775MHz_TX	Pass	AV	5.7654G	84.74	Inf	-Inf	-2.82	3	Horizontal	326	1.01	-
5775MHz_TX	Pass	PK	5.6478G	60.16	68.20	-8.04	-3.12	3	Horizontal	326	1.01	-
5775MHz_TX	Pass	PK	5.7546G	97.45	Inf	-Inf	-2.86	3	Horizontal	326	1.01	-
5775MHz_TX	Pass	PK	5.9466G	61.30	68.20	-6.90	-2.40	3	Horizontal	326	1.01	-
5775MHz_TX	Pass	AV	11.55223G	40.30	54.00	-13.70	6.15	3	Vertical	14	1.50	-
5775MHz_TX	Pass	PK	11.54992G	54.11	74.00	-19.89	6.16	3	Vertical	14	1.50	-
5775MHz_TX	Pass	AV	11.55196G	40.29	54.00	-13.71	6.15	3	Horizontal	152	1.50	-
5775MHz_TX	Pass	PK	11.5497G	53.82	74.00	-20.18	6.16	3	Horizontal	152	1.50	-
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz_TX	Pass	AV	5.7774G	96.17	Inf	-Inf	-2.78	3	Vertical	64	2.38	-
5775MHz_TX	Pass	PK	5.637G	62.33	68.20	-5.87	-3.16	3	Vertical	64	2.38	-
5775MHz_TX	Pass	PK	5.7738G	109.32	Inf	-Inf	-2.79	3	Vertical	64	2.38	-
5775MHz_TX	Pass	PK	5.9358G	61.90	68.20	-6.30	-2.41	3	Vertical	64	2.38	-
5775MHz_TX	Pass	AV	5.7738G	81.75	Inf	-Inf	-2.79	3	Horizontal	28	1.01	-
5775MHz_TX	Pass	PK	5.6502G	59.54	68.35	-8.81	-3.13	3	Horizontal	28	1.01	-
5775MHz_TX	Pass	PK	5.7714G	95.08	Inf	-Inf	-2.80	3	Horizontal	28	1.01	-
5775MHz_TX	Pass	PK	5.9382G	60.08	68.20	-8.12	-2.41	3	Horizontal	28	1.01	-
5775MHz_TX	Pass	AV	11.54942G	40.32	54.00	-13.68	6.16	3	Vertical	250	1.50	-
5775MHz_TX	Pass	PK	11.55079G	53.52	74.00	-20.48	6.15	3	Vertical	250	1.50	-
5775MHz_TX	Pass	AV	11.54896G	40.37	54.00	-13.63	6.16	3	Horizontal	44	2.37	-
5775MHz_TX	Pass	PK	11.55146G	53.68	74.00	-20.32	6.15	3	Horizontal	44	2.37	-
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz_TX	Pass	AV	5.144G	53.12	54.00	-0.88	-3.09	3	Vertical	19	2.92	-
5210MHz_TX	Pass	AV	5.215G	96.64	Inf	-Inf	-3.36	3	Vertical	19	2.92	-
5210MHz_TX	Pass	AV	5.376G	46.59	54.00	-7.41	-3.43	3	Vertical	19	2.92	-
5210MHz_TX	Pass	PK	5.145G	63.90	74.00	-10.10	-3.09	3	Vertical	19	2.92	-
5210MHz_TX	Pass	PK	5.215G	108.73	Inf	-Inf	-3.36	3	Vertical	19	2.92	-
5210MHz_TX	Pass	PK	5.435G	57.73	74.00	-16.27	-3.24	3	Vertical	19	2.92	-
5210MHz_TX	Pass	AV	5.118G	46.86	54.00	-7.14	-2.99	3	Horizontal	324	1.08	-
5210MHz_TX	Pass	AV	5.213G	82.09	Inf	-Inf	-3.35	3	Horizontal	324	1.08	-
5210MHz_TX	Pass	AV	5.457G	46.34	54.00	-7.66	-3.17	3	Horizontal	324	1.08	-
5210MHz_TX	Pass	PK	5.056G	60.06	74.00	-13.94	-3.16	3	Horizontal	324	1.08	-
5210MHz_TX	Pass	PK	5.213G	94.12	Inf	-Inf	-3.35	3	Horizontal	324	1.08	-
5210MHz_TX	Pass	PK	5.441G	58.15	74.00	-15.85	-3.22	3	Horizontal	324	1.08	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5210MHz_TX	Pass	PK	10.4215G	54.04	68.20	-14.16	5.18	3	Vertical	304	2.13	-
5210MHz_TX	Pass	PK	10.42031G	53.40	68.20	-14.80	5.18	3	Horizontal	317	2.04	-
5775MHz_TX	Pass	AV	5.7654G	101.96	Inf	-Inf	-2.82	3	Vertical	23	2.59	-
5775MHz_TX	Pass	PK	5.6454G	67.84	68.20	-0.36	-3.13	3	Vertical	23	2.59	-
5775MHz_TX	Pass	PK	5.7846G	113.26	Inf	-Inf	-2.76	3	Vertical	23	2.59	-
5775MHz_TX	Pass	PK	5.925G	65.97	68.20	-2.23	-2.41	3	Vertical	23	2.59	-
5775MHz_TX	Pass	AV	5.7654G	85.34	Inf	-Inf	-2.82	3	Horizontal	164	1.04	-
5775MHz_TX	Pass	PK	5.505G	59.95	68.20	-8.25	-3.04	3	Horizontal	164	1.04	-
5775MHz_TX	Pass	PK	5.7666G	97.54	Inf	-Inf	-2.82	3	Horizontal	164	1.04	-
5775MHz_TX	Pass	PK	5.943G	60.13	68.20	-8.07	-2.40	3	Horizontal	164	1.04	-
5775MHz_TX	Pass	AV	11.5523G	40.40	54.00	-13.60	6.15	3	Vertical	14	2.79	-
5775MHz_TX	Pass	PK	11.55209G	54.33	74.00	-19.67	6.15	3	Vertical	14	2.79	-
5775MHz_TX	Pass	AV	11.55127G	40.29	54.00	-13.71	6.15	3	Horizontal	204	1.50	-
5775MHz_TX	Pass	PK	11.54763G	54.92	74.00	-19.08	6.16	3	Horizontal	204	1.50	-

802.11a_Nss1,(6Mbps)_1TX(Port1)

22/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.46	54.00	-4.54	-3.11	3	Vertical	0	2.97	-	52.57	31.80	6.77	41.68
AV	5.183G	95.70	Inf	-Inf	-3.23	3	Vertical	0	2.97	-	98.93	31.67	6.80	41.70
PK	5.1472G	63.81	74.00	-10.19	-3.10	3	Vertical	0	2.97	-	66.91	31.81	6.77	41.68
PK	5.1764G	110.76	Inf	-Inf	-3.22	3	Vertical	0	2.97	-	113.98	31.69	6.79	41.70

802.11a_Nss1,(6Mbps)_1TX(Port1)

22/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	46.25	54.00	-7.75	-3.11	3	Horizontal	318	1.03	-	49.36	31.80	6.77	41.68
AV	5.183G	82.51	Inf	-Inf	-3.23	3	Horizontal	318	1.03	-	85.74	31.67	6.80	41.70
PK	5.139G	59.30	74.00	-14.70	-3.08	3	Horizontal	318	1.03	-	62.38	31.84	6.76	41.68
PK	5.1818G	95.72	Inf	-Inf	-3.24	3	Horizontal	318	1.03	-	98.96	31.67	6.79	41.70

802.11a_Nss1,(6Mbps)_1TX(Port1)

22/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35988G	53.95	68.20	-14.25	5.12	3	Vertical	231	2.97	-	48.83	39.37	9.81	44.06

802.11a_Nss1,(6Mbps)_1TX(Port1)

22/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.3453G	54.52	68.20	-13.68	5.10	3	Horizontal	278	2.08	-	49.42	39.35	9.81	44.06

802.11a_Nss1,(6Mbps)_1TX(Port1)

22/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	47.66	54.00	-6.34	-3.10	3	Vertical	9	2.68	-	50.76	31.81	6.77	41.68
AV	5.2032G	102.41	Inf	-Inf	-3.31	3	Vertical	9	2.68	-	105.72	31.59	6.81	41.71
PK	5.116G	59.81	74.00	-14.19	-2.98	3	Vertical	9	2.68	-	62.79	31.94	6.75	41.67
PK	5.2024G	113.32	Inf	-Inf	-3.31	3	Vertical	9	2.68	-	116.63	31.59	6.81	41.71

802.11a_Nss1,(6Mbps)_1TX(Port1)

22/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1316G	47.56	54.00	-6.44	-3.05	3	Horizontal	316	1.01	-	50.61	31.87	6.76	41.68
AV	5.2032G	88.48	Inf	-Inf	-3.31	3	Horizontal	316	1.01	-	91.79	31.59	6.81	41.71
PK	5.1492G	60.34	74.00	-13.66	-3.11	3	Horizontal	316	1.01	-	63.45	31.80	6.77	41.68
PK	5.1964G	98.03	Inf	-Inf	-3.29	3	Horizontal	316	1.01	-	101.32	31.61	6.81	41.71

802.11a_Nss1,(6Mbps)_1TX(Port1)

23/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38746G	53.16	68.20	-15.04	5.14	3	Vertical	23	1.50	-	48.02	39.40	9.80	44.06

802.11a_Nss1,(6Mbps)_1TX(Port1)

23/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38728G	53.35	68.20	-14.85	5.14	3	Horizontal	244	2.66	-	48.21	39.40	9.80	44.06

802.11a_Nss1,(6Mbps)_1TX(Port1)

22/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0996G	47.71	54.00	-6.29	-2.93	3	Vertical	8	2.95	-	50.64	32.00	6.73	41.66
AV	5.2424G	103.09	Inf	-Inf	-3.46	3	Vertical	8	2.95	-	106.55	31.43	6.84	41.73
AV	5.3552G	46.73	54.00	-7.27	-3.50	3	Vertical	8	2.95	-	50.23	31.37	6.92	41.79
PK	5.1002G	59.95	74.00	-14.05	-2.93	3	Vertical	8	2.95	-	62.88	32.00	6.73	41.66
PK	5.2424G	113.48	Inf	-Inf	-3.46	3	Vertical	8	2.95	-	116.94	31.43	6.84	41.73
PK	5.3546G	58.90	74.00	-15.10	-3.51	3	Vertical	8	2.95	-	62.41	31.36	6.92	41.79

802.11a_Nss1,(6Mbps)_1TX(Port1)

22/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.09G	47.61	54.00	-6.39	-2.98	3	Horizontal	320	1.02	-	50.59	31.95	6.73	41.66
AV	5.243G	89.01	Inf	-Inf	-3.46	3	Horizontal	320	1.02	-	92.47	31.43	6.84	41.73
AV	5.3804G	46.70	54.00	-7.30	-3.42	3	Horizontal	320	1.02	-	50.12	31.44	6.94	41.80
PK	5.1032G	60.24	74.00	-13.76	-2.93	3	Horizontal	320	1.02	-	63.17	31.99	6.74	41.66
PK	5.2442G	99.38	Inf	-Inf	-3.47	3	Horizontal	320	1.02	-	102.85	31.42	6.84	41.73
PK	5.3822G	58.69	74.00	-15.31	-3.41	3	Horizontal	320	1.02	-	62.10	31.45	6.94	41.80

802.11a_Nss1,(6Mbps)_1TX(Port1)

23/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48072G	53.38	68.20	-14.82	5.24	3	Vertical	315	2.17	-	48.14	39.52	9.78	44.06

802.11a_Nss1,(6Mbps)_1TX(Port1)

23/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47268G	52.85	68.20	-15.35	5.23	3	Horizontal	53	1.50	-	47.62	39.51	9.78	44.06

802.11a_Nss1,(6Mbps)_1TX(Port2)

22/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.53	54.00	-3.47	-3.11	3	Vertical	44	2.73	-	53.64	31.80	6.77	41.68
AV	5.1832G	100.74	Inf	-Inf	-3.23	3	Vertical	44	2.73	-	103.97	31.67	6.80	41.70
PK	5.1498G	64.83	74.00	-9.17	-3.11	3	Vertical	44	2.73	-	67.94	31.80	6.77	41.68
PK	5.1762G	109.71	Inf	-Inf	-3.21	3	Vertical	44	2.73	-	112.92	31.70	6.79	41.70

802.11a_Nss1,(6Mbps)_1TX(Port2)

22/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1474G	47.74	54.00	-6.26	-3.10	3	Horizontal	50	1.01	-	50.84	31.81	6.77	41.68
AV	5.1826G	88.68	Inf	-Inf	-3.23	3	Horizontal	50	1.01	-	91.91	31.67	6.80	41.70
PK	5.1302G	59.77	74.00	-14.23	-3.04	3	Horizontal	50	1.01	-	62.81	31.88	6.76	41.68
PK	5.184G	97.91	Inf	-Inf	-3.24	3	Horizontal	50	1.01	-	101.15	31.66	6.80	41.70

802.11a_Nss1,(6Mbps)_1TX(Port2)

24/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.34758G	53.11	68.20	-15.09	5.10	3	Vertical	252	1.50	-	48.01	39.35	9.81	44.06

802.11a_Nss1,(6Mbps)_1TX(Port2)

24/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35646G	52.94	68.20	-15.26	5.11	3	Horizontal	30	1.90	-	47.83	39.36	9.81	44.06

802.11a_Nss1,(6Mbps)_1TX(Port2)

22/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1004G	47.84	54.00	-6.16	-2.93	3	Vertical	45	2.72	-	50.77	32.00	6.73	41.66
AV	5.202G	100.90	Inf	-Inf	-3.31	3	Vertical	45	2.72	-	104.21	31.59	6.81	41.71
PK	5.1316G	60.97	74.00	-13.03	-3.05	3	Vertical	45	2.72	-	64.02	31.87	6.76	41.68
PK	5.204G	110.04	Inf	-Inf	-3.32	3	Vertical	45	2.72	-	113.36	31.58	6.81	41.71

802.11a_Nss1,(6Mbps)_1TX(Port2)

22/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.102G	47.66	54.00	-6.34	-2.93	3	Horizontal	46	2.81	-	50.59	31.99	6.74	41.66
AV	5.2032G	89.99	Inf	-Inf	-3.31	3	Horizontal	46	2.81	-	93.30	31.59	6.81	41.71
PK	5.138G	59.93	74.00	-14.07	-3.07	3	Horizontal	46	2.81	-	63.00	31.85	6.76	41.68
PK	5.1984G	99.31	Inf	-Inf	-3.29	3	Horizontal	46	2.81	-	102.60	31.61	6.81	41.71

802.11a_Nss1,(6Mbps)_1TX(Port2)

24/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.3955G	53.58	68.20	-14.62	5.15	3	Vertical	169	1.14	-	48.43	39.41	9.80	44.06

802.11a_Nss1,(6Mbps)_1TX(Port2)

24/06/2019

5200MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.39196G	52.99	68.20	-15.21	5.15	3	Horizontal	2	1.91	-	47.84	39.41	9.80	44.06

802.11a_Nss1,(6Mbps)_1TX(Port2)

22/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.093G	47.81	54.00	-6.19	-2.97	3	Vertical	47	2.54	-	50.78	31.96	6.73	41.66
AV	5.243G	100.66	Inf	-Inf	-3.46	3	Vertical	47	2.54	-	104.12	31.43	6.84	41.73
AV	5.3726G	46.78	54.00	-7.22	-3.44	3	Vertical	47	2.54	-	50.22	31.42	6.94	41.80
PK	5.1404G	60.35	74.00	-13.65	-3.08	3	Vertical	47	2.54	-	63.43	31.84	6.76	41.68
PK	5.2454G	109.74	Inf	-Inf	-3.47	3	Vertical	47	2.54	-	113.21	31.42	6.84	41.73
PK	5.3588G	58.60	74.00	-15.40	-3.48	3	Vertical	47	2.54	-	62.08	31.38	6.93	41.79

802.11a_Nss1,(6Mbps)_1TX(Port2)

22/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1002G	47.67	54.00	-6.33	-2.93	3	Horizontal	50	1.49	-	50.60	32.00	6.73	41.66
AV	5.243G	85.78	Inf	-Inf	-3.46	3	Horizontal	50	1.49	-	89.24	31.43	6.84	41.73
AV	5.3672G	46.92	54.00	-7.08	-3.46	3	Horizontal	50	1.49	-	50.38	31.40	6.93	41.79
PK	5.0966G	60.27	74.00	-13.73	-2.95	3	Horizontal	50	1.49	-	63.22	31.98	6.73	41.66
PK	5.2442G	94.77	Inf	-Inf	-3.47	3	Horizontal	50	1.49	-	98.24	31.42	6.84	41.73
PK	5.3798G	58.65	74.00	-15.35	-3.42	3	Horizontal	50	1.49	-	62.07	31.44	6.94	41.80

802.11a_Nss1,(6Mbps)_1TX(Port2)

24/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.482G	53.48	68.20	-14.72	5.24	3	Vertical	333	1.44	-	48.24	39.53	9.77	44.06

802.11a_Nss1,(6Mbps)_1TX(Port2)

24/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48062G	53.59	68.20	-14.61	5.24	3	Horizontal	14	1.97	-	48.35	39.52	9.78	44.06

802.11a_Nss1,(6Mbps)_1TX(Port1)

22/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7486G	103.67	Inf	-Inf	-2.86	3	Vertical	11	2.90	-	106.53	31.95	7.22	42.03
PK	5.5242G	59.75	68.20	-8.45	-3.08	3	Vertical	11	2.90	-	62.83	31.75	7.05	41.88
PK	5.7474G	112.89	Inf	-Inf	-2.87	3	Vertical	11	2.90	-	115.76	31.94	7.22	42.03
PK	5.9826G	60.42	68.20	-7.78	-2.40	3	Vertical	11	2.90	-	62.82	32.40	7.40	42.20

802.11a_Nss1,(6Mbps)_1TX(Port1)

22/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7486G	88.32	Inf	-Inf	-2.86	3	Horizontal	166	1.01	-	91.18	31.95	7.22	42.03
PK	5.4726G	59.60	68.20	-8.60	-3.12	3	Horizontal	166	1.01	-	62.72	31.72	7.01	41.85
PK	5.7402G	97.80	Inf	-Inf	-2.90	3	Horizontal	166	1.01	-	100.70	31.92	7.21	42.03
PK	5.985G	61.08	68.20	-7.12	-2.40	3	Horizontal	166	1.01	-	63.48	32.40	7.40	42.20

802.11a_Nss1,(6Mbps)_1TX(Port1)

24/06/2019

5745MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48754G	41.01	54.00	-12.99	6.14	3	Vertical	231	2.02	-	34.87	39.57	10.35	43.78
PK	11.49684G	53.96	74.00	-20.04	6.13	3	Vertical	231	2.02	-	47.83	39.55	10.36	43.78

802.11a_Nss1,(6Mbps)_1TX(Port1)

24/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49066G	41.18	54.00	-12.82	6.13	3	Horizontal	148	1.88	-	35.05	39.56	10.35	43.78
PK	11.48604G	53.63	74.00	-20.37	6.14	3	Horizontal	148	1.88	-	47.49	39.57	10.35	43.78

802.11a_Nss1,(6Mbps)_1TX(Port1)

22/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7886G	103.63	Inf	-Inf	-2.74	3	Vertical	1	2.97	-	106.37	32.07	7.25	42.06
PK	5.5894G	59.41	68.20	-8.79	-3.20	3	Vertical	1	2.97	-	62.61	31.62	7.10	41.92
PK	5.7886G	112.58	Inf	-Inf	-2.74	3	Vertical	1	2.97	-	115.32	32.07	7.25	42.06
PK	5.983G	60.54	68.20	-7.66	-2.40	3	Vertical	1	2.97	-	62.94	32.40	7.40	42.20

802.11a_Nss1,(6Mbps)_1TX(Port1)

22/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	91.01	Inf	-Inf	-2.75	3	Horizontal	324	1.01	-	93.76	32.06	7.25	42.06
PK	5.593G	59.64	68.20	-8.56	-3.22	3	Horizontal	324	1.01	-	62.86	31.61	7.10	41.93
PK	5.7886G	99.83	Inf	-Inf	-2.74	3	Horizontal	324	1.01	-	102.57	32.07	7.25	42.06
PK	5.983G	60.62	68.20	-7.58	-2.40	3	Horizontal	324	1.01	-	63.02	32.40	7.40	42.20

802.11a_Nss1,(6Mbps)_1TX(Port1)

24/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57174G	40.96	54.00	-13.04	6.17	3	Vertical	193	2.16	-	34.79	39.46	10.44	43.73
PK	11.57348G	53.87	74.00	-20.13	6.17	3	Vertical	193	2.16	-	47.70	39.45	10.45	43.73

802.11a_Nss1,(6Mbps)_1TX(Port1)

24/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58392G	40.86	54.00	-13.14	6.17	3	Horizontal	66	1.46	-	34.69	39.44	10.46	43.73
PK	11.57474G	53.63	74.00	-20.37	6.17	3	Horizontal	66	1.46	-	47.46	39.45	10.45	43.73

802.11a_Nss1,(6Mbps)_1TX(Port1)

22/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	102.73	Inf	-Inf	-2.64	3	Vertical	355	2.77	-	105.37	32.17	7.28	42.09
PK	5.6198G	59.74	68.20	-8.46	-3.18	3	Vertical	355	2.77	-	62.92	31.64	7.12	41.94
PK	5.8286G	111.89	Inf	-Inf	-2.62	3	Vertical	355	2.77	-	114.51	32.19	7.28	42.09
PK	5.9354G	60.95	68.20	-7.25	-2.40	3	Vertical	355	2.77	-	63.35	32.40	7.36	42.16

802.11a_Nss1,(6Mbps)_1TX(Port1)

22/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	87.83	Inf	-Inf	-2.62	3	Horizontal	164	1.30	-	90.45	32.19	7.28	42.09
PK	5.6402G	59.83	68.20	-8.37	-3.14	3	Horizontal	164	1.30	-	62.97	31.68	7.14	41.96
PK	5.8286G	96.87	Inf	-Inf	-2.62	3	Horizontal	164	1.30	-	99.49	32.19	7.28	42.09
PK	5.9342G	60.34	68.20	-7.86	-2.40	3	Horizontal	164	1.30	-	62.74	32.40	7.36	42.16

802.11a_Nss1,(6Mbps)_1TX(Port1)

24/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65596G	40.53	54.00	-13.47	6.21	3	Vertical	210	1.32	-	34.32	39.35	10.54	43.68
PK	11.65236G	53.26	74.00	-20.74	6.21	3	Vertical	210	1.32	-	47.05	39.35	10.54	43.68

802.11a_Nss1,(6Mbps)_1TX(Port1)

24/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.63716G	40.47	54.00	-13.53	6.20	3	Horizontal	309	1.78	-	34.27	39.37	10.52	43.69
PK	11.63572G	53.23	74.00	-20.77	6.20	3	Horizontal	309	1.78	-	47.03	39.37	10.52	43.69

802.11a_Nss1,(6Mbps)_1TX(Port2)

23/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	102.29	Inf	-Inf	-2.87	3	Vertical	64	2.42	-	105.16	31.94	7.22	42.03
PK	5.6334G	59.97	68.20	-8.23	-3.15	3	Vertical	64	2.42	-	63.12	31.67	7.13	41.95
PK	5.7498G	110.98	Inf	-Inf	-2.86	3	Vertical	64	2.42	-	113.84	31.95	7.22	42.03
PK	5.9826G	60.90	68.20	-7.30	-2.40	3	Vertical	64	2.42	-	63.30	32.40	7.40	42.20

802.11a_Nss1,(6Mbps)_1TX(Port2)

23/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	87.77	Inf	-Inf	-2.89	3	Horizontal	187	1.19	-	90.66	31.93	7.21	42.03
PK	5.6046G	59.70	68.20	-8.50	-3.21	3	Horizontal	187	1.19	-	62.91	31.61	7.11	41.93
PK	5.739G	97.01	Inf	-Inf	-2.90	3	Horizontal	187	1.19	-	99.91	31.92	7.21	42.03
PK	5.9262G	60.20	68.20	-8.00	-2.41	3	Horizontal	187	1.19	-	62.61	32.40	7.35	42.16

802.11a_Nss1,(6Mbps)_1TX(Port2)

24/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4822G	41.30	54.00	-12.70	6.14	3	Vertical	209	1.56	-	35.16	39.57	10.35	43.78
PK	11.50146G	54.13	74.00	-19.87	6.13	3	Vertical	209	1.56	-	48.00	39.55	10.36	43.78

802.11a_Nss1,(6Mbps)_1TX(Port2)

24/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49114G	41.25	54.00	-12.75	6.13	3	Horizontal	135	2.24	-	35.12	39.56	10.35	43.78
PK	11.48838G	53.84	74.00	-20.16	6.14	3	Horizontal	135	2.24	-	47.70	39.57	10.35	43.78

802.11a_Nss1,(6Mbps)_1TX(Port2)

23/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	102.81	Inf	-Inf	-2.77	3	Vertical	56	2.88	-	105.58	32.05	7.24	42.06
PK	5.521G	59.56	68.20	-8.64	-3.06	3	Vertical	56	2.88	-	62.62	31.76	7.05	41.87
PK	5.7814G	111.77	Inf	-Inf	-2.78	3	Vertical	56	2.88	-	114.55	32.04	7.24	42.06
PK	5.9878G	60.15	68.20	-8.05	-2.40	3	Vertical	56	2.88	-	62.55	32.40	7.40	42.20

802.11a_Nss1,(6Mbps)_1TX(Port2)

23/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	84.16	Inf	-Inf	-2.77	3	Horizontal	190	1.50	-	86.93	32.05	7.24	42.06
PK	5.5354G	59.53	68.20	-8.67	-3.09	3	Horizontal	190	1.50	-	62.62	31.73	7.06	41.88
PK	5.7826G	93.04	Inf	-Inf	-2.77	3	Horizontal	190	1.50	-	95.81	32.05	7.24	42.06
PK	5.9422G	60.23	68.20	-7.97	-2.40	3	Horizontal	190	1.50	-	62.63	32.40	7.37	42.17

802.11a_Nss1,(6Mbps)_1TX(Port2)

24/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58002G	40.77	54.00	-13.23	6.17	3	Vertical	110	1.93	-	34.60	39.45	10.45	43.73
PK	11.57636G	53.24	74.00	-20.76	6.17	3	Vertical	110	1.93	-	47.07	39.45	10.45	43.73

802.11a_Nss1,(6Mbps)_1TX(Port2)

24/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57762G	40.96	54.00	-13.04	6.17	3	Horizontal	58	1.02	-	34.79	39.45	10.45	43.73
PK	11.57528G	53.50	74.00	-20.50	6.17	3	Horizontal	58	1.02	-	47.33	39.45	10.45	43.73

802.11a_Nss1,(6Mbps)_1TX(Port2)

23/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	103.16	Inf	-Inf	-2.63	3	Vertical	55	2.99	-	105.79	32.18	7.28	42.09
PK	5.543G	59.71	68.20	-8.49	-3.12	3	Vertical	55	2.99	-	62.83	31.71	7.06	41.89
PK	5.8298G	111.99	Inf	-Inf	-2.62	3	Vertical	55	2.99	-	114.61	32.19	7.28	42.09
PK	5.9378G	60.74	68.20	-7.46	-2.41	3	Vertical	55	2.99	-	63.15	32.40	7.36	42.17

802.11a_Nss1,(6Mbps)_1TX(Port2)

23/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	86.87	Inf	-Inf	-2.62	3	Horizontal	332	1.01	-	89.49	32.19	7.28	42.09
PK	5.6354G	60.23	68.20	-7.97	-3.15	3	Horizontal	332	1.01	-	63.38	31.67	7.13	41.95
PK	5.8214G	95.72	Inf	-Inf	-2.65	3	Horizontal	332	1.01	-	98.37	32.16	7.27	42.08
PK	5.9594G	59.98	68.20	-8.22	-2.40	3	Horizontal	332	1.01	-	62.38	32.40	7.38	42.18

802.11a_Nss1,(6Mbps)_1TX(Port2)

24/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Factor	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	11.63944G	40.46	54.00	-13.54	6.20	3	Vertical	90	1.72	-	34.26	39.37	10.52	43.69
PK	11.64514G	53.31	74.00	-20.69	6.20	3	Vertical	90	1.72	-	47.11	39.36	10.53	43.69

802.11a_Nss1,(6Mbps)_1TX(Port2)

24/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.63674G	40.55	54.00	-13.45	6.20	3	Horizontal	303	1.13	-	34.35	39.37	10.52	43.69
PK	11.6401G	53.39	74.00	-20.61	6.21	3	Horizontal	303	1.13	-	47.18	39.37	10.53	43.69

802.11a_Nss1,(6Mbps)_2TX

26/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	51.61	54.00	-2.39	-3.10	3	Vertical	106	2.89	-	54.71	31.81	6.77	41.68
AV	5.1776G	104.47	Inf	-Inf	-3.22	3	Vertical	106	2.89	-	107.69	31.69	6.79	41.70
PK	5.1474G	65.72	74.00	-8.28	-3.10	3	Vertical	106	2.89	-	68.82	31.81	6.77	41.68
PK	5.1776G	113.99	Inf	-Inf	-3.22	3	Vertical	106	2.89	-	117.21	31.69	6.79	41.70

802.11a_Nss1,(6Mbps)_2TX

26/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.59	54.00	-6.41	-3.11	3	Horizontal	144	2.52	-	50.70	31.80	6.77	41.68
AV	5.1766G	92.23	Inf	-Inf	-3.22	3	Horizontal	144	2.52	-	95.45	31.69	6.79	41.70
PK	5.1368G	61.13	74.00	-12.87	-3.07	3	Horizontal	144	2.52	-	64.20	31.85	6.76	41.68
PK	5.1758G	101.66	Inf	-Inf	-3.21	3	Horizontal	144	2.52	-	104.87	31.70	6.79	41.70

802.11a_Nss1,(6Mbps)_2TX

24/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35666G	53.42	68.20	-14.78	5.11	3	Vertical	313	2.17	-	48.31	39.36	9.81	44.06

802.11a_Nss1,(6Mbps)_2TX

24/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36756G	53.07	68.20	-15.13	5.12	3	Horizontal	50	1.58	-	47.95	39.38	9.80	44.06

802.11a_Nss1,(6Mbps)_2TX

23/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1476G	47.52	54.00	-6.48	-3.10	3	Vertical	16	2.69	-	50.62	31.81	6.77	41.68
AV	5.202G	105.29	Inf	-Inf	-3.31	3	Vertical	16	2.69	-	108.60	31.59	6.81	41.71
PK	5.1476G	60.42	74.00	-13.58	-3.10	3	Vertical	16	2.69	-	63.52	31.81	6.77	41.68
PK	5.2024G	114.22	Inf	-Inf	-3.31	3	Vertical	16	2.69	-	117.53	31.59	6.81	41.71

802.11a_Nss1,(6Mbps)_2TX

23/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1032G	47.64	54.00	-6.36	-2.93	3	Horizontal	196	1.01	-	50.57	31.99	6.74	41.66
AV	5.1972G	92.49	Inf	-Inf	-3.29	3	Horizontal	196	1.01	-	95.78	31.61	6.81	41.71
PK	5.1148G	60.61	74.00	-13.39	-2.99	3	Horizontal	196	1.01	-	63.60	31.94	6.74	41.67
PK	5.1976G	101.92	Inf	-Inf	-3.29	3	Horizontal	196	1.01	-	105.21	31.61	6.81	41.71

802.11a_Nss1,(6Mbps)_2TX

24/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39982G	53.48	68.20	-14.72	5.16	3	Vertical	73	1.01	-	48.32	39.42	9.80	44.06

802.11a_Nss1,(6Mbps)_2TX

24/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39928G	53.27	68.20	-14.93	5.16	3	Horizontal	203	1.49	-	48.11	39.42	9.80	44.06

802.11a_Nss1,(6Mbps)_2TX

23/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1062G	47.71	54.00	-6.29	-2.94	3	Vertical	15	2.68	-	50.65	31.98	6.74	41.66
AV	5.2424G	105.48	Inf	-Inf	-3.46	3	Vertical	15	2.68	-	108.94	31.43	6.84	41.73
AV	5.3756G	47.12	54.00	-6.88	-3.43	3	Vertical	15	2.68	-	50.55	31.43	6.94	41.80
PK	5.12G	59.95	74.00	-14.05	-3.00	3	Vertical	15	2.68	-	62.95	31.92	6.75	41.67
PK	5.2424G	114.18	Inf	-Inf	-3.46	3	Vertical	15	2.68	-	117.64	31.43	6.84	41.73
PK	5.3606G	60.01	74.00	-13.99	-3.48	3	Vertical	15	2.68	-	63.49	31.38	6.93	41.79

802.11a_Nss1,(6Mbps)_2TX

23/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0948G	47.78	54.00	-6.22	-2.96	3	Horizontal	194	1.01	-	50.74	31.97	6.73	41.66
AV	5.2424G	93.12	Inf	-Inf	-3.46	3	Horizontal	194	1.01	-	96.58	31.43	6.84	41.73
AV	5.3864G	46.81	54.00	-7.19	-3.39	3	Horizontal	194	1.01	-	50.20	31.46	6.95	41.80
PK	5.1284G	59.64	74.00	-14.36	-3.02	3	Horizontal	194	1.01	-	62.66	31.89	6.76	41.67
PK	5.2376G	102.12	Inf	-Inf	-3.44	3	Horizontal	194	1.01	-	105.56	31.45	6.84	41.73
PK	5.354G	59.13	74.00	-14.87	-3.51	3	Horizontal	194	1.01	-	62.64	31.36	6.92	41.79

802.11a_Nss1,(6Mbps)_2TX

24/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4824G	53.63	68.20	-14.57	5.24	3	Vertical	223	2.40	-	48.39	39.53	9.77	44.06

802.11a_Nss1,(6Mbps)_2TX

24/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47334G	53.58	68.20	-14.62	5.24	3	Horizontal	256	2.41	-	48.34	39.52	9.78	44.06

802.11a_Nss1,(6Mbps)_2TX

23/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	107.15	Inf	-Inf	-2.87	3	Vertical	21	2.87	-	110.02	31.94	7.22	42.03
PK	5.6406G	59.38	68.20	-8.82	-3.14	3	Vertical	21	2.87	-	62.52	31.68	7.14	41.96
PK	5.7426G	115.99	Inf	-Inf	-2.89	3	Vertical	21	2.87	-	118.88	31.93	7.21	42.03
PK	5.9886G	61.72	68.20	-6.48	-2.40	3	Vertical	21	2.87	-	64.12	32.40	7.40	42.20

802.11a_Nss1,(6Mbps)_2TX

23/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7486G	93.48	Inf	-Inf	-2.86	3	Horizontal	187	1.14	-	96.34	31.95	7.22	42.03
PK	5.5662G	59.38	68.20	-8.82	-3.16	3	Horizontal	187	1.14	-	62.54	31.67	7.08	41.91
PK	5.7474G	102.37	Inf	-Inf	-2.87	3	Horizontal	187	1.14	-	105.24	31.94	7.22	42.03
PK	5.9838G	59.96	68.20	-8.24	-2.40	3	Horizontal	187	1.14	-	62.36	32.40	7.40	42.20

802.11a_Nss1,(6Mbps)_2TX

24/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48172G	40.80	54.00	-13.20	6.14	3	Vertical	33	1.45	-	34.66	39.57	10.35	43.78
PK	11.48358G	53.41	74.00	-20.59	6.14	3	Vertical	33	1.45	-	47.27	39.57	10.35	43.78

802.11a_Nss1,(6Mbps)_2TX

24/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48964G	40.83	54.00	-13.17	6.13	3	Horizontal	340	1.78	-	34.70	39.56	10.35	43.78
PK	11.49966G	53.56	74.00	-20.44	6.13	3	Horizontal	340	1.78	-	47.43	39.55	10.36	43.78

802.11a_Nss1,(6Mbps)_2TX

23/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7802G	106.69	Inf	-Inf	-2.78	3	Vertical	26	2.60	-	109.47	32.04	7.24	42.06
PK	5.5966G	59.43	68.20	-8.77	-3.22	3	Vertical	26	2.60	-	62.65	31.61	7.10	41.93
PK	5.7802G	115.17	Inf	-Inf	-2.78	3	Vertical	26	2.60	-	117.95	32.04	7.24	42.06
PK	5.953G	60.22	68.20	-7.98	-2.41	3	Vertical	26	2.60	-	62.63	32.40	7.37	42.18

802.11a_Nss1,(6Mbps)_2TX

23/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	92.58	Inf	-Inf	-2.75	3	Horizontal	187	1.00	-	95.33	32.06	7.25	42.06
PK	5.4982G	59.68	68.20	-8.52	-3.04	3	Horizontal	187	1.00	-	62.72	31.79	7.03	41.86
PK	5.7814G	101.00	Inf	-Inf	-2.78	3	Horizontal	187	1.00	-	103.78	32.04	7.24	42.06
PK	5.9326G	60.02	68.20	-8.18	-2.40	3	Horizontal	187	1.00	-	62.42	32.40	7.36	42.16

802.11a_Nss1,(6Mbps)_2TX

24/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58452G	40.67	54.00	-13.33	6.17	3	Vertical	276	1.92	-	34.50	39.44	10.46	43.73
PK	11.57948G	53.04	74.00	-20.96	6.17	3	Vertical	276	1.92	-	46.87	39.45	10.45	43.73

802.11a_Nss1,(6Mbps)_2TX

24/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57822G	40.78	54.00	-13.22	6.17	3	Horizontal	193	1.41	-	34.61	39.45	10.45	43.73
PK	11.579G	53.88	74.00	-20.12	6.17	3	Horizontal	193	1.41	-	47.71	39.45	10.45	43.73

802.11a_Nss1,(6Mbps)_2TX

23/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	106.50	Inf	-Inf	-2.63	3	Vertical	27	2.71	-	109.13	32.18	7.28	42.09
PK	5.549G	60.01	68.20	-8.19	-3.12	3	Vertical	27	2.71	-	63.13	31.70	7.07	41.89
PK	5.8274G	115.11	Inf	-Inf	-2.63	3	Vertical	27	2.71	-	117.74	32.18	7.28	42.09
PK	5.963G	60.95	68.20	-7.25	-2.40	3	Vertical	27	2.71	-	63.35	32.40	7.38	42.18

802.11a_Nss1,(6Mbps)_2TX

23/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	92.11	Inf	-Inf	-2.63	3	Horizontal	303	1.01	-	94.74	32.18	7.28	42.09
PK	5.6246G	59.63	68.20	-8.57	-3.18	3	Horizontal	303	1.01	-	62.81	31.65	7.12	41.95
PK	5.8274G	101.14	Inf	-Inf	-2.63	3	Horizontal	303	1.01	-	103.77	32.18	7.28	42.09
PK	5.9594G	60.22	68.20	-7.98	-2.40	3	Horizontal	303	1.01	-	62.62	32.40	7.38	42.18

802.11a_Nss1,(6Mbps)_2TX

24/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64244G	40.52	54.00	-13.48	6.20	3	Vertical	174	2.18	-	34.32	39.36	10.53	43.69
PK	11.64526G	53.28	74.00	-20.72	6.20	3	Vertical	174	2.18	-	47.08	39.36	10.53	43.69

802.11a_Nss1,(6Mbps)_2TX

24/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65516G	40.25	54.00	-13.75	6.21	3	Horizontal	153	2.11	-	34.04	39.35	10.54	43.68
PK	11.65574G	52.84	74.00	-21.16	6.21	3	Horizontal	153	2.11	-	46.63	39.34	10.55	43.68

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

23/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.88	54.00	-1.12	-3.11	3	Vertical	346	2.96	-	55.99	31.80	6.77	41.68
AV	5.1784G	101.55	Inf	-Inf	-3.22	3	Vertical	346	2.96	-	104.77	31.69	6.79	41.70
PK	5.1492G	69.15	74.00	-4.85	-3.11	3	Vertical	346	2.96	-	72.26	31.80	6.77	41.68
PK	5.1758G	114.28	Inf	-Inf	-3.21	3	Vertical	346	2.96	-	117.49	31.70	6.79	41.70

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

23/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	47.34	54.00	-6.66	-3.11	3	Horizontal	315	1.01	-	50.45	31.80	6.77	41.68
AV	5.1814G	87.72	Inf	-Inf	-3.24	3	Horizontal	315	1.01	-	90.96	31.67	6.79	41.70
PK	5.1302G	60.80	74.00	-13.20	-3.04	3	Horizontal	315	1.01	-	63.84	31.88	6.76	41.68
PK	5.186G	100.74	Inf	-Inf	-3.24	3	Horizontal	315	1.01	-	103.98	31.66	6.80	41.70

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

24/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35052G	53.48	68.20	-14.72	5.11	3	Vertical	178	1.16	-	48.37	39.36	9.81	44.06

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

24/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36972G	52.81	68.20	-15.39	5.12	3	Horizontal	255	1.39	-	47.69	39.38	9.80	44.06

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

23/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	47.44	54.00	-6.56	-3.11	3	Vertical	352	2.97	-	50.55	31.80	6.77	41.68
AV	5.1964G	101.76	Inf	-Inf	-3.29	3	Vertical	352	2.97	-	105.05	31.61	6.81	41.71
PK	5.1068G	60.52	74.00	-13.48	-2.95	3	Vertical	352	2.97	-	63.47	31.97	6.74	41.66
PK	5.2056G	114.61	Inf	-Inf	-3.32	3	Vertical	352	2.97	-	117.93	31.58	6.81	41.71

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

23/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1024G	47.08	54.00	-6.92	-2.93	3	Horizontal	316	1.00	-	50.01	31.99	6.74	41.66
AV	5.1968G	88.27	Inf	-Inf	-3.29	3	Horizontal	316	1.00	-	91.56	31.61	6.81	41.71
PK	5.114G	59.92	74.00	-14.08	-2.99	3	Horizontal	316	1.00	-	62.91	31.94	6.74	41.67
PK	5.202G	100.67	Inf	-Inf	-3.31	3	Horizontal	316	1.00	-	103.98	31.59	6.81	41.71

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

24/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4075G	53.32	68.20	-14.88	5.16	3	Vertical	248	1.02	-	48.16	39.43	9.79	44.06

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

24/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.40978G	54.20	68.20	-14.00	5.16	3	Horizontal	26	1.22	-	49.04	39.43	9.79	44.06

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

23/06/2019


5240MHz_TX



802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

23/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0924G	47.22	54.00	-6.78	-2.97	3	Horizontal	319	1.01	-	50.19	31.96	6.73	41.66
AV	5.2418G	88.30	Inf	-Inf	-3.46	3	Horizontal	319	1.01	-	91.76	31.43	6.84	41.73
AV	5.3822G	46.32	54.00	-7.68	-3.41	3	Horizontal	319	1.01	-	49.73	31.45	6.94	41.80
PK	5.1098G	60.41	74.00	-13.59	-2.96	3	Horizontal	319	1.01	-	63.37	31.96	6.74	41.66
PK	5.2358G	101.08	Inf	-Inf	-3.44	3	Horizontal	319	1.01	-	104.52	31.46	6.83	41.73
PK	5.3576G	59.03	74.00	-14.97	-3.50	3	Horizontal	319	1.01	-	62.53	31.37	6.92	41.79

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

24/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48494G	53.71	68.20	-14.49	5.24	3	Vertical	223	1.87	-	48.47	39.53	9.77	44.06

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

24/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47928G	53.84	68.20	-14.36	5.24	3	Horizontal	221	1.02	-	48.60	39.52	9.78	44.06

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

23/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	51.79	54.00	-2.21	-3.11	3	Vertical	43	2.90	-	54.90	31.80	6.77	41.68
AV	5.1782G	100.08	Inf	-Inf	-3.22	3	Vertical	43	2.90	-	103.30	31.69	6.79	41.70
PK	5.15G	65.80	74.00	-8.20	-3.11	3	Vertical	43	2.90	-	68.91	31.80	6.77	41.68
PK	5.1816G	112.90	Inf	-Inf	-3.24	3	Vertical	43	2.90	-	116.14	31.67	6.79	41.70

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

23/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.50	54.00	-6.50	-3.11	3	Horizontal	43	2.87	-	50.61	31.80	6.77	41.68
AV	5.1842G	88.49	Inf	-Inf	-3.24	3	Horizontal	43	2.87	-	91.73	31.66	6.80	41.70
PK	5.1494G	60.28	74.00	-13.72	-3.11	3	Horizontal	43	2.87	-	63.39	31.80	6.77	41.68
PK	5.1838G	100.95	Inf	-Inf	-3.24	3	Horizontal	43	2.87	-	104.19	31.66	6.80	41.70

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

24/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35964G	53.71	68.20	-14.49	5.12	3	Vertical	98	1.10	-	48.59	39.37	9.81	44.06

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

24/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36086G	54.27	68.20	-13.93	5.13	3	Horizontal	181	2.15	-	49.14	39.39	9.80	44.06

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

23/06/2019


5200MHz_TX



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

23/06/2019


5200MHz_TX



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

24/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.40026G	54.85	68.20	-13.35	5.16	3	Vertical	316	2.10	-	49.69	39.42	9.80	44.06

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

24/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.40003G	54.55	68.20	-13.65	5.16	3	Horizontal	335	2.16	-	49.39	39.42	9.80	44.06

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

23/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1044G	47.24	54.00	-6.76	-2.94	3	Vertical	44	2.85	-	50.18	31.98	6.74	41.66
AV	5.2358G	100.34	Inf	-Inf	-3.44	3	Vertical	44	2.85	-	103.78	31.46	6.83	41.73
AV	5.372G	46.24	54.00	-7.76	-3.44	3	Vertical	44	2.85	-	49.68	31.42	6.94	41.80
PK	5.1128G	60.93	74.00	-13.07	-2.98	3	Vertical	44	2.85	-	63.91	31.95	6.74	41.67
PK	5.2466G	112.25	Inf	-Inf	-3.48	3	Vertical	44	2.85	-	115.73	31.41	6.84	41.73
PK	5.363G	58.95	74.00	-15.05	-3.47	3	Vertical	44	2.85	-	62.42	31.39	6.93	41.79

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

23/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.105G	47.27	54.00	-6.73	-2.94	3	Horizontal	48	1.01	-	50.21	31.98	6.74	41.66
AV	5.2418G	88.63	Inf	-Inf	-3.46	3	Horizontal	48	1.01	-	92.09	31.43	6.84	41.73
AV	5.3768G	46.21	54.00	-7.79	-3.43	3	Horizontal	48	1.01	-	49.64	31.43	6.94	41.80
PK	5.1446G	59.74	74.00	-14.26	-3.09	3	Horizontal	48	1.01	-	62.83	31.82	6.77	41.68
PK	5.2334G	100.59	Inf	-Inf	-3.43	3	Horizontal	48	1.01	-	104.02	31.47	6.83	41.73
PK	5.3678G	58.79	74.00	-15.21	-3.46	3	Horizontal	48	1.01	-	62.25	31.40	6.93	41.79

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

24/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4798G	53.49	68.20	-14.71	5.24	3	Vertical	330	1.13	-	48.25	39.52	9.78	44.06

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

24/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47786G	53.59	68.20	-14.61	5.24	3	Horizontal	270	1.06	-	48.35	39.52	9.78	44.06

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

23/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	103.17	Inf	-Inf	-2.87	3	Vertical	12	2.87	-	106.04	31.94	7.22	42.03
PK	5.5074G	59.77	68.20	-8.43	-3.04	3	Vertical	12	2.87	-	62.81	31.79	7.04	41.87
PK	5.7402G	114.97	Inf	-Inf	-2.90	3	Vertical	12	2.87	-	117.87	31.92	7.21	42.03
PK	5.979G	60.03	68.20	-8.17	-2.41	3	Vertical	12	2.87	-	62.44	32.40	7.39	42.20

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

23/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	90.71	Inf	-Inf	-2.87	3	Horizontal	317	1.00	-	93.58	31.94	7.22	42.03
PK	5.5614G	59.99	68.20	-8.21	-3.14	3	Horizontal	317	1.00	-	63.13	31.68	7.08	41.90
PK	5.7498G	102.60	Inf	-Inf	-2.86	3	Horizontal	317	1.00	-	105.46	31.95	7.22	42.03
PK	5.979G	60.79	68.20	-7.41	-2.41	3	Horizontal	317	1.00	-	63.20	32.40	7.39	42.20

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

24/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4885G	40.86	54.00	-13.14	6.13	3	Vertical	7	1.50	-	34.73	39.56	10.35	43.78
PK	11.48844G	54.20	74.00	-19.80	6.14	3	Vertical	7	1.50	-	48.06	39.57	10.35	43.78

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

24/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49108G	41.09	54.00	-12.91	6.13	3	Horizontal	315	2.53	-	34.96	39.56	10.35	43.78
PK	11.49042G	53.90	74.00	-20.10	6.13	3	Horizontal	315	2.53	-	47.77	39.56	10.35	43.78

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

23/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	103.20	Inf	-Inf	-2.75	3	Vertical	352	2.99	-	105.95	32.06	7.25	42.06
PK	5.6386G	59.26	68.20	-8.94	-3.14	3	Vertical	352	2.99	-	62.40	31.68	7.14	41.96
PK	5.7802G	114.79	Inf	-Inf	-2.78	3	Vertical	352	2.99	-	117.57	32.04	7.24	42.06
PK	5.971G	60.64	68.20	-7.56	-2.40	3	Vertical	352	2.99	-	63.04	32.40	7.39	42.19

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

23/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBm/Hz)	Limit (dBm/Hz)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm/Hz)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	88.00	Inf	-Inf	-2.75	3	Horizontal	185	1.03	-	90.75	32.06	7.25	42.06
PK	5.557G	59.76	68.20	-8.44	-3.14	3	Horizontal	185	1.03	-	62.90	31.69	7.07	41.90
PK	5.791G	100.10	Inf	-Inf	-2.74	3	Horizontal	185	1.03	-	102.84	32.07	7.25	42.06
PK	5.9266G	60.12	68.20	-8.08	-2.41	3	Horizontal	185	1.03	-	62.53	32.40	7.35	42.16

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

24/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57234G	40.65	54.00	-13.35	6.18	3	Vertical	270	1.50	-	34.47	39.46	10.45	43.73
PK	11.57186G	54.46	74.00	-19.54	6.17	3	Vertical	270	1.50	-	48.29	39.46	10.44	43.73

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

24/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57163G	40.68	54.00	-13.32	6.17	3	Horizontal	1	1.50	-	34.51	39.46	10.44	43.73
PK	11.57136G	53.89	74.00	-20.11	6.17	3	Horizontal	1	1.50	-	47.72	39.46	10.44	43.73

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

23/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	102.04	Inf	-Inf	-2.64	3	Vertical	355	2.96	-	104.68	32.17	7.28	42.09
PK	5.814G	59.95	68.20	-8.25	-3.19	3	Vertical	355	2.96	-	63.14	31.64	7.09	41.92
PK	5.831G	114.93	Inf	-Inf	-2.62	3	Vertical	355	2.96	-	117.55	32.19	7.28	42.09
PK	5.9342G	60.25	68.20	-7.95	-2.40	3	Vertical	355	2.96	-	62.65	32.40	7.36	42.16

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

23/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	86.82	Inf	-Inf	-2.62	3	Horizontal	165	1.02	-	89.44	32.19	7.28	42.09
PK	5.615G	59.21	68.20	-8.99	-3.19	3	Horizontal	165	1.02	-	62.40	31.63	7.12	41.94
PK	5.8238G	98.20	Inf	-Inf	-2.64	3	Horizontal	165	1.02	-	100.84	32.17	7.28	42.09
PK	5.987G	60.33	68.20	-7.87	-2.40	3	Horizontal	165	1.02	-	62.73	32.40	7.40	42.20

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

24/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6487G	40.28	54.00	-13.72	6.22	3	Vertical	248	1.13	-	34.06	39.36	10.54	43.68
PK	11.65059G	53.85	74.00	-20.15	6.21	3	Vertical	248	1.13	-	47.64	39.35	10.54	43.68

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

24/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64769G	40.28	54.00	-13.72	6.20	3	Horizontal	287	2.07	-	34.08	39.36	10.53	43.69
PK	11.65188G	53.71	74.00	-20.29	6.21	3	Horizontal	287	2.07	-	47.50	39.35	10.54	43.68

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

23/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	101.96	Inf	-Inf	-2.87	3	Vertical	57	2.94	-	104.83	31.94	7.22	42.03
PK	5.6466G	60.02	68.20	-8.18	-3.13	3	Vertical	57	2.94	-	63.15	31.69	7.14	41.96
PK	5.751G	114.56	Inf	-Inf	-2.87	3	Vertical	57	2.94	-	117.43	31.95	7.22	42.04
PK	5.9838G	60.38	68.20	-7.82	-2.40	3	Vertical	57	2.94	-	62.78	32.40	7.40	42.20

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

23/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7414G	87.52	Inf	-Inf	-2.90	3	Horizontal	187	1.01	-	90.42	31.92	7.21	42.03
PK	5.523G	59.84	68.20	-8.36	-3.08	3	Horizontal	187	1.01	-	62.92	31.75	7.05	41.88
PK	5.7426G	100.08	Inf	-Inf	-2.89	3	Horizontal	187	1.01	-	102.97	31.93	7.21	42.03
PK	5.9898G	60.35	68.20	-7.85	-2.40	3	Horizontal	187	1.01	-	62.75	32.40	7.40	42.20

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

24/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48978G	41.18	54.00	-12.82	6.13	3	Vertical	326	2.97	-	35.05	39.56	10.35	43.78
PK	11.49238G	54.59	74.00	-19.41	6.14	3	Vertical	326	2.97	-	48.45	39.56	10.36	43.78

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

24/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49145G	40.90	54.00	-13.10	6.13	3	Horizontal	359	1.50	-	34.77	39.56	10.35	43.78
PK	11.49105G	54.46	74.00	-19.54	6.13	3	Horizontal	359	1.50	-	48.33	39.56	10.35	43.78

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

23/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7886G	102.13	Inf	-Inf	-2.74	3	Vertical	53	2.90	-	104.87	32.07	7.25	42.06
PK	5.5858G	60.80	68.20	-7.40	-3.19	3	Vertical	53	2.90	-	63.99	31.63	7.10	41.92
PK	5.7898G	114.23	Inf	-Inf	-2.74	3	Vertical	53	2.90	-	116.97	32.07	7.25	42.06
PK	5.9542G	60.32	68.20	-7.88	-2.40	3	Vertical	53	2.90	-	62.72	32.40	7.38	42.18

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

23/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	84.31	Inf	-Inf	-2.77	3	Horizontal	188	1.14	-	87.08	32.05	7.24	42.06
PK	5.5342G	59.41	68.20	-8.79	-3.09	3	Horizontal	188	1.14	-	62.50	31.73	7.06	41.88
PK	5.7826G	96.42	Inf	-Inf	-2.77	3	Horizontal	188	1.14	-	99.19	32.05	7.24	42.06
PK	5.9398G	60.17	68.20	-8.03	-2.41	3	Horizontal	188	1.14	-	62.58	32.40	7.36	42.17

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

24/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57061G	41.12	54.00	-12.88	6.17	3	Vertical	329	2.45	-	34.95	39.46	10.44	43.73
PK	11.57013G	54.83	74.00	-19.17	6.16	3	Vertical	329	2.45	-	48.67	39.46	10.44	43.74

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

24/06/2019

5785MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57244G	40.77	54.00	-13.23	6.18	3	Horizontal	160	1.50	-	34.59	39.46	10.45	43.73
PK	11.5687G	54.13	74.00	-19.87	6.16	3	Horizontal	160	1.50	-	47.97	39.46	10.44	43.74

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

23/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	102.57	Inf	-Inf	-2.63	3	Vertical	55	2.99	-	105.20	32.18	7.28	42.09
PK	5.5982G	59.59	68.20	-8.61	-3.23	3	Vertical	55	2.99	-	62.82	31.60	7.10	41.93
PK	5.8202G	114.50	Inf	-Inf	-2.65	3	Vertical	55	2.99	-	117.15	32.16	7.27	42.08
PK	5.981G	60.52	68.20	-7.68	-2.40	3	Vertical	55	2.99	-	62.92	32.40	7.40	42.20

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

23/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	86.41	Inf	-Inf	-2.63	3	Horizontal	327	1.00	-	89.04	32.18	7.28	42.09
PK	5.6294G	60.33	68.20	-7.87	-3.16	3	Horizontal	327	1.00	-	63.49	31.66	7.13	41.95
PK	5.8274G	98.44	Inf	-Inf	-2.63	3	Horizontal	327	1.00	-	101.07	32.18	7.28	42.09
PK	5.9558G	59.95	68.20	-8.25	-2.40	3	Horizontal	327	1.00	-	62.35	32.40	7.38	42.18

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

24/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64999G	40.69	54.00	-13.31	6.22	3	Vertical	327	1.00	-	34.47	39.36	10.54	43.68
PK	11.64954G	54.17	74.00	-19.83	6.22	3	Vertical	327	1.00	-	47.95	39.36	10.54	43.68

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

24/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65066G	40.24	54.00	-13.76	6.21	3	Horizontal	73	1.50	-	34.03	39.35	10.54	43.68
PK	11.6491G	54.14	74.00	-19.86	6.22	3	Horizontal	73	1.50	-	47.92	39.36	10.54	43.68

802.11ax HEW20_Nss1,(MCS0)_2TX

23/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1462G	52.87	54.00	-1.13	-3.09	3	Vertical	9	2.99	-	55.96	31.82	6.77	41.68
AV	5.1846G	104.52	Inf	-Inf	-3.24	3	Vertical	9	2.99	-	107.76	31.66	6.80	41.70
PK	5.147G	67.45	74.00	-6.55	-3.10	3	Vertical	9	2.99	-	70.55	31.81	6.77	41.68
PK	5.1852G	116.62	Inf	-Inf	-3.24	3	Vertical	9	2.99	-	119.86	31.66	6.80	41.70

802.11ax HEW20_Nss1,(MCS0)_2TX

23/06/2019


5180MHz_TX



802.11ax HEW20_Nss1,(MCS0)_2TX

24/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36006G	54.00	68.20	-14.20	5.12	3	Vertical	313	2.21	-	48.88	39.37	9.81	44.06

802.11ax HEW20_Nss1,(MCS0)_2TX

24/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35967G	53.87	68.20	-14.33	5.12	3	Horizontal	28	1.50	-	48.75	39.37	9.81	44.06

802.11ax HEW20_Nss1,(MCS0)_2TX

23/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1452G	47.56	54.00	-6.44	-3.09	3	Vertical	16	2.97	-	50.65	31.82	6.77	41.68
AV	5.204G	104.57	Inf	-Inf	-3.32	3	Vertical	16	2.97	-	107.89	31.58	6.81	41.71
PK	5.1368G	60.07	74.00	-13.93	-3.07	3	Vertical	16	2.97	-	63.14	31.85	6.76	41.68
PK	5.1944G	116.81	Inf	-Inf	-3.29	3	Vertical	16	2.97	-	120.10	31.62	6.80	41.71

802.11ax HEW20_Nss1,(MCS0)_2TX

23/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1092G	47.21	54.00	-6.79	-2.96	3	Horizontal	193	1.01	-	50.17	31.96	6.74	41.66
AV	5.1948G	92.09	Inf	-Inf	-3.29	3	Horizontal	193	1.01	-	95.38	31.62	6.80	41.71
PK	5.1152G	59.84	74.00	-14.16	-2.98	3	Horizontal	193	1.01	-	62.82	31.94	6.75	41.67
PK	5.2044G	104.45	Inf	-Inf	-3.32	3	Horizontal	193	1.01	-	107.77	31.58	6.81	41.71

802.11ax HEW20_Nss1,(MCS0)_2TX

24/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39982G	54.46	68.20	-13.74	5.16	3	Vertical	310	2.12	-	49.30	39.42	9.80	44.06

802.11ax HEW20_Nss1,(MCS0)_2TX

24/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.40008G	53.62	68.20	-14.58	5.16	3	Horizontal	274	2.11	-	48.46	39.42	9.80	44.06

802.11ax HEW20_Nss1,(MCS0)_2TX

23/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.102G	47.31	54.00	-6.69	-2.93	3	Vertical	17	2.93	-	50.24	31.99	6.74	41.66
AV	5.2388G	104.60	Inf	-Inf	-3.45	3	Vertical	17	2.93	-	108.05	31.44	6.84	41.73
AV	5.3756G	46.84	54.00	-7.16	-3.43	3	Vertical	17	2.93	-	50.27	31.43	6.94	41.80
PK	5.1284G	61.30	74.00	-12.70	-3.02	3	Vertical	17	2.93	-	64.32	31.89	6.76	41.67
PK	5.2382G	116.36	Inf	-Inf	-3.44	3	Vertical	17	2.93	-	119.80	31.45	6.84	41.73
PK	5.375G	59.18	74.00	-14.82	-3.43	3	Vertical	17	2.93	-	62.61	31.43	6.94	41.80

802.11ax HEW20_Nss1,(MCS0)_2TX

23/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1236G	47.19	54.00	-6.81	-3.01	3	Horizontal	193	1.01	-	50.20	31.91	6.75	41.67
AV	5.2388G	91.96	Inf	-Inf	-3.45	3	Horizontal	193	1.01	-	95.41	31.44	6.84	41.73
AV	5.3798G	46.21	54.00	-7.79	-3.42	3	Horizontal	193	1.01	-	49.63	31.44	6.94	41.80
PK	5.1128G	60.96	74.00	-13.04	-2.98	3	Horizontal	193	1.01	-	63.94	31.95	6.74	41.67
PK	5.2388G	103.89	Inf	-Inf	-3.45	3	Horizontal	193	1.01	-	107.34	31.44	6.84	41.73
PK	5.3552G	59.24	74.00	-14.76	-3.50	3	Horizontal	193	1.01	-	62.74	31.37	6.92	41.79

802.11ax HEW20_Nss1,(MCS0)_2TX

24/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4806G	53.50	68.20	-14.70	5.24	3	Vertical	306	1.04	-	48.26	39.52	9.78	44.06

802.11ax HEW20_Nss1,(MCS0)_2TX

24/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47788G	53.71	68.20	-14.49	5.24	3	Horizontal	229	1.50	-	48.47	39.52	9.78	44.06

802.11ax HEW20_Nss1,(MCS0)_2TX

23/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBm/Hz)	Limit (dBm/Hz)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm/Hz)	AF (dB)	CL (dB)	PA (dB)
AV	5.7486G	106.29	Inf	-Inf	-2.86	3	Vertical	25	2.73	-	109.15	31.95	7.22	42.03
PK	5.5362G	59.71	68.20	-8.49	-3.10	3	Vertical	25	2.73	-	62.81	31.73	7.06	41.89
PK	5.7402G	118.05	Inf	-Inf	-2.90	3	Vertical	25	2.73	-	120.95	31.92	7.21	42.03
PK	5.9634G	61.05	68.20	-7.15	-2.40	3	Vertical	25	2.73	-	63.45	32.40	7.38	42.18

802.11ax HEW20_Nss1,(MCS0)_2TX

23/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7414G	93.03	Inf	-Inf	-2.90	3	Horizontal	186	1.13	-	95.93	31.92	7.21	42.03
PK	5.6466G	59.69	68.20	-8.51	-3.13	3	Horizontal	186	1.13	-	62.82	31.69	7.14	41.96
PK	5.7402G	105.50	Inf	-Inf	-2.90	3	Horizontal	186	1.13	-	108.40	31.92	7.21	42.03
PK	5.9718G	60.87	68.20	-7.33	-2.40	3	Horizontal	186	1.13	-	63.27	32.40	7.39	42.19

802.11ax HEW20_Nss1,(MCS0)_2TX

24/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49114G	41.30	54.00	-12.70	6.13	3	Vertical	325	2.11	-	35.17	39.56	10.35	43.78
PK	11.48914G	54.36	74.00	-19.64	6.13	3	Vertical	325	2.11	-	48.23	39.56	10.35	43.78

802.11ax HEW20_Nss1,(MCS0)_2TX

24/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	11.49075G	40.69	54.00	-13.31	6.13	3	Horizontal	200	1.50	-	34.56	39.56	10.35	43.78
PK	11.48929G	54.13	74.00	-19.87	6.13	3	Horizontal	200	1.50	-	48.00	39.56	10.35	43.78

802.11ax HEW20_Nss1,(MCS0)_2TX

23/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7886G	106.54	Inf	-Inf	-2.74	3	Vertical	26	2.76	-	109.28	32.07	7.25	42.06
PK	5.6014G	59.77	68.20	-8.43	-3.22	3	Vertical	26	2.76	-	62.99	31.60	7.11	41.93
PK	5.7802G	119.07	Inf	-Inf	-2.78	3	Vertical	26	2.76	-	121.85	32.04	7.24	42.06
PK	5.9434G	60.33	68.20	-7.87	-2.40	3	Vertical	26	2.76	-	62.73	32.40	7.37	42.17

802.11ax HEW20_Nss1,(MCS0)_2TX

23/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBm/Hz)	Limit (dBm/Hz)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm/Hz)	AF (dB)	CL (dB)	PA (dB)
AV	5.7814G	91.97	Inf	-Inf	-2.78	3	Horizontal	185	1.02	-	94.75	32.04	7.24	42.06
PK	5.4898G	60.01	68.20	-8.19	-3.06	3	Horizontal	185	1.02	-	63.07	31.77	7.02	41.85
PK	5.7814G	103.10	Inf	-Inf	-2.78	3	Horizontal	185	1.02	-	105.88	32.04	7.24	42.06
PK	5.9314G	60.37	68.20	-7.83	-2.40	3	Horizontal	185	1.02	-	62.77	32.40	7.36	42.16

802.11ax HEW20_Nss1,(MCS0)_2TX

24/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57035G	40.96	54.00	-13.04	6.17	3	Vertical	325	2.21	-	34.79	39.46	10.44	43.73
PK	11.57072G	54.80	74.00	-19.20	6.17	3	Vertical	325	2.21	-	48.63	39.46	10.44	43.73

802.11ax HEW20_Nss1,(MCS0)_2TX

24/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57079G	40.54	54.00	-13.46	6.17	3	Horizontal	271	2.13	-	34.37	39.46	10.44	43.73
PK	11.56918G	53.68	74.00	-20.32	6.16	3	Horizontal	271	2.13	-	47.52	39.46	10.44	43.74

802.11ax HEW20_Nss1,(MCS0)_2TX

23/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	105.98	Inf	-Inf	-2.62	3	Vertical	30	2.99	-	108.60	32.19	7.28	42.09
PK	5.6438G	59.99	68.20	-8.21	-3.13	3	Vertical	30	2.99	-	63.12	31.69	7.14	41.96
PK	5.8286G	118.41	Inf	-Inf	-2.62	3	Vertical	30	2.99	-	121.03	32.19	7.28	42.09
PK	5.975G	60.52	68.20	-7.68	-2.40	3	Vertical	30	2.99	-	62.92	32.40	7.39	42.19

802.11ax HEW20_Nss1,(MCS0)_2TX

23/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	91.13	Inf	-Inf	-2.62	3	Horizontal	301	1.01	-	93.75	32.19	7.28	42.09
PK	5.627G	60.05	68.20	-8.15	-3.17	3	Horizontal	301	1.01	-	63.22	31.65	7.13	41.95
PK	5.8202G	103.50	Inf	-Inf	-2.65	3	Horizontal	301	1.01	-	106.15	32.16	7.27	42.08
PK	5.9786G	60.70	68.20	-7.50	-2.41	3	Horizontal	301	1.01	-	63.11	32.40	7.39	42.20

802.11ax HEW20_Nss1,(MCS0)_2TX

24/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64983G	40.76	54.00	-13.24	6.22	3	Vertical	325	2.16	-	34.54	39.36	10.54	43.68
PK	11.64989G	54.94	74.00	-19.06	6.22	3	Vertical	325	2.16	-	48.72	39.36	10.54	43.68

802.11ax HEW20_Nss1,(MCS0)_2TX

24/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65107G	40.10	54.00	-13.90	6.21	3	Horizontal	278	1.50	-	33.89	39.35	10.54	43.68
PK	11.64923G	53.42	74.00	-20.58	6.22	3	Horizontal	278	1.50	-	47.20	39.36	10.54	43.68

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)

23/06/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.42	54.00	-0.58	-3.11	3	Vertical	358	2.99	-	56.53	31.80	6.77	41.68
AV	5.1884G	97.41	Inf	-Inf	-3.25	3	Vertical	358	2.99	-	100.66	31.65	6.80	41.70
PK	5.1496G	68.74	74.00	-5.26	-3.11	3	Vertical	358	2.99	-	71.85	31.80	6.77	41.68
PK	5.1872G	110.77	Inf	-Inf	-3.25	3	Vertical	358	2.99	-	114.02	31.65	6.80	41.70

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)

23/06/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1332G	47.25	54.00	-6.75	-3.05	3	Horizontal	312	1.00	-	50.30	31.87	6.76	41.68
AV	5.196G	83.41	Inf	-Inf	-3.28	3	Horizontal	312	1.00	-	86.69	31.62	6.81	41.71
PK	5.144G	59.60	74.00	-14.40	-3.09	3	Horizontal	312	1.00	-	62.69	31.82	6.77	41.68
PK	5.1912G	96.50	Inf	-Inf	-3.27	3	Horizontal	312	1.00	-	99.77	31.64	6.80	41.71

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)

24/06/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.37983G	54.64	68.20	-13.56	5.13	3	Vertical	308	2.15	-	49.51	39.39	9.80	44.06

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)

24/06/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.37967G	53.80	68.20	-14.40	5.13	3	Horizontal	316	1.50	-	48.67	39.39	9.80	44.06

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)

23/06/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	47.71	54.00	-6.29	-3.11	3	Vertical	346	2.93	-	50.82	31.80	6.77	41.68
AV	5.2284G	99.33	Inf	-Inf	-3.40	3	Vertical	346	2.93	-	102.73	31.49	6.83	41.72
PK	5.1488G	60.94	74.00	-13.06	-3.11	3	Vertical	346	2.93	-	64.05	31.80	6.77	41.68
PK	5.2228G	112.45	Inf	-Inf	-3.39	3	Vertical	346	2.93	-	115.84	31.51	6.82	41.72

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)

23/06/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1352G	47.06	54.00	-6.94	-3.06	3	Horizontal	311	1.02	-	50.12	31.86	6.76	41.68
AV	5.2248G	85.67	Inf	-Inf	-3.39	3	Horizontal	311	1.02	-	89.06	31.50	6.83	41.72
PK	5.1304G	60.33	74.00	-13.67	-3.04	3	Horizontal	311	1.02	-	63.37	31.88	6.76	41.68
PK	5.2284G	97.89	Inf	-Inf	-3.40	3	Horizontal	311	1.02	-	101.29	31.49	6.83	41.72

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)

24/06/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.45988G	53.12	68.20	-15.08	5.22	3	Vertical	309	2.26	-	47.90	39.50	9.78	44.06

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)

24/06/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.46164G	53.66	68.20	-14.54	5.22	3	Horizontal	180	2.58	-	48.44	39.50	9.78	44.06

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

23/06/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.66	54.00	-1.34	-3.11	3	Vertical	37	2.87	-	55.77	31.80	6.77	41.68
AV	5.1932G	95.94	Inf	-Inf	-3.28	3	Vertical	37	2.87	-	99.22	31.63	6.80	41.71
PK	5.1488G	66.90	74.00	-7.10	-3.11	3	Vertical	37	2.87	-	70.01	31.80	6.77	41.68
PK	5.188G	108.37	Inf	-Inf	-3.25	3	Vertical	37	2.87	-	111.62	31.65	6.80	41.70

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

23/06/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.64	54.00	-6.36	-3.11	3	Horizontal	38	2.86	-	50.75	31.80	6.77	41.68
AV	5.186G	85.32	Inf	-Inf	-3.24	3	Horizontal	38	2.86	-	88.56	31.66	6.80	41.70
PK	5.1476G	60.43	74.00	-13.57	-3.10	3	Horizontal	38	2.86	-	63.53	31.81	6.77	41.68
PK	5.1852G	97.52	Inf	-Inf	-3.24	3	Horizontal	38	2.86	-	100.76	31.66	6.80	41.70

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

24/06/2019

5190MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.38057G	54.53	68.20	-13.67	5.13	3	Vertical	307	2.20	-	49.40	39.39	9.80	44.06

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

24/06/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.37903G	53.67	68.20	-14.53	5.13	3	Horizontal	268	1.50	-	48.54	39.39	9.80	44.06

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

23/06/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.41	54.00	-6.59	-3.11	3	Vertical	42	2.84	-	50.52	31.80	6.77	41.68
AV	5.2328G	97.96	Inf	-Inf	-3.43	3	Vertical	42	2.84	-	101.39	31.47	6.83	41.73
PK	5.1344G	60.46	74.00	-13.54	-3.06	3	Vertical	42	2.84	-	63.52	31.86	6.76	41.68
PK	5.2368G	110.28	Inf	-Inf	-3.44	3	Vertical	42	2.84	-	113.72	31.45	6.84	41.73

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

23/06/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.13G	47.09	54.00	-6.91	-3.03	3	Horizontal	45	2.88	-	50.12	31.88	6.76	41.67
AV	5.2368G	85.42	Inf	-Inf	-3.44	3	Horizontal	45	2.88	-	88.86	31.45	6.84	41.73
PK	5.1436G	59.26	74.00	-14.74	-3.08	3	Horizontal	45	2.88	-	62.34	31.83	6.77	41.68
PK	5.2344G	98.15	Inf	-Inf	-3.44	3	Horizontal	45	2.88	-	101.59	31.46	6.83	41.73

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

24/06/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.45944G	53.99	68.20	-14.21	5.22	3	Vertical	305	2.10	-	48.77	39.50	9.78	44.06

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

24/06/2019

5230MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.46164G	53.43	68.20	-14.77	5.22	3	Horizontal	210	1.50	-	48.21	39.50	9.78	44.06

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)

23/06/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7598G	100.79	Inf	-Inf	-2.83	3	Vertical	15	2.88	-	103.62	31.98	7.23	42.04
PK	5.4946G	59.69	68.20	-8.51	-3.05	3	Vertical	15	2.88	-	62.74	31.78	7.03	41.86
PK	5.7586G	113.72	Inf	-Inf	-2.83	3	Vertical	15	2.88	-	116.55	31.98	7.23	42.04
PK	5.9614G	60.44	68.20	-7.76	-2.40	3	Vertical	15	2.88	-	62.84	32.40	7.38	42.18

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)

23/06/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7574G	87.66	Inf	-Inf	-2.84	3	Horizontal	317	1.01	-	90.50	31.97	7.23	42.04
PK	5.6362G	59.71	68.20	-8.49	-3.16	3	Horizontal	317	1.01	-	62.87	31.67	7.13	41.96
PK	5.7622G	99.54	Inf	-Inf	-2.82	3	Horizontal	317	1.01	-	102.36	31.99	7.23	42.04
PK	5.9794G	60.71	68.20	-7.49	-2.41	3	Horizontal	317	1.01	-	63.12	32.40	7.39	42.20

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)

24/06/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51031G	40.54	54.00	-13.46	6.14	3	Vertical	320	1.02	-	34.40	39.54	10.37	43.77
PK	11.51152G	53.60	74.00	-20.40	6.14	3	Vertical	320	1.02	-	47.46	39.54	10.37	43.77

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)

24/06/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51068G	40.33	54.00	-13.67	6.14	3	Horizontal	236	1.50	-	34.19	39.54	10.37	43.77
PK	11.50856G	53.82	74.00	-20.18	6.14	3	Horizontal	236	1.50	-	47.68	39.54	10.37	43.77

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)

23/06/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7938G	100.52	Inf	-Inf	-2.74	3	Vertical	3	2.97	-	103.26	32.08	7.25	42.07
PK	5.5334G	59.80	68.20	-8.40	-3.09	3	Vertical	3	2.97	-	62.89	31.73	7.06	41.88
PK	5.7926G	112.19	Inf	-Inf	-2.73	3	Vertical	3	2.97	-	114.92	32.08	7.25	42.06
PK	5.951G	60.24	68.20	-7.96	-2.41	3	Vertical	3	2.97	-	62.65	32.40	7.37	42.18

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)

23/06/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8034G	85.63	Inf	-Inf	-2.70	3	Horizontal	183	1.00	-	88.33	32.11	7.26	42.07
PK	5.6438G	59.42	68.20	-8.78	-3.13	3	Horizontal	183	1.00	-	62.55	31.69	7.14	41.96
PK	5.7986G	98.55	Inf	-Inf	-2.71	3	Horizontal	183	1.00	-	101.26	32.10	7.26	42.07
PK	5.9438G	60.38	68.20	-7.82	-2.40	3	Horizontal	183	1.00	-	62.78	32.40	7.37	42.17

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)

24/06/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58838G	40.53	54.00	-13.47	6.18	3	Vertical	321	1.50	-	34.35	39.44	10.46	43.72
PK	11.59119G	54.83	74.00	-19.17	6.18	3	Vertical	321	1.50	-	48.65	39.43	10.47	43.72

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)

24/06/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58976G	40.39	54.00	-13.61	6.18	3	Horizontal	234	1.50	-	34.21	39.43	10.47	43.72
PK	11.59084G	54.10	74.00	-19.90	6.18	3	Horizontal	234	1.50	-	47.92	39.43	10.47	43.72

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

23/06/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7586G	99.39	Inf	-Inf	-2.83	3	Vertical	57	2.94	-	102.22	31.98	7.23	42.04
PK	5.5558G	59.84	68.20	-8.36	-3.14	3	Vertical	57	2.94	-	62.98	31.69	7.07	41.90
PK	5.7586G	112.08	Inf	-Inf	-2.83	3	Vertical	57	2.94	-	114.91	31.98	7.23	42.04
PK	5.9578G	60.59	68.20	-7.61	-2.40	3	Vertical	57	2.94	-	62.99	32.40	7.38	42.18

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

23/06/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7478G	84.40	Inf	-Inf	-2.87	3	Horizontal	186	1.00	-	87.27	31.94	7.22	42.03
PK	5.786G	59.38	68.20	-8.82	-3.19	3	Horizontal	186	1.00	-	62.57	31.64	7.09	41.92
PK	5.7406G	96.48	Inf	-Inf	-2.90	3	Horizontal	186	1.00	-	99.38	31.92	7.21	42.03
PK	5.977G	59.87	68.20	-8.33	-2.40	3	Horizontal	186	1.00	-	62.27	32.40	7.39	42.19

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

24/06/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50892G	40.42	54.00	-13.58	6.14	3	Vertical	233	1.50	-	34.28	39.54	10.37	43.77
PK	11.51069G	54.19	74.00	-19.81	6.14	3	Vertical	233	1.50	-	48.05	39.54	10.37	43.77

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

24/06/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51082G	40.38	54.00	-13.62	6.14	3	Horizontal	324	2.83	-	34.24	39.54	10.37	43.77
PK	11.51076G	53.81	74.00	-20.19	6.14	3	Horizontal	324	2.83	-	47.67	39.54	10.37	43.77

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

23/06/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7926G	99.36	Inf	-Inf	-2.73	3	Vertical	54	2.89	-	102.09	32.08	7.25	42.06
PK	5.5586G	59.06	68.20	-9.14	-3.15	3	Vertical	54	2.89	-	62.21	31.68	7.07	41.90
PK	5.8046G	111.87	Inf	-Inf	-2.70	3	Vertical	54	2.89	-	114.57	32.11	7.26	42.07
PK	5.9702G	61.11	68.20	-7.09	-2.40	3	Vertical	54	2.89	-	63.51	32.40	7.39	42.19

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

23/06/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7986G	83.91	Inf	-Inf	-2.71	3	Horizontal	21	1.02	-	86.62	32.10	7.26	42.07
PK	5.5022G	59.58	68.20	-8.62	-3.03	3	Horizontal	21	1.02	-	62.61	31.80	7.03	41.86
PK	5.7986G	96.16	Inf	-Inf	-2.71	3	Horizontal	21	1.02	-	98.87	32.10	7.26	42.07
PK	5.951G	59.72	68.20	-8.48	-2.41	3	Horizontal	21	1.02	-	62.13	32.40	7.37	42.18

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

24/06/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58942G	40.45	54.00	-13.55	6.18	3	Vertical	210	1.50	-	34.27	39.43	10.47	43.72
PK	11.59216G	53.56	74.00	-20.44	6.18	3	Vertical	210	1.50	-	47.38	39.43	10.47	43.72

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

24/06/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5878G	40.44	54.00	-13.56	6.18	3	Horizontal	185	1.50	-	34.26	39.44	10.46	43.72
PK	11.5919G	54.00	74.00	-20.00	6.18	3	Horizontal	185	1.50	-	47.82	39.43	10.47	43.72

802.11ax HEW40_Nss1,(MCS0)_2TX

23/06/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.03	54.00	-0.97	-3.11	3	Vertical	15	2.99	-	56.14	31.80	6.77	41.68
AV	5.1944G	99.68	Inf	-Inf	-3.29	3	Vertical	15	2.99	-	102.97	31.62	6.80	41.71
PK	5.1452G	66.85	74.00	-7.15	-3.09	3	Vertical	15	2.99	-	69.94	31.82	6.77	41.68
PK	5.1948G	112.42	Inf	-Inf	-3.29	3	Vertical	15	2.99	-	115.71	31.62	6.80	41.71

802.11ax HEW40_Nss1,(MCS0)_2TX

23/06/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0932G	47.22	54.00	-6.78	-2.96	3	Horizontal	192	1.01	-	50.18	31.97	6.73	41.66
AV	5.1844G	87.46	Inf	-Inf	-3.24	3	Horizontal	192	1.01	-	90.70	31.66	6.80	41.70
PK	5.1088G	60.04	74.00	-13.96	-2.96	3	Horizontal	192	1.01	-	63.00	31.96	6.74	41.66
PK	5.1944G	99.88	Inf	-Inf	-3.29	3	Horizontal	192	1.01	-	103.17	31.62	6.80	41.71

802.11ax HEW40_Nss1,(MCS0)_2TX

24/06/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38031G	54.48	68.20	-13.72	5.13	3	Vertical	304	2.15	-	49.35	39.39	9.80	44.06

802.11ax HEW40_Nss1,(MCS0)_2TX

24/06/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38096G	53.30	68.20	-14.90	5.14	3	Horizontal	193	2.07	-	48.16	39.40	9.80	44.06

802.11ax HEW40_Nss1,(MCS0)_2TX

23/06/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1452G	47.58	54.00	-6.42	-3.09	3	Vertical	17	2.62	-	50.67	31.82	6.77	41.68
AV	5.2348G	102.77	Inf	-Inf	-3.44	3	Vertical	17	2.62	-	106.21	31.46	6.83	41.73
PK	5.1456G	60.14	74.00	-13.86	-3.09	3	Vertical	17	2.62	-	63.23	31.82	6.77	41.68
PK	5.2256G	114.95	Inf	-Inf	-3.39	3	Vertical	17	2.62	-	118.34	31.50	6.83	41.72

802.11ax HEW40_Nss1,(MCS0)_2TX

23/06/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1384G	46.50	54.00	-7.50	-3.07	3	Horizontal	329	1.03	-	49.57	31.85	6.76	41.68
AV	5.2328G	88.46	Inf	-Inf	-3.43	3	Horizontal	329	1.03	-	91.89	31.47	6.83	41.73
PK	5.1332G	59.15	74.00	-14.85	-3.05	3	Horizontal	329	1.03	-	62.20	31.87	6.76	41.68
PK	5.2324G	101.45	Inf	-Inf	-3.43	3	Horizontal	329	1.03	-	104.88	31.47	6.83	41.73

802.11ax HEW40_Nss1,(MCS0)_2TX

24/06/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.45955G	53.62	68.20	-14.58	5.22	3	Vertical	306	2.11	-	48.40	39.50	9.78	44.06

802.11ax HEW40_Nss1,(MCS0)_2TX

24/06/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.45773G	53.32	68.20	-14.88	5.22	3	Horizontal	75	1.79	-	48.10	39.50	9.78	44.06

802.11ax HEW40_Nss1,(MCS0)_2TX

23/06/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7598G	103.48	Inf	-Inf	-2.83	3	Vertical	28	2.99	-	106.31	31.98	7.23	42.04
PK	5.5066G	59.40	68.20	-8.80	-3.03	3	Vertical	28	2.99	-	62.43	31.79	7.04	41.86
PK	5.761G	114.29	Inf	-Inf	-2.83	3	Vertical	28	2.99	-	117.12	31.98	7.23	42.04
PK	5.9614G	59.70	68.20	-8.50	-2.40	3	Vertical	28	2.99	-	62.10	32.40	7.38	42.18

802.11ax HEW40_Nss1,(MCS0)_2TX

23/06/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7502G	89.26	Inf	-Inf	-2.87	3	Horizontal	164	1.01	-	92.13	31.95	7.22	42.04
PK	5.5894G	59.44	68.20	-8.76	-3.20	3	Horizontal	164	1.01	-	62.64	31.62	7.10	41.92
PK	5.761G	100.45	Inf	-Inf	-2.83	3	Horizontal	164	1.01	-	103.28	31.98	7.23	42.04
PK	5.9338G	60.01	68.20	-8.19	-2.40	3	Horizontal	164	1.01	-	62.41	32.40	7.36	42.16

802.11ax HEW40_Nss1,(MCS0)_2TX

24/06/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51175G	40.64	54.00	-13.36	6.13	3	Vertical	322	2.09	-	34.51	39.53	10.37	43.77
PK	11.51104G	53.83	74.00	-20.17	6.14	3	Vertical	322	2.09	-	47.69	39.54	10.37	43.77

802.11ax HEW40_Nss1,(MCS0)_2TX

24/06/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51137G	40.43	54.00	-13.57	6.14	3	Horizontal	325	1.50	-	34.29	39.54	10.37	43.77
PK	11.512G	53.97	74.00	-20.03	6.13	3	Horizontal	325	1.50	-	47.84	39.53	10.37	43.77

802.11ax HEW40_Nss1,(MCS0)_2TX

23/06/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7938G	103.31	Inf	-Inf	-2.74	3	Vertical	35	2.56	-	106.05	32.08	7.25	42.07
PK	5.6354G	59.27	68.20	-8.93	-3.15	3	Vertical	35	2.56	-	62.42	31.67	7.13	41.95
PK	5.7938G	114.86	Inf	-Inf	-2.74	3	Vertical	35	2.56	-	117.60	32.08	7.25	42.07
PK	5.933G	59.55	68.20	-8.65	-2.40	3	Vertical	35	2.56	-	61.95	32.40	7.36	42.16

802.11ax HEW40_Nss1,(MCS0)_2TX

23/06/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7938G	89.74	Inf	-Inf	-2.74	3	Horizontal	328	1.01	-	92.48	32.08	7.25	42.07
PK	5.5622G	59.18	68.20	-9.02	-3.14	3	Horizontal	328	1.01	-	62.32	31.68	7.08	41.90
PK	5.7938G	100.33	Inf	-Inf	-2.74	3	Horizontal	328	1.01	-	103.07	32.08	7.25	42.07
PK	5.9582G	60.19	68.20	-8.01	-2.40	3	Horizontal	328	1.01	-	62.59	32.40	7.38	42.18

802.11ax HEW40_Nss1,(MCS0)_2TX

24/06/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59014G	40.57	54.00	-13.43	6.18	3	Vertical	327	1.50	-	34.39	39.43	10.47	43.72
PK	11.59018G	54.26	74.00	-19.74	6.18	3	Vertical	327	1.50	-	48.08	39.43	10.47	43.72

802.11ax HEW40_Nss1,(MCS0)_2TX

24/06/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58801G	40.41	54.00	-13.59	6.18	3	Horizontal	16	1.50	-	34.23	39.44	10.46	43.72
PK	11.58988G	53.43	74.00	-20.57	6.18	3	Horizontal	16	1.50	-	47.25	39.43	10.47	43.72

802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)

23/06/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	53.21	54.00	-0.79	-3.11	3	Vertical	8	2.62	-	56.32	31.80	6.77	41.68
AV	5.218G	94.09	Inf	-Inf	-3.37	3	Vertical	8	2.62	-	97.46	31.53	6.82	41.72
AV	5.376G	46.28	54.00	-7.72	-3.43	3	Vertical	8	2.62	-	49.71	31.43	6.94	41.80
PK	5.15G	69.27	74.00	-4.73	-3.11	3	Vertical	8	2.62	-	72.38	31.80	6.77	41.68
PK	5.217G	106.75	Inf	-Inf	-3.37	3	Vertical	8	2.62	-	110.12	31.53	6.82	41.72
PK	5.453G	58.87	74.00	-15.13	-3.18	3	Vertical	8	2.62	-	62.05	31.66	7.00	41.84

802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)

23/06/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.104G	46.96	54.00	-7.04	-2.94	3	Horizontal	320	1.02	-	49.90	31.98	6.74	41.66
AV	5.212G	79.92	Inf	-Inf	-3.35	3	Horizontal	320	1.02	-	83.27	31.55	6.82	41.72
AV	5.446G	46.17	54.00	-7.83	-3.20	3	Horizontal	320	1.02	-	49.37	31.64	6.99	41.83
PK	5.083G	59.88	74.00	-14.12	-3.02	3	Horizontal	320	1.02	-	62.90	31.91	6.72	41.65
PK	5.224G	92.90	Inf	-Inf	-3.39	3	Horizontal	320	1.02	-	96.29	31.50	6.83	41.72
PK	5.368G	58.72	74.00	-15.28	-3.46	3	Horizontal	320	1.02	-	62.18	31.40	6.93	41.79

802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)

24/06/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.42027G	53.37	68.20	-14.83	5.18	3	Vertical	304	2.20	-	48.19	39.45	9.79	44.06

802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)

24/06/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.42238G	53.69	68.20	-14.51	5.18	3	Horizontal	318	2.15	-	48.51	39.45	9.79	44.06

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

23/06/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.34	54.00	-0.66	-3.11	3	Vertical	50	2.99	-	56.45	31.80	6.77	41.68
AV	5.212G	93.10	Inf	-Inf	-3.35	3	Vertical	50	2.99	-	96.45	31.55	6.82	41.72
AV	5.35G	46.21	54.00	-7.79	-3.52	3	Vertical	50	2.99	-	49.73	31.35	6.92	41.79
PK	5.15G	69.26	74.00	-4.74	-3.11	3	Vertical	50	2.99	-	72.37	31.80	6.77	41.68
PK	5.221G	105.14	Inf	-Inf	-3.38	3	Vertical	50	2.99	-	108.52	31.52	6.82	41.72
PK	5.36G	58.84	74.00	-15.16	-3.48	3	Vertical	50	2.99	-	62.32	31.38	6.93	41.79

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

23/06/2019

5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.41	54.00	-6.59	-3.11	3	Horizontal	46	2.81	-	50.52	31.80	6.77	41.68
AV	5.2G	82.62	Inf	-Inf	-3.30	3	Horizontal	46	2.81	-	85.92	31.60	6.81	41.71
AV	5.447G	46.09	54.00	-7.91	-3.20	3	Horizontal	46	2.81	-	49.29	31.64	6.99	41.83
PK	5.068G	60.92	74.00	-13.08	-3.09	3	Horizontal	46	2.81	-	64.01	31.84	6.71	41.64
PK	5.204G	95.22	Inf	-Inf	-3.32	3	Horizontal	46	2.81	-	98.54	31.58	6.81	41.71
PK	5.391G	58.57	74.00	-15.43	-3.39	3	Horizontal	46	2.81	-	61.96	31.47	6.95	41.81