



TX CH40



Date: 5.DEC.2017 19:07:03

TX CH48




Date: 5.DEC.2017 19:13:53

Test Mode: UNII-1/TX N40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	41.70	37.00
CH46	5230	41.61	37.00

TX CH38



Date: 5.DEC.2017 14:41:07

TX CH46




Date: 5.DEC.2017 14:42:42

Test Mode: UNII-3/ TX A Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	16.45	16.60	>=500
CH157	5785	16.65	16.60	>=500
CH165	5825	16.45	16.60	>=500

TX CH 149




Date: 5.DEC.2017 11:25:25

TX CH 157



Date: 5.DEC.2017 11:27:19

TX CH 165




Date: 5.DEC.2017 11:29:55

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.65	17.80	>=500
CH157	5785	17.65	17.80	>=500
CH165	5825	17.65	17.80	>=500

TX CH 149




Date: 5.DEC.2017 13:24:07

TX CH 157



Date: 5.DEC.2017 13:26:00

TX CH 165




Date: 5.DEC.2017 13:27:44

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.50	36.40	≥ 500
CH159	5795	36.50	36.40	≥ 500

TX CH 151



Date: 5.DEC.2017 14:44:11

TX CH 159




Date: 5.DEC.2017 14:45:40

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	21.89	18.40
CH40	5200	22.50	18.40
CH48	5240	21.90	18.40

TX CH36




Date: 5.DEC.2017 14:03:43

TX CH40



Date: 5.DEC.2017 19:21:35

TX CH48




Date: 5.DEC.2017 19:36:22

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	41.40	36.80
CH46	5230	41.40	36.80

TX CH38



Date: 5.DEC.2017 15:28:00


TX CH46



Date: 5.DEC.2017 15:29:40

Test Mode: UNII-1/TX AC80 Mode_CH42

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH42	5210	82.01	75.20




Date: 5.DEC.2017 15:52:38

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.65	17.80	>=500
CH157	5785	17.65	17.80	>=500
CH165	5825	17.65	17.80	>=500

TX CH 149




Date: 5.DEC.2017 14:07:50

TX CH 157



Date: 5.DEC.2017 14:09:37

TX CH 165




Date: 5.DEC.2017 14:11:24

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.59	36.40	≥ 500
CH159	5795	36.50	36.40	≥ 500

TX CH 151



Date: 5.DEC.2017 15:31:10

TX CH 159




Date: 5.DEC.2017 15:32:39

Test Mode: UNII-3/ TX AC80 Mode_CH155

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH155	5775	77.00	76.00	>=500

TX CH 155




Date: 5.DEC.2017 15:54:10

Beamforming

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	22.05	18.20
CH40	5200	22.00	18.30
CH48	5240	22.05	18.20

TX CH36




Date: 7.DEC.2017 14:32:24

TX CH40



Date: 7.DEC.2017 14:34:01

TX CH48




Date: 7.DEC.2017 14:35:09

Test Mode: UNII-1/TX N40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	41.79	37.00
CH46	5230	41.70	37.20

TX CH38



Date: 9.DEC.2017 13:54:09

TX CH46




Date: 9.DEC.2017 13:55:48

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.65	17.80	>=500
CH157	5785	17.69	17.80	>=500
CH165	5825	17.80	17.80	>=500

TX CH 149




Date: 7.DEC.2017 14:36:43

TX CH 157



Date: 7.DEC.2017 14:37:58

TX CH 165




Date: 7.DEC.2017 14:39:27

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.50	36.40	≥ 500
CH159	5795	36.50	36.40	≥ 500

TX CH 151



Date: 9.DEC.2017 13:57:37

TX CH 159




Date: 9.DEC.2017 13:59:11

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	22.00	18.40
CH40	5200	22.00	18.30
CH48	5240	22.09	18.30

TX CH36




Date: 9.DEC.2017 13:15:26

TX CH40



Date: 9.DEC.2017 13:17:01

TX CH48




Date: 9.DEC.2017 13:18:25

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	41.40	37.00
CH46	5230	41.39	37.00

TX CH38



Date: 9.DEC.2017 14:30:51

TX CH46



Date: 9.DEC.2017 14:32:35


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH42	5210	81.80	75.20



Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.65	17.80	>=500
CH157	5785	17.69	17.80	>=500
CH165	5825	17.65	17.80	>=500

TX CH 149




Date: 9.DEC.2017 13:19:49

TX CH 157



Date: 9.DEC.2017 13:23:26

TX CH 165




Date: 9.DEC.2017 13:25:03

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.50	36.40	≥ 500
CH159	5795	36.50	36.40	≥ 500

TX CH 151



Date: 9.DEC.2017 14:34:03

TX CH 159




Date: 9.DEC.2017 14:35:24

Test Mode: UNII-3/ TX AC80 Mode_CH155

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH155	5775	77.00	76.00	>=500

TX CH 155



Date: 9.DEC.2017 15:03:30

APPENDIX F - MAXIMUM OUTPUT POWER

Non-Beamforming

Test Mode: UNII-1/TX A Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.71	0.25	17.96	30.00	1.00
CH40	5200	20.11	0.25	20.36	30.00	1.00
CH48	5240	20.84	0.25	21.09	30.00	1.00

Test Mode: UNII-1/TX A Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.79	0.25	18.04	30.00	1.00
CH40	5200	19.79	0.25	20.04	30.00	1.00
CH48	5240	20.72	0.25	20.97	30.00	1.00

Test Mode: UNII-1/TX A Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.81	0.25	18.06	30.00	1.00
CH40	5200	20.32	0.25	20.57	30.00	1.00
CH48	5240	20.81	0.25	21.06	30.00	1.00

Test Mode: UNII-1/TX A Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.76	0.25	18.01	30.00	1.00
CH40	5200	20.03	0.25	20.28	30.00	1.00
CH48	5240	20.59	0.25	20.84	30.00	1.00

Test Mode: UNII-1/TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	24.04	30.00	1.00
CH40	5200	26.34	30.00	1.00
CH48	5240	27.01	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	16.32	0.76	17.08	30.00	1.00
CH40	5200	19.28	0.76	20.04	30.00	1.00
CH48	5240	21.08	0.76	21.84	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	16.20	0.76	16.96	30.00	1.00
CH40	5200	19.21	0.76	19.97	30.00	1.00
CH48	5240	21.03	0.76	21.79	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	16.51	0.76	17.27	30.00	1.00
CH40	5200	19.68	0.76	20.44	30.00	1.00
CH48	5240	21.26	0.76	22.02	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	16.38	0.76	17.22	30.00	1.00
CH40	5200	19.57	0.76	20.41	30.00	1.00
CH48	5240	21.42	0.76	22.26	30.00	1.00

Test Mode: UNII-1/TX N20 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	23.22	30.00	1.00
CH40	5200	26.30	30.00	1.00
CH48	5240	28.06	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.41	1.65	16.06	30.00	1.00
CH46	5230	16.25	1.65	17.90	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.26	1.65	15.91	30.00	1.00
CH46	5230	16.36	1.65	18.01	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.12	1.65	15.77	30.00	1.00
CH46	5230	16.48	1.65	18.13	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.47	1.65	16.12	30.00	1.00
CH46	5230	16.62	1.65	18.27	30.00	1.00

Test Mode: UNII-1/TX N40 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	21.99	30.00	1.00
CH46	5230	24.10	30.00	1.00

Test Mode: UNII-3/ TX A Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	16.89	0.25	17.14	30.00	1.00
CH157	5785	16.11	0.25	16.36	30.00	1.00
CH165	5825	14.97	0.25	15.22	30.00	1.00

Test Mode: UNII-3/ TX A Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	16.92	0.25	17.17	30.00	1.00
CH157	5785	16.26	0.25	16.51	30.00	1.00
CH165	5825	14.96	0.25	15.21	30.00	1.00

Test Mode: UNII-3/ TX A Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	17.01	0.25	17.26	30.00	1.00
CH157	5785	16.12	0.25	16.37	30.00	1.00
CH165	5825	14.94	0.25	15.19	30.00	1.00

Test Mode: UNII-3/ TX A Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	17.27	0.25	17.52	30.00	1.00
CH157	5785	16.89	0.25	17.14	30.00	1.00
CH165	5825	15.53	0.25	15.78	30.00	1.00

Test Mode: UNII-3/ TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	23.29	30.00	1.00
CH157	5785	22.63	30.00	1.00
CH165	5825	21.38	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	16.72	0.76	17.48	30.00	1.00
CH157	5785	16.63	0.76	17.39	30.00	1.00
CH165	5825	16.27	0.76	17.03	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	16.59	0.76	17.35	30.00	1.00
CH157	5785	16.55	0.76	17.31	30.00	1.00
CH165	5825	16.27	0.76	17.03	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	16.52	0.76	17.28	30.00	1.00
CH157	5785	16.64	0.76	17.40	30.00	1.00
CH165	5825	16.51	0.76	17.27	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	17.17	0.76	18.01	30.00	1.00
CH157	5785	17.15	0.76	17.99	30.00	1.00
CH165	5825	17.12	0.76	17.96	30.00	1.00

Test Mode: UNII-3/TX N20 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	23.62	30.00	1.00
CH157	5785	23.61	30.00	1.00
CH165	5825	23.42	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	15.14	1.65	16.79	30.00	1.00
CH159	5795	13.52	1.65	15.17	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	15.26	1.65	16.91	30.00	1.00
CH159	5795	13.76	1.65	15.41	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	15.06	1.65	16.71	30.00	1.00
CH159	5795	13.82	1.65	15.47	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	15.39	1.65	17.04	30.00	1.00
CH159	5795	14.36	1.65	16.01	30.00	1.00

Test Mode: UNII-3/TX N40 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	22.88	30.00	1.00
CH159	5795	21.54	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.16	0.32	17.48	30.00	1.00
CH40	5200	19.89	0.32	20.21	30.00	1.00
CH48	5240	20.67	0.32	20.99	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.05	0.32	17.37	30.00	1.00
CH40	5200	19.61	0.32	19.93	30.00	1.00
CH48	5240	20.41	0.32	20.73	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.38	0.32	17.70	30.00	1.00
CH40	5200	19.73	0.32	20.05	30.00	1.00
CH48	5240	20.46	0.32	20.78	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.24	0.32	17.56	30.00	1.00
CH40	5200	19.79	0.32	20.11	30.00	1.00
CH48	5240	20.78	0.32	21.10	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	23.55	30.00	1.00
CH40	5200	26.10	30.00	1.00
CH48	5240	26.93	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.67	1.07	15.74	30.00	1.00
CH46	5230	15.51	1.07	16.58	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.78	1.07	15.85	30.00	1.00
CH46	5230	15.46	1.07	16.53	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.68	1.07	15.75	30.00	1.00
CH46	5230	15.58	1.07	16.65	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	15.12	1.07	16.19	30.00	1.00
CH46	5230	15.78	1.07	16.85	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	21.91	30.00	1.00
CH46	5230	22.68	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	15.39	2.00	17.39	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	14.87	2.00	16.87	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	15.03	2.00	17.03	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	14.98	2.00	16.98	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	23.09	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	17.06	0.32	17.38	30.00	1.00
CH157	5785	16.21	0.32	16.53	30.00	1.00
CH165	5825	15.62	0.32	15.94	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	17.13	0.32	17.45	30.00	1.00
CH157	5785	16.42	0.32	16.74	30.00	1.00
CH165	5825	15.58	0.32	15.90	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	17.16	0.32	17.48	30.00	1.00
CH157	5785	16.48	0.32	16.80	30.00	1.00
CH165	5825	15.69	0.32	16.01	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	17.48	0.32	17.80	30.00	1.00
CH157	5785	16.89	0.32	17.21	30.00	1.00
CH165	5825	16.31	0.32	16.63	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	23.55	30.00	1.00
CH157	5785	22.85	30.00	1.00
CH165	5825	22.15	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	14.01	1.07	15.08	30.00	1.00
CH159	5795	13.12	1.07	14.19	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	14.36	1.07	15.43	30.00	1.00
CH159	5795	13.57	1.07	14.64	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	14.48	1.07	15.55	30.00	1.00
CH159	5795	13.56	1.07	14.63	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	15.12	1.07	16.19	30.00	1.00
CH159	5795	14.13	1.07	15.20	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	21.60	30.00	1.00
CH159	5795	20.70	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	16.16	2.00	18.16	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	16.12	2.00	18.12	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	16.23	2.00	18.23	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	16.48	2.00	18.48	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	24.27	30.00	1.00

Beamforming

Test Mode: UNII-1/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	10.97	0.76	11.73	27.98	0.63
CH40	5200	13.06	0.76	13.82	27.98	0.63
CH48	5240	15.06	0.76	15.82	27.98	0.63

Test Mode: UNII-1/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	10.83	0.76	11.59	27.98	0.63
CH40	5200	12.87	0.76	13.63	27.98	0.63
CH48	5240	14.81	0.76	15.57	27.98	0.63

Test Mode: UNII-1/TX N20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	10.73	0.76	11.49	27.98	0.63
CH40	5200	13.18	0.76	13.94	27.98	0.63
CH48	5240	15.16	0.76	15.92	27.98	0.63

Test Mode: UNII-1/TX N20 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	10.67	0.76	11.43	27.98	0.63
CH40	5200	13.02	0.76	13.78	27.98	0.63
CH48	5240	15.02	0.76	15.78	27.98	0.63

Test Mode: UNII-1/TX N20 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.59	27.98	0.63
CH40	5200	19.82	27.98	0.63
CH48	5240	21.80	27.98	0.63

Test Mode: UNII-1/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	7.97	1.65	9.62	27.98	0.63
CH46	5230	10.06	1.65	11.71	27.98	0.63

Test Mode: UNII-1/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	7.89	1.65	9.54	27.98	0.63
CH46	5230	9.98	1.65	11.63	27.98	0.63

Test Mode: UNII-1/TX N40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	8.12	1.65	9.77	27.98	0.63
CH46	5230	10.23	1.65	11.88	27.98	0.63

Test Mode: UNII-1/TX N40 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	8.22	1.65	9.87	27.98	0.63
CH46	5230	10.44	1.65	12.09	27.98	0.63

Test Mode: UNII-1/TX N40 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	15.72	27.98	0.63
CH46	5230	17.85	27.98	0.63

Test Mode: UNII-3/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	10.32	0.76	11.08	27.98	0.63
CH157	5785	10.03	0.76	10.79	27.98	0.63
CH165	5825	10.64	0.76	11.40	27.98	0.63

Test Mode: UNII-3/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	10.28	0.76	11.04	27.98	0.63
CH157	5785	10.23	0.76	10.99	27.98	0.63
CH165	5825	10.59	0.76	11.35	27.98	0.63

Test Mode: UNII-3/TX N20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	10.24	0.76	11.00	27.98	0.63
CH157	5785	10.41	0.76	11.17	27.98	0.63
CH165	5825	10.47	0.76	11.23	27.98	0.63

Test Mode: UNII-3/TX N20 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	10.87	0.76	11.63	27.98	0.63
CH157	5785	10.78	0.76	11.54	27.98	0.63
CH165	5825	10.92	0.76	11.68	27.98	0.63

Test Mode: UNII-3/TX N20 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	17.22	27.98	0.63
CH157	5785	17.16	27.98	0.63
CH165	5825	17.44	27.98	0.63

Test Mode: UNII-3/ TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	9.42	1.65	11.07	27.98	0.63
CH159	5795	8.21	1.65	9.86	27.98	0.63

Test Mode: UNII-3/ TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	9.81	1.65	11.46	27.98	0.63
CH159	5795	8.22	1.65	9.87	27.98	0.63

Test Mode: UNII-3/ TX N40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	9.23	1.65	10.88	27.98	0.63
CH159	5795	7.93	1.65	9.58	27.98	0.63

Test Mode: UNII-3/ TX N40 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	9.93	1.65	11.58	27.98	0.63
CH159	5795	8.97	1.65	10.62	27.98	0.63

Test Mode: UNII-3/TX N40 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	17.28	27.98	0.63
CH159	5795	16.02	27.98	0.63

Test Mode: UNII-1/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	10.96	0.32	11.28	27.98	0.63
CH40	5200	13.54	0.32	13.86	27.98	0.63
CH48	5240	14.83	0.32	15.15	27.98	0.63

Test Mode: UNII-1/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	10.74	0.32	11.06	27.98	0.63
CH40	5200	13.23	0.32	13.55	27.98	0.63
CH48	5240	14.53	0.32	14.85	27.98	0.63

Test Mode: UNII-1/TX AC20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	10.85	0.32	11.17	27.98	0.63
CH40	5200	13.78	0.32	14.10	27.98	0.63
CH48	5240	14.94	0.32	15.26	27.98	0.63

Test Mode: UNII-1/TX AC20 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	10.73	0.32	11.05	27.98	0.63
CH40	5200	13.42	0.32	13.74	27.98	0.63
CH48	5240	14.52	0.32	14.84	27.98	0.63

Test Mode: UNII-1/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.16	27.98	0.63
CH40	5200	19.84	27.98	0.63
CH48	5240	21.05	27.98	0.63

Test Mode: UNII-1/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	8.66	1.07	9.73	27.98	0.63
CH46	5230	9.37	1.07	10.44	27.98	0.63

Test Mode: UNII-1/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	8.45	1.07	9.52	27.98	0.63
CH46	5230	9.16	1.07	10.23	27.98	0.63

Test Mode: UNII-1/TX AC40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	8.73	1.07	9.80	27.98	0.63
CH46	5230	9.61	1.07	10.68	27.98	0.63

Test Mode: UNII-1/TX AC40 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	8.67	1.07	9.74	27.98	0.63
CH46	5230	9.43	1.07	10.50	27.98	0.63

Test Mode: UNII-1/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	15.72	27.98	0.63
CH46	5230	16.49	27.98	0.63

Test Mode: UNII-1/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	8.93	2.00	10.93	27.98	0.63

Test Mode: UNII-1/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	8.51	2.00	10.51	27.98	0.63

Test Mode: UNII-1/TX AC80 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	8.64	2.00	10.64	27.98	0.63

Test Mode: UNII-1/TX AC80 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	8.89	2.00	10.89	27.98	0.63

Test Mode: UNII-1/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	16.76	27.98	0.63

Test Mode: UNII-3/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	10.98	0.32	11.30	27.98	0.63
CH157	5785	10.78	0.32	11.10	27.98	0.63
CH165	5825	10.23	0.32	10.55	27.98	0.63

Test Mode: UNII-3/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	11.02	0.32	11.34	27.98	0.63
CH157	5785	10.86	0.32	11.18	27.98	0.63
CH165	5825	10.41	0.32	10.73	27.98	0.63

Test Mode: UNII-3/TX AC20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	10.57	0.32	10.89	27.98	0.63
CH157	5785	10.58	0.32	10.90	27.98	0.63
CH165	5825	9.64	0.32	9.96	27.98	0.63

Test Mode: UNII-3/TX AC20 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	11.46	0.32	11.78	27.98	0.63
CH157	5785	11.41	0.32	11.73	27.98	0.63
CH165	5825	10.66	0.32	10.98	27.98	0.63

Test Mode: UNII-3/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	17.36	27.98	0.63
CH157	5785	17.26	27.98	0.63
CH165	5825	16.59	27.98	0.63

Test Mode: UNII-3/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	8.90	1.07	9.97	30.00	1.00
CH159	5795	7.93	1.07	9.00	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	8.48	1.07	9.55	27.98	0.63
CH159	5795	7.62	1.07	8.69	27.98	0.63

Test Mode: UNII-3/TX AC40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	8.31	1.07	9.38	27.98	0.63
CH159	5795	7.38	1.07	8.45	27.98	0.63

Test Mode: UNII-3/TX AC40 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	9.42	1.07	10.49	27.98	0.63
CH159	5795	8.49	1.07	9.56	27.98	0.63

Test Mode: UNII-3/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	15.89	27.98	0.63
CH159	5795	14.97	27.98	0.63

Test Mode: UNII-3/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	10.33	2.00	12.33	27.98	0.63

Test Mode: UNII-3/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	10.28	2.00	12.28	27.98	0.63

Test Mode: UNII-3/TX AC80 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	10.24	2.00	12.24	27.98	0.63

Test Mode: UNII-3/TX AC80 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	10.68	2.00	12.68	27.98	0.63

Test Mode: UNII-3/TX AC80 Mode_Total


Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	18.40	27.98	0.63

APPENDIX G - POWER SPECTRAL DENSITY

Non-Beamforming

Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	6.77	0.25	7.02	17.00
CH40	5200	8.51	0.25	8.76	17.00
CH48	5240	9.26	0.25	9.51	17.00




Date: 5.DEC.2017 10:56:05



Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.85	0.25	6.10	17.00
CH40	5200	7.92	0.25	8.17	17.00
CH48	5240	9.08	0.25	9.33	17.00




Date: 5.DEC.2017 11:33:37



Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	6.48	0.25	6.73	17.00
CH40	5200	8.48	0.25	8.73	17.00
CH48	5240	9.47	0.25	9.72	17.00




Date: 5.DEC.2017 11:43:05




Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	6.56	0.25	6.81	17.00
CH40	5200	8.53	0.25	8.78	17.00
CH48	5240	9.66	0.25	9.91	17.00




Date: 5.DEC.2017 11:51:49

CH40



Date: 19.DEC.2017 13:47:10

CH48




Date: 19.DEC.2017 13:54:33

Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	12.70	17.00
CH40	5200	14.64	17.00
CH48	5240	15.64	17.00


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.03	0.76	5.79	17.00
CH40	5200	6.99	0.76	7.75	17.00
CH48	5240	9.83	0.76	10.59	17.00




Date: 5.DEC.2017 13:19:27

CH40



Date: 5.DEC.2017 13:20:58

CH48




Date: 19.DEC.2017 14:00:47

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.83	0.76	5.59	17.00
CH40	5200	7.00	0.76	7.76	17.00
CH48	5240	9.57	0.76	10.33	17.00

CH36




Date: 5.DEC.2017 13:29:29



Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.16	0.76	5.92	17.00
CH40	5200	7.90	0.76	8.66	17.00
CH48	5240	9.97	0.76	10.73	17.00

CH36




Date: 5.DEC.2017 13:38:24

CH40



Date: 5.DEC.2017 13:40:05

CH48




Date: 19.DEC.2017 14:02:20

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.94	0.76	5.78	17.00
CH40	5200	6.94	0.76	7.78	17.00
CH48	5240	9.97	0.76	10.81	17.00

CH36




Date: 5.DEC.2017 13:49:28

CH40



Date: 5.DEC.2017 13:50:46

CH48



Date: 19.DEC.2017 14:03:04


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	11.85	17.00
CH40	5200	14.09	17.00
CH48	5240	16.70	17.00

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.03	1.65	0.62	17.00
CH46	5230	-0.76	1.65	0.89	17.00

CH38



Date: 5.DEC.2017 14:41:19

CH46




Date: 5.DEC.2017 14:42:54

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.46	1.65	0.19	17.00
CH46	5230	0.09	1.65	1.74	17.00

CH38



Date: 5.DEC.2017 14:47:16

CH46




Date: 5.DEC.2017 14:48:46

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.08	1.65	0.57	17.00
CH46	5230	0.22	1.65	1.87	17.00

CH38



Date: 5.DEC.2017 14:53:11

CH46




Date: 5.DEC.2017 15:07:39

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.17	1.65	0.48	17.00
CH46	5230	-1.43	1.65	0.22	17.00

CH38



Date: 5.DEC.2017 15:00:25

CH46



Date: 5.DEC.2017 15:01:58


Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	6.49	17.00
CH46	5230	7.13	17.00

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.99	0.25	5.24	30.00
CH157	5785	4.65	0.25	4.90	30.00
CH165	5825	2.17	0.25	2.42	30.00

TX CH149




Date: 5.DEC.2017 16:53:54

TX CH157



Date: 5.DEC.2017 16:58:36

TX CH165




Date: 5.DEC.2017 17:03:48

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.90	0.25	5.15	30.00
CH157	5785	4.98	0.25	5.23	30.00
CH165	5825	2.40	0.25	2.65	30.00

TX CH149




Date: 5.DEC.2017 16:55:13

TX CH157



Date: 5.DEC.2017 16:59:44

TX CH165




Date: 5.DEC.2017 17:04:42

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	5.23	0.25	5.48	30.00
CH157	5785	5.00	0.25	5.25	30.00
CH165	5825	2.24	0.25	2.49	30.00

TX CH149




Date: 5.DEC.2017 16:55:55

TX CH157



Date: 5.DEC.2017 17:00:19

TX CH165




Date: 5.DEC.2017 17:05:24

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.15	0.25	6.40	30.00
CH157	5785	5.36	0.25	5.61	30.00
CH165	5825	2.86	0.25	3.11	30.00

TX CH149




Date: 5.DEC.2017 16:56:44

TX CH157



Date: 5.DEC.2017 17:01:01

TX CH165



Date: 5.DEC.2017 17:06:17


Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	11.62	30.00
CH157	5785	11.27	30.00
CH165	5825	8.69	30.00

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	5.22	0.76	5.98	30.00
CH157	5785	4.64	0.76	5.40	30.00
CH165	5825	4.03	0.76	4.79	30.00

TX CH149




Date: 5.DEC.2017 17:08:25

TX CH157



Date: 5.DEC.2017 17:12:18

TX CH165




Date: 5.DEC.2017 17:16:11

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	5.80	0.76	6.56	30.00
CH157	5785	5.17	0.76	5.93	30.00
CH165	5825	4.29	0.76	5.05	30.00

TX CH149




Date: 5.DEC.2017 17:09:15

TX CH157



Date: 5.DEC.2017 17:13:08

TX CH165




Date: 5.DEC.2017 17:16:54

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	5.84	0.76	6.60	30.00
CH157	5785	4.93	0.76	5.69	30.00
CH165	5825	4.22	0.76	4.98	30.00

TX CH149




Date: 5.DEC.2017 17:09:49

TX CH157



Date: 5.DEC.2017 17:13:40

TX CH165




Date: 5.DEC.2017 17:17:34

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.61	0.76	7.45	30.00
CH157	5785	6.01	0.76	6.85	30.00
CH165	5825	5.13	0.76	5.97	30.00

TX CH149




Date: 5.DEC.2017 17:10:23

TX CH157



Date: 5.DEC.2017 17:14:20

TX CH165



Date: 5.DEC.2017 17:18:08


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	12.76	30.00
CH157	5785	12.08	30.00
CH165	5825	11.30	30.00

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.20	1.65	3.85	30.00
CH159	5795	-1.51	1.65	0.14	30.00

TX CH151



Date: 5.DEC.2017 17:41:11

TX CH159




Date: 5.DEC.2017 17:46:06

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.45	1.65	4.10	30.00
CH159	5795	-1.08	1.65	0.57	30.00

TX CH151



Date: 5.DEC.2017 17:42:05

TX CH159




Date: 5.DEC.2017 17:47:21

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.53	1.65	4.18	30.00
CH159	5795	-0.86	1.65	0.79	30.00

TX CH151



Date: 5.DEC.2017 17:42:45

TX CH159



Date: 5.DEC.2017 17:48:08